

A Database Publication

electron

user

Vol. 4 No. 3 December 1986 £1



*Two great games
for Christmas...*

Santa's Sleigh & Yule Spell

**Turtle graphics on the
Electron: full listing**

**How to keep track of
your function keys**

THE ADVENTURE CREATOR



The HIGHLY ACCLAIMED Adventure generating system is now available for the Electron computer. You can create your own professional 'stand alone' adventure games with **The Adventure Creator**. The intelligent command interpreter can handle complex sentences and multiple input commands in your own adventures. Extensive text compression allows you to produce more numerous and detailed location descriptions.

Some of the many features include a full function editor, automatic word formatting, a logical command interpreter and an abbreviated input acceptance facility.

An EXTRA feature, added specially for the Electron Adventure Creator, is the additional command 'chain' that allows you should you so wish, to create MASSIVE multi part adventures.

Unleash the power of your imagination now! The Adventure Creator for your Electron or BBC. Available from all leading retailers or direct from Incentive on (07356) 77288.

INCENTIVE SOFTWARE LTD. 2 Minerva House, Calleva Park, Aldermaston, Berks RG7 4QW.

Please rush me, **THE ADVENTURE CREATOR**

☐ Electron ☐ BBC B

☐ Cassette £14.95



I enclose Cheque/PO for £ _____
or please debit my credit card

No. _____

Name _____

Address _____

News

All that's new in the ever expanding world of the Electron. **5**

Adventures



Introducing Pendragon and there's a brand new section for the absolute beginner. **10**

Software Survey

The latest software releases. Future Shock, Kane and MicroPower Magic - they're all here. **16**

Graphics

It's all a matter of coordination as we look at the screen's origins. **20**

Function Key Lister

Keep forgetting your function definitions? This utility will come to your aid. **23**



Yule Spell

Fun for all the family with a seasonal variation on that old favourite, Hangman. **33**

Pogo
Dabble with Logo using our powerful implementation of the popular language. **38**

Basics

Our down-to-earth series takes a close look at numeric and string variables. **44**



Beginners

We round off the series with a look at local variables and their use in procedures. **46**




Santa's Sleight

Guide Father Christmas round the warehouse and fill his sleigh with presents. **29**

AI's Smiley Hunt

The first article in a two part series on developing your programming techniques. **50**



Climb the pyramid and have a drink on us - courtesy of two of our clever readers. **53**

Micro Messages

The pages you write yourselves. A selection from the many interesting letters you've been sending us over the last few weeks. **55**

ARM

Keep your roms under control with ACP's Advanced Rom Manager. **63**

Hardware

Advanced Computer Products' AP5 provides you with 3 new ports. We show how these can be used. **67**

Bargains galore!

Don't miss our special offers on Pages 58 to 61.

Managing Editor
Derek Meakin
Editor in Chief
Mike Bibby
Features Editor
Roland Waddilove
Production Editor
Peter Glover

Art Editor
Heather Sheldrick
Reviews Editor
Chris Payne
Advertisement Manager
John Riding
Advertising Sales
John Snowden

Published by Database Publications Ltd
Europa House, 68 Chester Road, Hazel Grove, Stockport SK7 5NY.

Telephone: 061-456 8835 (Editorial) 061-456 8383 (Administration) 061-456 8500 (Advertising)

Subscriptions: 061-480 0171, Telecom Gold Mailbox: 72:MAG001, Prestel: 614568383.

Telex: 265871 MONREF G. Quoting Ref. 72:MAG001.

ABC 37,575 January-June 1986

News trade distribution:
Diamond-Europress Sales and Distribution, Unit 1, Burgess Road, Ivyhouse Lane, Hastings, East Sussex TN35 4NR. Tel: 0424 430422.

Printed by Carlisle Web Offset.

Electron User is an independent publication. Acorn Computers Ltd, manufacturers of the Electron, are not responsible for any of the articles in this issue or for any of the opinions expressed.

Electron User welcomes program listings and articles for publication. Material should be typed or computer-printed, and preferably double-spaced. Program listings should be accompanied by cassette tape or disc. Please enclose a stamped, self-addressed envelope, otherwise the return of material cannot be guaranteed. Contributions accepted for publication will be on an all-rights basis.

Subscription rates for 12 issues, post free:

£12 UK & Eire (Sterling Only)
£20 Europe
£35 Overseas

© 1986 Database Publications Ltd. No material may be reproduced in whole or in part without written permission. While every care is taken, the publishers cannot be held legally responsible for any errors in articles or listings.

ALREADY A NUMBER 1 BEST SELLER

COMPATIBLE
WITH THE BBC
B, B+ AND
MASTER
SERIES



The first mission — destroy the reactor for a bonus score.



Retrieve the Pod and make your escape.



Collect the fuel and steer clear of the limpet guns.



Shoot the activator to open the sliding entrance door.

REVIEWS OF THRUST ALREADY PUBLISHED

Zzap! 64: "The most enjoyable game we've played for ages..." — A ZZAPI SIZZLER.

Computer & Video Games: "Thrust is a simple but totally addictive game..." — A C+VG HIT!

Now available for the BBC Micro and Electron

The Commodore-64 version of Thrust (published by Firebird Software) shot immediately to No.1 in the software charts and was greeted with rave reviews throughout the computer press. Equally addictive and just as enjoyable, the BBC Micro and Electron versions of the game are set to emulate this performance.

Thrust is simple, fun-to-play, yet totally realistic and intensely challenging. Your mission is to visit 24 planets in turn collecting the Klystron Pods and, if possible, destroying each planet's reactor system. Your spaceship and the pods, which are heavier than the spaceship, move authentically subject to the laws of gravity, inertia and momentum — indeed the game's author, Jeremy Smith holds a First-Class Honours degree in Physics! Careful planning of your manoeuvres is essential in order to prevent the pods swinging out of control and dragging your spaceship to destruction.

To add to the challenge, the planets have different gravity rates and, as you progress through the game, some have "reverse gravity" or "invisible landscapes". They are defended by automatic limpet guns strategically placed to protect the pods and fuel tanks — the only source of replenishment for your limited fuel supply. The smooth screen-scrolling, which is exemplary, and the realistic action gives the player a fascinating feeling of floating through space.

PRICE: £7.95 (cassette), £11.95 (BBC disc)

COMPETITION COMPETITION COMPETITION COMPETITION

If you complete the mission by collecting the pods from all 24 planets, you can enter our competition. The prizes include the beautiful trophy (pictured on the right), £250 cash, and 3 copies of the captivating book "The New Atlas of the Universe" by Patrick Moore. Closing date: 31st January, 1987.



**SUPERIOR
SOFTWARE**
Limited

Dept. TH5, Regent House,
Skinner Lane,
Leeds LS7 1AX.
Telephone: 0532 459453.



24 HOUR TELEPHONE
ANSWERING SERVICE FOR ORDERS

- OUR GUARANTEE**
- All mail orders are despatched within 24 hours by first-class post.
 - Postage and packing is free.
 - Faulty cassettes and discs will be replaced immediately.



BBC
MICRO

ELECTRON

WE PAY TOP ROYALTIES FOR HIGH QUALITY SOFTWARE

electron user NEWS

December 1986



AMX Art in action

Now Electron can have its own mouse

DISC DRIVE PRICES SOAR

A WARNING has gone out to Electron users that the price of disc drives is about to go through the roof.

The message that is coming over loud and clear is: Buy now or pay more later.

More and more Electron owners are turning

to disc drives because they want to be able to exchange programs freely with their BBC Micro-owning friends.

But the price of doing this is rising – a survey has shown that the current wholesale price

Turn to Page 6

A FURTHER hurdle in the technology needed to make the Electron as powerful as the BBC Micro has been overcome.

The machine is now compatible with the best-selling AMX Mouse and the AMX Art package.

"We see this as one more step along the way to lift the Electron to the BBC Micro's specifications", said John Huddleston of Advanced Computer Products, the



company behind the breakthrough.

To achieve this, ACP first perfected its AP5 which effectively adds three more interfaces to the machine.

This combines a 1 MHz bus, a user port providing the same I/O as the BBC Micro and a Tube interface in a triple interface cartridge for £67.70.

Now ACP has come up with the software to enable the AMX Mouse from AMS to be linked to the AP5 user port.

As a result of a deal with AMS, ACP is now offering the AMX Mouse and AMX Art along with the specially written software for £69.95.

The original Mouse for the BBC Micro sold 10,000 units in the first nine months alone and

became a finalist in the Peripheral of the Year Award 1985.

AMX Art is a computer aided drawing program using windows, icons, pull-down menus and pointers for producing professional standard drawings – or mere doodles that can be saved and printed.

It is certainly not the first time that Advanced Computer Products has helped boost the performance of the Electron.

The company's AP4 – the predecessor of the AP5 – was a disc interface which opened up the Electron to a vast pool of software previously restricted to the BBC Micro.

Featuring a 1770 DFS as standard running with Page at &E00, it costs £69.95.

Santa goes on line

MESSAGES to Father Christmas need not depend on the efficiency of the postal service this year.

To ensure that every child can contact him before the big day, the jolly old fellow has gone on line up at the North Pole.

Equipped with an Electron no less, Santa has hooked up his

workshop to the giant MicroLink computer in the UK.

Now all that kiddies – or their parents – have to do to contact him is to transmit their message via micro and modem.

SantaLink is the latest service being offered through the country's fastest growing electronic mail and

messaging service.

All MicroLink subscribers have to do is type SANTA at the prompt when they go on-line, and then enter their message.

And Father Christmas guarantees that every message sent to him will get through – and be answered personally – right up to Christmas Eve.

Electron aid in education

AN Electron at the Brookside Training Centre, Southampton, is helping mentally handicapped teenagers and adults learn the

three Rs. An average of 170 people come from all over the Southampton area each day to take part in the centre's many activities.



JOYFUL MD...

FOR the first time since launching its Speed King joystick, Konix is confident it can meet all orders from Electron users.

Since the product first came out last January UK demand has outstripped supply three times over, despite the production of 100,000 units.

During the summer an order for 60,000 joysticks – versions are made for a dozen makes of micro, including the

Electron – had to be turned down.

But now production has been ramped up from 3,500 to 50,000 units a week.

And Konix managing director Wyn Holloway (above) says Electron owners shouldn't have to wait for Speed Kings.

"We now have 120 people working in two shifts to ensure that there are no more waiting lists for these joysticks", he told *Electron User*.

Prices warning

From Page 5

of disc drives in the UK is around 40 per cent higher than at this time last year.

The main reason for this is the poor showing of the pound against the Japanese yen – a situation that is unlikely to improve in the immediate future.

"Last year saw 400k drives on sale for as little as £80, whereas now you're looking at an RRP of around the £120 mark", says Barry Rubery of Pace Micro Technology.

Spokesmen for several other disc drive

suppliers confirmed this when interviewed by *Electron User*.

"If Electron owners want to buy a disc drive, they had better buy now", said a representative of Twillstar.

A Watford Electronics spokesman said: "We are subject to problems with the pound just like anyone else, so there is no way any price guarantees can be given."

"But we intend to keep our prices down as long as we possibly can by buying at the right price and staying well ahead of the game – that's the key".

These include horse riding and swimming – but none is more popular than computing.

"We are using the Electron as an aid to further education, teaching spelling, reading and some basic maths", said centre manager Tom Burn.

"It's amazing to see how fascinated our students have been by the computer, right from the word go."

"I think this is because every time they press a key something interesting happens on screen."

Absorbed

"Because they are so absorbed in what is going on they tend to learn better."

"We are not unique at Brookside – other training centres in Hampshire are going ahead in computing – but we think we are as progressive as any."

"We have gradually built up from one computer to five and hope to add more soon".

TIME TRAVELLER

AN updated version of the space arcade game Thunderstruck is shortly to be released for the Electron by Audiogenic.

Playing Spreco, a space refuse collector, you find yourself transported back to the 10th century. Your task is to return to the present time.

Incorporating stunning graphics and puzzles with a varying level of difficulty, Thunderstruck is available on tape, price £7.95.



The way into wonderland...

HIGHLY successful adventure generating system Adventure Creator has at last been made available for the Electron.

The Incentive Software product allows Electron owners to create their own professional stand-alone adventure games.

Its intelligent command interpreter can handle complex sentences and multiple command lines.

Also included is "it" detection, whereby "Take the box and open it carefully. Examine the silver charm and then put it in the box", is a perfectly valid input.

This allows the user to create more detailed and more numerous location descriptions to improve the playability of adventures.

With a full function editor, Adventure Creator features automatic word formatting, a logical command interpreter and abbreviated input acceptance.

It will recognise and distinguish words like river/rivet, screw/screen and trout/trousers – not just the first few letters.

An extra feature added specially for Electron users is the additional command CHAIN that allows creation of large adventures split

into several parts.

Other features include alphabetical word scanning and sorting, and the ability for objects to have individual characteristics like weight and cost.

The program also offers full diagnostic screens showing current status of the 255 markers plus 128 counters, the acceptance of synonyms, high, low priority and local conditions.

Electron owners who use Adventure Creator to write software are being asked to submit it to Incentive for possible inclusion in the firm's new Medallion Adventure series.

Adventure Creator is supplied complete with two example datafiles, including an easy-start file Quickstart. Price £14.95 on cassette.

ARCADE ADVENTURE

LATEST release in the Strobe budget range from IJK for the Electron is Quest for Freedom.

The machine code arcade adventure has 55 different screens, 32 aliens, 60 backgrounds, and 80 walls.

There are cartoon style graphics and puzzles on each screen. Price £1.99.

ACORN~~SOFT~~ ELECTRON BONANZA

AMAZING OFFERS

VIEW

WORDPROCESSING
CARTRIDGE

~~£29.95~~

£12.95*

VIEW

SPREAD SHEET
CARTRIDGE

~~£29.95~~

£12.95*

SHEET

• OR ONLY **£19.95*** FOR BOTH

FOR A LIMITED
PERIOD ONLY

PRIMARY EDUCATION

HOME INTEREST

BUSINESS

Sentence Sequence ~~£6.99~~
Word Sequence ~~£6.99~~
Missing Signs ~~£6.99~~
Number Balance ~~£6.99~~
Talk Back ~~£6.99~~

Workshop ~~£6.99~~
Boxer ~~£6.99~~
Snapper ~~£6.99~~
The Complete Cocktail Maker ~~£6.99~~
Watch Your Weight ~~£6.99~~

Desk Diary ~~£6.99~~
Personal Money Management ~~£6.99~~
Business Games ~~£6.99~~
Graphs & Charts ~~£6.99~~
~~Creative Graphics~~ Sold out

• SELECT ANY FIVE FOR ONLY **£7.95**

EDUCATION+

Linkword German ~~£14.95~~
Linkword Spanish ~~£14.95~~
Linkword Italian ~~£14.95~~
I DO ~~£12.65~~

Maths 'O' Level I ~~£12.65~~
Maths 'O' Level II ~~£12.65~~
Biology ~~£12.65~~
English ~~£12.65~~

Magic Mushrooms ~~£11.95~~
Lisp Cassette ~~£9.95~~
Turtle Graphics Cassette ~~£9.95~~
Theatre Quiz ~~£12.95~~

• ANY TWO FOR **£5.95**

MICROPOWER GAMES

Bandits at 3 O'clock ~~£6.95~~
Adventure ~~£7.95~~
Swag ~~£6.95~~
Escape from Moon Base ~~£7.95~~
Ghouls ~~£7.95~~
Electron Invaders ~~£7.95~~

Felix and the Fruit Monsters ~~£7.95~~
The Mine ~~£7.95~~
Felix in the Factory ~~£7.95~~
Croaker ~~£7.95~~
Bumble Bee ~~£7.95~~
Frenzy ~~£7.95~~

Gauntlet ~~£7.95~~
Killer Gorilla ~~£7.95~~
Rubble Trouble ~~£7.95~~
Swoop ~~£7.95~~
Chess ~~£7.95~~
Jet Power Jack ~~£7.95~~

• ANY FIVE FOR ONLY **£7.95**

ROM CARTRIDGES

Logo Cartridge ~~£59.95~~ **£29.95**
ISO Pascal Cartridge ~~£59.95~~ **£29.95**
LISP Cartridge ~~£29.95~~ **£9.95**
Starship Command ~~£14.95~~ **£2.95**

ELITE

plus 3 Games Disk ~~£12.95~~ **£10.95**
Me and My Micro ~~£19.95~~ **£9.95**
Book and Cassette ~~£12.95~~ **£2.95**
Advanced User Guide ~~£9.95~~ **£2.95**

CHEQUES PAYABLE TO MICRO
POWER. GOODS DESPATCHED
WITHIN 48 HRS. PRICES INCLUDE
V.A.T. ACCESS/VISA. SEND YOUR
ORDER TO: MICRO POWER LTD.,
NORTHWOOD HOUSE, NORTH
STREET, LEEDS LS7 2AA.
DEALERS ENQUIRIES WELCOME
TEL: 0532 456000/434006

Name _____

Address _____

PLEASE ADD 0.95p P&P



Micro Power Limited, Northwood House, North Street, Leeds LS7 2AA

MICROPOWER

Advanced Computer Products

The Advanced Plus Four (A.P.4.)

- A FULLY ACORN COMPATIBLE disc I/Face for the 'ELK' & Plus 1
- Accepts any standard 5¼" or 3½" disc drive with PSU
- Supplied with 1770 DFS (as supplied on the B+ & Master series) (A.E.D. is still available for Plus 3 users at £24.15 inc.)
- Page stays at &E00, the same as Tape F.S. NO LOSS of RAM
- Will allow more tape software to be run from disc
- Access compatible BBC disc-based software. No conversion program needed
- Extra sideways ROM socket fitted as standard
- A self-contained, well finished and fully tested product
- No 'short cuts' in design, finish or components
- ROM s/ware includes format, verify, free space and utils.
- Achieve greater BBC compatibility

£69.55 (+VAT)

"I can recommend it to anyone contemplating upgrading to disc".

Electron User, June '86

"The AP4 should be considered the standard interface for the Electron".

Acorn User, July '86

AP4 SPECIAL PACKAGE PRICES

AP4 100 = AP4 + 5¼" 40 track S/S including PSU £199.00


AP4 400 = AP4 + 5¼" track switchable D/S including PSU £229.00

These prices include VAT and delivery

THE ADVANCED PLUS FOUR

"Disc drive compatibility at long last".

ELECTRON USER, JUNE '86



03 16K Sideways Rom Adapter For Acorn Computers

Advanced
Rom II
Adapter
Advanced
Computer
Products

1986 ACP Ltd. 6 Ava House, High St. Chobham, Surrey

THE ADVANCED ROM ADAPTOR II

The Advanced ROM Adaptor II

Our versatile cartridge continues to grow in popularity and demand. This ROM/EPROM adaptor is a quality product fully enclosed in an Acorn approved casing, providing full protection for your valuable firmware! A.R.A. 2 not only allows 8K (2764) & 16K (27128) ROMS/EPROMS but also supports 27513 & 27011 devices (when used with the correct software) for which we are currently developing new products. Fully compatible with the Master Computer & Electron Plus I

ADVANCED PRINT BUFFER

Is a program that runs in sideways RAM and provides a large Print Buffer, instead of the resident 63 bytes. Large means over 14K (14700 characters) allowing letters, reports, documents, listings, etc. to be printed while you carry on with another task. Full control is provided to switch Buffer on/off, Purge Buffer, even changing the effect <ESCAPE> has on the Buffer (essential when using w/procs such as View)

(5¼ ADFS) /B/M/C/ £5.95

ADVANCED ELITE Fs

Allows Master users to run their BBC Elite Program Disc on the Master & Master Compact (5¼ ADFS)

/M/C £5.95

ADVANCE BBC DFS E00

Enables B+ or upgraded B users to run 1770 DFS at E00 when used in 16K sideways RAM

(5¼ DFS) /B+ £19.99

AMX MOUSE

POINTS THE WAY FOR THE ELECTRON USER

AMX MOUSE

Catch an incredible AMX MOUSE! The advanced opto-mechanical device that brings to your ELECTRON facilities once only available on more expensive computers. Now you can use ICONS, WINDOWS, AND POINTERS in your own programs.

AMX PACKAGE


Plug the MOUSE into the user port, and the EPROM into your A.P.5. The latter contains fast machine code routines for creating on-screen windows, icons and pointers. And means that the MOUSE buttons can be programmed for use with commercial software such as Wordwise and View. There are two manuals included, explaining how to operate the MOUSE and the ROM routines, which are available in both basic and machine code programs.

Included in the package are two superb programs:

AMX ART has to be seen to be believed! It's a computer-aided drawing program that's just as good for serious applications - such as the preparation of detailed architectural and engineering drawings or teachers' worksheets - as it is for having lots of family fun! And if you're artistically inclined, you'll be astonished at the quality of work you can produce and save. It makes full use of on-screen menus, pull-down menus and icons: the ideal, easy way for novices to learn and gain in confidence.

ICON DESIGNER is an invaluable program for creating and storing icons for use in your OWN programs.

The ACP/AMX mouse package may be used on an ELECTRON fitted with a PLUS I & AP5. The 'ART' software is supplied on cassette but can be transferred to DISC (DFS not ADFS)



£69.95

16K EPROM
Advanced Disc Toolkit
containing over 30 commands

Advanced Computer Products

THE FOLLOWING ACP
PRODUCTS
Advanced Disc Toolkit
Advanced Disc Investigator
Advanced ROM Manager
Advanced 1770 DFS
ARE ALL

COMPATIBLE

ADVANCED DISC TOOLKIT

(01) /M/B/E £34.50

Any Acorn user including Master, BBC B+, Electron, DFS, 1770 DFS, ADFS, 2nd. & co-processors A.C.P.'s BEST SELLING product containing over 30 commands inc:- powerful memory & disc editor, search memory/disc/basic, catalogue/unplug ROMS, load/run programs below page, automatic menu, file transfer (inc. locked cassette files), ADFS utils etc. etc. ("it's superb" ... Database Pubs. "A top-class toolkit - I have no hesitation in recommending it ... Acorn User Nov. '86) (16K EPROM & FULL MANUAL)

ADVANCED ROM ADAPTOR 2

(03) /M/E+1/ £14.95

An Acorn approved cartridge containing a card with special 'zero' profile sockets that allow you to fit compatible 8K or 16K EPROMS/ROMS. The cartridge is fully enclosed providing complete protection for your ROMS. Simple to use -no switching-complies fully to the Acorn (sideways) Rom Filing System. A.R.A.2 contains 2 sockets.... A single adaptor is also available.... A.R.A.1 (02) /E/ £10.35

ADVANCED SIDEWAYS RAM

(04) /E+1/ £29.90

A highly versatile but simple to use s/w RAM cartridge that is automatically write protected on loading. Contains 16K RAM but can be switched (externally) to 2 X 8K RAM. Supplied with instructions & full software support (on cassette) to save ROM images to disc/tape, load RAM from file, Advanced Print Buffer & MakeRom a utility to merge several files from disc to be run from the ROM FS. (S/Ware on disc: please add ... £1 5¼ DFS .. £2 3½ ADFS)

ADVANCED ELECTRON DFS

(05) /E/ £24.15

Electron & Plus 3 users ... gain BBC compatibility by adding the Advanced Electron DFS (1770 DFS) this is the same disc filing system supplied with the BBC B+. Now you can produce and access (compatible) BBC disc based software. A.C.P. also supplies 5¼" disc drives to add to your Plus 3 (inc. 2nd. drive adaptor). "ACP has produced another superb ROM for the Electron" ... Electron User Feb '86 (supplied on 16K EPROM + DFS MANUAL)

ADVANCED DISC INVESTIGATOR

(06) /M/B/E/C/ £28.75

A very powerful Disc utility for standard & non-standard discs. Backup most protected discs, edit any type of non-standard disc, check & repair faulty tracks, create new disc formats, copy 40track discs to 80track discs, verify two non-standard discs. ("ADI features an extremely comprehensive sector editor, and one of the finest I've seen" ... Tublink on Prestel) (supplied on 16K EPROM + manual)

ADVANCED ROM MANAGER

(07) /M/B/E/C/ £14.95

A friendly utility for ROM & sideways RAM. Examine ROM/RAMs, load files into RAM, move memory to/from Sways ROM/RAM, catalogue/kill ROMS, offer commands to specific ROMS, save ROMs to disc/tape, AUTOROM a file (inc. BASIC) to run from Sways ROM/RAM, execute specific machine code subroutine in a ROM, generate a ROM's checksum & CRC.

ADVANCED PLUS 4

(08) /E+1/ £79.98

"Disc drive compatibility at long last" ... Electron User June '86. "The AP4 should be considered the standard interface for the Electron" ... Acorn User July '86. This sums up AP4 & ACP's approach to producing products. AP4 is a fully ACORN compatible disc i/face & will accept any standard drive inc. PSU, runs 1770 DFS (as fitted in the B+ & Master), keeps page & E00, utils in ROM & provides a spare rom socket. "ACP's Plus 4 comes out on top. I can recommend it to anyone ... Electron User, June '86. AP4 packages + D/Drive, AP4 100/AP4 400

ADVANCED PLUS 5

(09) /E+1/ £66.70

A triple interface cartridge providing... 1) a TUBE i/face allowing a second processor to be connected, increasing BOTH speed & memory (PAGE & 800 HIMEM & 800 in all modes) 2) a 1 MHz BUS for control applications & prommers 3) the USER PORT for mouse and graphic devices. Also contains 2/3 ROM sockets and on board operating software for 2nd processor.

ADVANCED 1770 DFS

3 versions ADM (11) - ADB (12) ADE (13) £34.50

ACP have totally re-written the Acorn 1770 DFS, enhancing existing features & adding new ones. The result is probably the fastest & most powerful disc filing system your computer could have. With the ability to operate in double density occupying both sides of a disc (640K). Automatic file relocation, improved file handling, 62 file catalogue and Sways RAM can be used as a fast RAM DISC. (16K EPROM + comprehensive manual)

ADVANCED ELECTRON DFS E00

(14) /E+ASR/ £19.99

An alternative to our AED(05) for Plus 3 and ASR users. This optional alternative DFS is designed for use in Sideways RAM (ASR) and allows the user to operate a disc filing system & E00 when using the Plus 3 (in ADFS page would normally be & 1D00). The DFS is simply loaded using the software supplied with the ASR from disc. (optional upgrade for existing AED users £9.50 on return of original EPROM)

(3 ½" ADFS disc + manual)

OTHER PRODUCTS & SPECIAL OFFERS

VIEW cartridge (101) /E+1/	£12.95	3½" discs in 1/box(120) /M/B/E/	£24.00
Vsheet " (102) /E+1/	£12.95	5¼" discs ds/dd "(121) /M/B/E/	£12.99
VIEW & VSHEET (119) /E+1/	£19.00	5¼" discs ss/sd (122) /M/B/E/	£8.99
LISP cartridge (103) /E+1/	£9.99	3½" disc drives (125)	£129.00
E/Adv User Guide(104) /E/	£3.95	5¼" disc drives (126)	£159.00
TURTLEgrhpCASS(105) /E/	£3.99	2nd. Drive Adaptor(130) /E+3/	£7.95
LOGO cartridge (106) /E/	£39.95	3½" library box10 (124)	£2.95
PASCAL cartridge(107) /E/	£39.95	16K EPROMS (131)	£3.75
VIEW pack BBC (118) /B/	£49.00	VIEWSTORE (117) /M/B/(e)	£57.95
AP4 100 (140) /E+1/	£199.00	Acorn Plus 1 (150) /E/	£27.95
AP4 400 (141) /E+1/	£229.00		

Equipment codes /M/ = Master /B/ = BBC /E/ = Electron /E+1/ = Electron + Plus 1 /C/ = Compact

Please send order to:
Advanced Computer Products Ltd.
6 Ava House, High Street,
CHOBHAM, Surrey, England
GU24 8LZ Tel. 0276 76545
(mail order only)
All prices include UK
delivery and VAT.



(in event of any query -
please include your tel. no.)

NAME

ADDRESS

POSTCODE

TEL.

CREDIT CARD No.

(PRODUCT No)

PRODUCT

QTY

@

TOTAL

I enclose payment for £
EXPIRY DATE

(Ref E19)



Seeking the definitive list of adventures

WELL Merlin said that I would need my wits about me, plus a touch of Magik at times. Of course he was right – Merlin's always right!

My first month in the cave has been hectic to say the least. I have been inundated with useful tips, advice and pleas for help. Poor Kay and Ector have no finger-nails left from opening my mail for me, and the Wart thinks it's Christmas every day.

Still we'll endeavour to answer all letters which include an sae, but please

write your christian name or at least say whether you are Mr Mrs or Miss.

Mordred gets most annoyed when he sees me starting all the letters with "Dear Sir or Madam". And it does make this column sound far too formal.

The mail bag is currently running at about 100 letters a week, so I must make it clear that although I welcome any correspondence concerning adventures I simply do not have time to answer queries on arcade games such as Citadel and Sim. While on the

subject of mail, may I thank Graham Thompson for his highly amusing epistle, and John McLaren for a literary Magnum Opus. I am sorry I couldn't answer all of your 39 questions John.

I hope to carry on with the same excellent service provided by Merlin for so long. I also intend to introduce a few new ideas, including a Beginner's column to give advice and guidelines to the novice adventurer.

And there'll be the occasional competition, with some software treasures from

the deeper recesses of the cave as prizes.

So get your pens ready. For starters there's a copy of Robico's Mayorem for the first full solutions I receive to Philosopher's Quest and Circus.

Perhaps my most ambitious project is to complete a definitive list of adventures available for the Electron, to be published in a future issue of *Electron User*.

However, I can't do this without your help, even though I am aware of most adventures on the market for

PROBLEM SOLVED

Robert Henderson, Melody Barnes, A.Fernie and Jonathan Blair all seem to be facing problems finishing **Hampstead**.

You must prise open the filing cabinet with the screwdriver to reveal an interesting report.

Say to the Butler **SEE CHUBBY** then follow him. Give his Lordship the memo and the report.

Don't give Pilgrim the banker's draft Robert, use it to buy a house – a much sounder idea!

To finally earn that BSc (Barefaced Social Climber) Diploma you should return to your roots and pick up an "old friend".

Melody and her dad can't figure out **LIM RAY BARNOW** – sorry I mean Barry Manilow's room number in **Pettigrew's**

Diary.

You must visit a certain lady in the red light district and listen to her tale.

Another young lady is stuck at the beginning of **The Ferryman Awaits** – try saying **NIMLAX**, Sarah and watch the priest's face.

Christopher Brammall's problem with **Greedy Dwarf** is easily solved, thanks to Simon Ainsworth's map.

You can only progress north of the Cave of Echoes if you have the amulet in your possession. Also Chris, watch out for the red herrings.

Woodbury End appears to be foxing a lot of people this month, in fact it has driven Jeff Lewis to utter despair.

You can glean a lot of information from the

characters in the game. There are 14 and when one appears, talk to him.

If you meet the same person again have another chat, he may have something different to say.

Of course five of them are aliens – "Which five?" asks Frazer McDermott. Well, I'm not telling, but these hints may help your detection work:

- A tree etching points to one.
- H P is a hero but someone wants to kill him.
- Who rides a bicycle?
- Someone is telling fibs.
- One alien is female.

Jeff, and Frazer and Graeme Dignan are puzzled by the cube and block. Don't carry them together, but lined up they point the way.

Wheel of Fortune

kept Merlin busy with the problems it gave readers, and it looks as if it will not give me any respite either.

Tim Adamson asks some quite pertinent questions about the adventure.

How do I get out of jail? You can't.

Can I open the trap door in the wooden building from above?

It is bolted from underneath, so the answer is again no.

Is it possible to climb down the well rope without it snapping?

No, you'll have to get the beggar to lower you down in the bucket – but give him a penny first.

Finally, in Softek's **Eye of Zoltan** get the water from the temple for the beans, Graham. The magic word is Minotaur!

First find the right one

BEGINNERS

Whether pride allows us to admit it or not, we were all beginners to adventures once (yes, even Saxon kings!) and faced such problems as "What do I do with this lamp and that bottle?"

Therefore over the coming months I'm going to provide a section devoted to those among you who are new to adventuring.

And it might help those who have tried several adventures but always seem to end up, very early in the game, faced with "Do you want to be reincarnated?"

The first decision you take is choosing the adventure itself. With so many available there are good and bad, suitable and not so suitable.

Look for good informative liner notes on the cover,

which should tell you a little about the scenario of the adventure and help build the atmosphere.

Don't confuse this with a company's advertising blurb, and don't be taken in by price either.

There are some super cheapie adventures - Twin Kingdom Valley is a fine example - but also there are a few dreadful ones in the £9 price bracket.

A couple of excellent beginner's adventures are Adventuresoft's Voodoo Castle and Adventureland.

Before actually parting with your hard-earned cash, it may be prudent to ask the shop for a trial run of the adventure.

Most small specialist computer shops are only too willing to let you try out

software and this is a good way of ensuring that you are satisfied before you take the adventure home.

But don't be surprised if the bigger stores don't offer the same service. They are usually too busy, despite being keen to help.

Lastly if you really want to make sure that you are buying the right adventure, try borrowing a friend's copy - but don't rip it off.

Next month I'll deal with getting started, some moves to try, what to look out for and some early strategy.

I'll also be continuing Merlin's idea of including a series of maps to help you through some particularly interesting sections of adventures.

Until then, happy adventuring.

the Elk. There is many a tiny software house tucked away in the hills of Wales or above a chip shop in Bradford which occasionally produces an excellent adventure.

For instance, has anyone heard of Adventure of the Stone by Wilsonsoft?

If you come across any company that does not get widespread publicity and which produces adventures for the Electron, write in and let me know.

Hopefully that list will become a reality in the not too distant future.

Simon Nowell, N.Wilson and others have written in seeking advice on publishing home-penned adventures.

All I can suggest is that if you think you have written a really exceptional game, send an appraisal copy of it to an established adventure software house such as Robico or Level 9.

Martin Ashworth suggests I hold a competition for the best home written adventure. With so many writing aids on the market, such as Gilsoft's The Quill, this is feasible.

If you think such a competition is a good idea, write in and tell me.

By the way, keep those marks coming in for your

favourite adventures. A typical set of marks out of 10 might be similar to those sent in by Martin Edmondson for Bug Byte's Twin Kingdom Valley:

Presentation	7
Contents	8
Value for Money	7
Frustration Factor	9
Atmosphere	6

The next Top Twenty will be published in the February 1987 issue.

Thanks to the following people for their complete solutions: Douglas Lockwood for Pettigrew's Diary, Robert Henderson for Rick Hanson, Graeme Dignan and Richard Craig for Terrormolinos.

Also Robert Redrup for Twin Kingdom Valley, James Siddle for Crown Jewels and Sheila Beattie for her superb route through The Ferryman Awaits.

And thanks to Ray Winchurch for another save-game routine for Sphinx, and Simon Doyle for a useful listing to provide single key entry of commands for the same game, which I shall include next month.

By the time you read this there should be plenty of exciting new adventure games on the shelves ready for the

Christmas buying spree.

Robico's excellent Myorem perhaps heads the list of recent releases but also look out for the company's latest game, a wild west adventure titled Blazing Star.

It promises to be original and up to the usual high standard of presentation.

Rob O'Leary at Robico also tells me that the Rick Hanson trilogy is now released in one bumper package for £23.95 - a saving of £5.90 on buying them separately.

Dave Johnson informs me that Epic's long awaited blockbuster will soon be available.

He promises over 240 locations with Mode 5 graphics - watch out for my review of what could be the adventure of the year.

Shards' Operation Safras - remember the Safras caves in Pettigrew's Diary? - is now in the shops and is every bit as good as Woodbury End.

A number of readers including Nik Measures, Michael Tudor and Geoff Livesey have asked whether Magus is going to convert its fabulous Village of Lost Souls for the Electron.

Well the answer is yes, and it is nearly ready. I suggest that you drop Santa a letter asking for a copy this Christmas time.

LORDS OF ADVENTURE

I hereby bestow the title of KCA (Knight Commander of Adventure) upon the following:

Jonathan Colhoun Ashville, 75 Galgorm Road, Ballymena, County Antrim BT42 1AA who offers help with **Hampstead, Terrormolinos, Twin Kingdom Valley, The Hulk, Eye of Zoltan, Sphinx, Firienwood, Pyramid of Doom, Greedy Dwarf, Grem-lins, Spiderman, Adventure, Stranded** and **Crown Jewels**.

Craig Romans, 1 Glamorgan Street, Barry, South Glamorgan, South Wales CF6 8JP. He can give help with **Stolen Lamp, Wheel of Fortune, Countdown to Doom, Mystery of the Java Star, Stranded, Twin Kingdom Valley** and **Greedy Dwarf**.

Don't forget - if you are writing to a Lord of Adventure for help, please enclose a stamped addressed envelope.

SOFTWARE AT BARGAIN PRICES

MICROPOWER TITLES
AT £1.25 EACH
Adventure
Bumble Bee
Chess
Croaker
Cybertron Mission
Danger UXB
Electron Invaders
Escape from Moonbase Alpha
Felix and Fruit Monsters
Frenzy
Galactic Commander
Moon Raider
Positron
Where

Killer Gorilla
Swoop
MICROPOWER TITLES
AT £1.50 EACH
The Gauntlet
Ghouls
Felix/Factory
Rubble Trubble
Swag
Stock Cars
The Mine
Jet Power Jack
ACORNSOFT TITLES
AT £1.50 EACH
All Titles Marked with * run on BBC
Sentence Sequencing*

Word Sequencing*
Missing Signs*
Starship Command
Number Balance*
Talkback*
Workshop*
Tree of Knowledge*
Peeko Computer*
Paul Daniels Magic Show
Desk Diary*
Personal Money M'ment*
Business Games*
Graphs and Charts
Creative Graphics*
Boxer
Chess

Me and My Micro
Word Hunt*
ACORNSOFT TITLES
AT £2.00 EACH
Watch Your Weight
Forth
Hopper
Sphinx Adventure
Snapper
Lisp
Majic Mushrooms

XMAS SPECIAL
Lothlorien War Pack
6 games on 1 tape
Empire, Battlezone 2000, Johnny Reb,
Stolen Lamp, Paras, Roman Empire

COLLINS JUNIOR EDUCATION
(BBC/MASTER/ELECTRON)
Whats The Time £2.00
Know Your Tables £2.00
First Numbers £2.00
Paddington Early Visit £2.00
Paddington Disappearing Ink £2.00
Paddington Shopping Mix £2.00

IVAN BERG SERIES

Royal Quiz
Music Quiz
History Quiz
Dating Game
I Do
Theatre Quiz
Science Fiction
Crime & Prevention
English CSE/GCE
Biology CSE/GCE
Maths 1 CSE/GCE
Maths 2 CSE/GCE

Linkword Italian £2.00
Linkword German £2.00
Linkword Spanish £2.00

ROM CARTRIDGES

View (Wordprocessing) £10.00
Viewsheets £10.00
Starship Command £2.50

OTHER TITLES

Turtle Graphics £3.00
Advanced User Guide £3.00
Plus 3 Games (Disc) £5.00

SPECIAL OFFER

Football Manager £5.00 For BBC/Master/Electron	Mr Men Word Games £7.00 BBC/Electron
--	--

 **Rams Computer Centre**

117 Queensway, Bletchley, Milton Keynes MK2 2DH
Telephone: Milton Keynes (0908) 647744

(All items unobtainable last month
- please ring as back in stock)

All current titles are stocked phone for
details

Please add 35p per item for P&P

Overseas orders please contact

All Prices include V.A.T.

PRICE BREAKTHROUGH FOR ROM CARTRIDGES

	RRP	Softshop Price
View ROM Word processor	£29.95	£9.95
View Sheet ROM Spreadsheet	£29.95	£9.95
Lisp ROM Programming Language	£29.95	£9.95

**Buy two or more of the above and we GIVE you
"HOPPER" ROM FREE**

PLUS I SUPER PACK

Plus I Interface (for printer-ROMs and Joysticks)
together with View, Viewsheets & Hopper ROMs

Total value ~~£134.75~~

SOFTSHOP PRICE NOW ONLY

£54.95

All prices include VAT, post and packing

All major credit cards accepted

Open to callers Mon-Sat. 9-5.30pm

Phone orders 0753 889010



SOFTSHOP LTD. 55 St. Peters Court, Chalfont St. Peter, Bucks SL9 9QQ

Learning CAN be fun

- Use your Electron to teach and amuse your children at the same time.
- Three packages crammed full of educational programs – and so easy to use!
- Each program has been educationally approved after extensive testing in the classroom.

ONLY
£4.95 tape
£5.95
3½" disc



Ages 2-5

Alphabet
Colours
Counting
House
Magic Garden
Matchmaker
Numbers
Pelican
Seaside
Snap



PELICAN

Teach your children to cross the road safely at a Pelican crossing



HOUSE

Select the colours to draw a house – hours of creative entertainment

Ages 5-8

Balance
Castle
Derrick
Fred's Words
Hilo
Maths Test
Mouser
Number Signs
Seawall
Super Spell



NUMBER SIGNS

Provide the correct arithmetic sign and aim to score ten out of ten



BALANCE

Learn maths the fun way. Type in the answer to balance the scales

Ages 8-12

Anagram
Codebreaker
Dog Duck Corn
Guessing
Hangman
Maths Hike
Nim
Odd Man Out
Pelmanism
Towers of Hanoi



HANGMAN

Improve your child's spelling with this fun version of the popular game



ODD MAN OUT

Find the word that does not fit – before your time runs out

TO ORDER TURN TO THE FORM ON PAGE 61

The new BBC micro allows your child a bit of growing room.

Ample room to accommodate your child's learning development.

The BBC Master Compact's educational software takes children from their first grasp of words and numbers to A-level and beyond.

In 84% of U.K. schools, children are already growing up with BBC micros.

With a BBC Master Compact at home, your child's ability with computers will progress by leaps and bounds.


Before too long, you may find that you have a Businessman of the Year in the family. At which stage, our micro could well be handling your young tycoon's financial planning and forecasting.

Accountancy Age has already acclaimed our spreadsheet package* as 'the most sophisticated yet produced for a small micro'.

The BBC Master Compact manages to fit the BBC micro's benefits into one, easy to use package. This includes colour monitor, processor, disc drive and enough software to keep you and your children busy indefinitely.

Have a chat with your local Acorn dealer or specialist retailer about the computer that equips your child for life.

You owe it to yourself to buy them something they won't grow out of easily.

THE MASTER COMPACT (256K RAM, 3.5" DISC DRIVE, PRINTER AND JOYSTICK INTERFACE). SOFTWARE INCLUDES VIEW WORD-PROCESSOR, ABC, CARD INDEX, LOGOTRON LOGO, WINDOW DRIVEN DESKTOP SYSTEM, ADVANCED DISC FILE SYSTEM, 14 PROGRAM WELCOME PACK AND 4 TUTORIALS. *SPREADSHEET EXTRA AT £52. BASIC PRICE £399 WITH MONOCHROME MONITOR £469. WITH HIGH RESOLUTION (640x480) COLOUR MONITOR (AS ABOVE) £599. ALL PRICES PLUS VAT. FULL DETAILS FROM BSB COATES, DEPT 1, BSB, 1, ACORN COMPUTERS LTD., CAMBRIDGE TECHNOPARK, 645 NEWMARKET ROAD, CAMBRIDGE CB5 8PD.

Compact
BRITISH BROADCASTING CORPORATION
MASTER SERIES MICROCOMPUTER

The BBC Master Compact



Equips your child for life.

Acorn 
The choice of experience.

Best compilation bargain

Program: MicroPower Magic

Price: £7.95

*Supplier: MicroPower, Northwood House,
North Street, Leeds LS7 1AX.*

Tel: 0532 458800

MICROPOWER Magic is a compilation of ten previously released games on two cassettes.

Stock Car is a motor racing game for one or two players. Power your car round a choice of six circuits, dodge the computer controlled cars and oil slicks. A variable skid facility lets you slide the car round bends – very realistic.

Felix Meets the Evil Weevils is a ladders and levels game. The factory is infested with killer weevils and you must search the conveyors for the nasty beasts, zapping them with your aerosol. But watch out for the ball bearings on the conveyors! A fun game but lacking in colour.

Escape from Moonbase Alpha was one of the first ever arcade adventure games. In it's time it was a breakthrough

but by today's standards it's a bit of a joke.

Swag is a story of two hillbilly crooks. In this one or two player game you run around the screen collecting diamonds, avoiding the security droids and police cars. Swag is an updated version of the classic Zombie.


MicroPower Chess is an excellent program. It plays a good fast game and is brimming with facilities.

Bandits is a First World War dogfight game. Battle it out with a computerised Red Baron or one of your friends. The characters are simple and the animation jerky, but the game is still very playable.

Galactic Commander gives you the opportunity to demonstrate your piloting abilities as you fly a lunar lander through a series of increasingly difficult missions.

The game employs some very nice high resolution graphics but as they are drawn in magenta on a blue background they are virtually invisible. Apart from this the game is still very challenging.

Adventure is a text only adventure game. Though not up to Level 9 standards it should still keep you off the



streets for a few hours.

Of all of the old MicroPower games Cybertron Mission is one of my favourites. Run through an alien infested maze searching for treasure. It's a great rapid fire shoot 'em up game.

European Challenge is an educational quiz. How did that get in here? Each round consists of forty multiple choice questions.

For less than 80 pence per program this must be the bargain of the year.

James Riddell

Sound	6
Graphics	8
Playability	8
Value for money	10
Overall	8

Kane in for a caning

Program: Kane

Price: £1.99 (cassette)

*Supplier: Mastertronic, 8-10 Paul Street,
London EC2A 4JH.*

Tel: 01-377 6880

KANE is a man with problems. As sheriff he must make peace with the Indians and pump the town's bandits full of lead.

Stage one involves Kane shooting birds with a bow and arrow. You fire the bow by moving the cursor to the desired impact point and press Return.

The skill lies in judging how far in front of the bird to fire, which depends on the bird's altitude, distance and velocity. A direct hit results in the bird plummeting earthwards.

You begin with 10 arrows, and every time you kill a bird you get your arrow back. You also receive an extra life for every three birds shot. The carnage takes place against a pretty mountain scene. Sound effects are very good – the arrows fly with a nice thwap and dead birds hit the deck with a realistic thud. The

instructions say that the next stage involves a race across the desert on horseback, jumping over bushes. Not in my version it doesn't – the program went straight to scene three.

Standing at one end of the main street you stare at the buildings, scrutinising every doorway for tell-tale signs of movement. A hand appears at the saloon door, you run across the street, move your cursor into position, and Black Jake bites the dust. Before you know what's happening the buildings are buzzing with bandits.

Kane is very difficult to control. I had to press a key three times on numerous occasions just to get him to change direction.

Whatever you do you must keep moving. If you stand still for too long you'll end up an ex-sheriff. You can re-load your pistol by running off the right side of the screen, but you must choose your time to return carefully.

Everybody knows where you are going to appear, so you need to wait until there are only a few baddies on the screen



before returning.

Having shot 10 bad guys you can proceed to scene four. What! no scene four! Come on Mastertronic what are you playing at? The instructions say that scene four consists of racing to stop a hijacked train. It's a pity that the programmer didn't read them.

The game may cost only £1.99 but I can't help feeling that Mastertronic will receive a few letters of complaint about this one.

Jon Revis

Sound	6
Graphics	7
Playability	4
Value for money	6
Overall	6

Adventure with errors

Program: The Twin Orbs of Aalinor

Price: £3.95

Supplier: Potter Programs, 7 Warren Close, Sandhurst, Camberley, Surrey GU17 8JR.

Tel: 0252 877608

"THE first age of Aalinor saw the rising of Gorgoroth, Lord of the Underworld. In that time great evil was done to the fair works of Aalinor and its people."

The noble and wise Lord Geremot tried to harness the power of two magic orbs to defeat the evil, but he was defeated and sucked into a time vortex and the twin orbs were lost.

You must recover both orbs and fuse them to set free Lord Geremot and to ensure that the evil of Gorgoroth does not rise again.

The opening scenes of this adventure are strikingly similar to the Magus masterpiece Village of Lost Souls. Unfortunately Orbs isn't quite in the same league.

Despite marvellous room descriptions and wise setting of puzzles the game is littered with spelling mistakes and simple

grammatical errors: "The Carpenter works busilly" is a prime example.

I wish more software companies would employ proof readers for their products, as Potter aren't alone with this particular problem.

However, most of the location descriptions are atmospherically set and make the bones tingle: "A rotting corpse, writhing with maggots and covered in festering boils lies on the floor."

My mistake was in examining the corpse, for I soon discovered black boils erupting all over my skin and felt decidedly poorly. The computer informed me I had died of the dreaded lurgy and was now an ex-adventurer!

It's funny, the symptoms were pretty similar to Black Death. I had always thought that the lurgy was dreamed up by the Goons - we learn something every day.

I later found myself "hanging on the clapper of a huge iron bell, which is crusted with the sulphurous deposits from the smokes that rise from below."

I was surprised that I couldn't Take and Search and the failure to condense SOUTH to S was most annoying - these



are surely things which Potter could put right.

I also feel that being told you are of "Neanderthal Intellect" may insult some adventurers.

Nevertheless this is an adventure which I would happily slot into my Top Ten, though Potter has some way to go before it seriously challenges the quality of Robico, Shards or Epic.

Pendragon

Presentation	3
Atmosphere	9
Frustration Factor	7
Value for money	9
Overall	8

Boding well for Future

Program: Future Shock

Price: £7.95

Supplier: Tynesoft, Addison Industrial Estate, Blaydon-upon-Tyne, Tyne & Wear NE21 4TE.

Tel: 091 414 4611

EVEN the Supreme Being gets weary at times when it comes to the job of creation. It was on one such occasion that he decided to sub-contract the job to a bunch of cowboys from the Galactic Corporation.

Following a night on the town they awoke to discover that they had lost the scroll of evolution - the blueprint for the human race.

You play the role of Glob the blob, a large squat ball with big eyes and a mouth. He has been chosen to locate the 16 pieces of the scroll and reassemble them.

Future Shock uses a novel screen design. At the top are the eyes of the all-seeing supreme being and below is a

large graphic window in which the action takes place. At the sides are a score board and a large candle.

A slowly burning candle is used to depict Glob's life expectancy but the rate of burn increases dramatically if Glob comes into contact with any alien beings.

Glob's life span can be increased by collecting the power pills to be found on several of the screens. It wasn't until I'd played the game for some time that I realised these pills were also the segments of scroll for which I was searching.

You can examine the pieces of scroll you collect by using a pull down menu. Key number one displays a menu which lets you manipulate the puzzle pieces. Other menus give you access to the sound controls and the number of pieces you've found.

The game's graphics are identical to those used in Bug Eyes 2. All characters are huge, chunky and colourful, putting them fairly and squarely into what I would call the cute category. Controls are



limited to left and right movement, but you can travel up or down by using the lifts found on most of the screens, or by falling off a ledge.

Also, an anti-gravity shaft runs through the centre of the maze and while floating up through the shaft you can drift to the left or right.

Future Shock is an excellent program, a game which overflows with character and humour.

Jon Revis

Sound	8
Graphics	9
Playability	9
Value for money	9
Overall	9

An excess of magic

Program: Galadriel in Distress

Price: £2.95

Supplier: Potter Programs, 7 Warren Close, Sandhurst, Camberley, Surrey, GU17 8JR.

Tel: 0252 877608

KING Theoden's daughter, the Princess Galadriel, has been abducted by the sorcerer Grima.

Unfortunately Grima was put to death by a member of the king's guard before he could reveal the fate of the princess. As captain of the king's guard, it is up to you to make amends.

The Potters inform me that Galadriel is the easiest of their games and as such is a beginner's adventure.

I tend to agree as it has only 33 locations and provides a good introduction to the parlance and nature of text adventures.

However, though the program holds some interest, it lacks real atmosphere and has a very limited vocabulary. Room descriptions are usually of only two lines in length and input is restricted to the outdated two word command.

For me the biggest let down is the

absence of any subtlety of action – Get and Drop being the most common manoeuvres you make.

On the credit side there are some excellent problems to solve and one superb chaining puzzle.

In the Summer house you have to eat something tempting and catch something less tempting to feed to a toad. Then – parodying *The Princess and the Frog* – you must kiss the toad.

The problem doesn't end there as you must now search for an antidote to toad poisoning!

I must admit that I am not overly fond of magical adventures – I even found Level 9's Red Moon somewhat boring. The random use of so called magical words doesn't call for much use of the old grey matter nor does it constitute real puzzle solving.

To that end, I found the over use of magic in such a small adventure more than frustrating.

The Potters seem to have an aptitude for devising excellent puzzles but fall short on text compression and hence atmosphere – surely use of Mode 4 is a loss of valuable memory.

It is a shame, because I feel that



Galadriel had the makings of a super little adventure but remains under-developed.

At £2.95 it remains a bargain and may provide some hours of enjoyment for the true novice.

Pendragon

<i>Presentation</i>	3
<i>Atmosphere</i>	4
<i>Frustration Factor</i>	5
<i>Value for money</i>	8
<i>Overall</i>	6

Struck, by thunder!

Program: Thunderstruck

Price: £7.95

Supplier: Audiogenic, 12 Chiltern Enterprise Centre, Station Road, Theale, Berks RG7 4AA.

Tel: 0734 303663

WHILE doing your rounds as a cosmic dustbin man you are struck by a space/time thunder storm. As a result of this you find yourself trapped in an eerie medieval castle. All you want to do is get back to Myrtle and the kids before your dinner gets cold.

The castle has eight floors which can be accessed in any order once you have located the castle's lift room. Using the cursor keys you can select a floor, then set the mechanism in motion and ascend or descend to a new level.

You will discover many objects, most of which have a specific function. If you are to escape from the castle you must use each object correctly, but due to the restraints of your bulky spacesuit you can

only carry one object at a time.

One of the easier puzzles can be found in the basement. When trying to access this level you find that the screen goes blank. Wishing to throw a little light on the problem you collect the candle which you saw on a higher level, but you are informed that it is not lit.

I spent a long time burning my fingers on the flaming torches trying to light the candle until I explored the other levels and found a suitable match. Returning to the basement I was greeted by a whole new floor.

One of the bigger puzzles involves lowering the drawbridge. On your travels you will see several large letters, and when you pick them up you are told that they operate the drawbridge. The letters D O and N are easily located, but I have yet to find a W to complete the sequence.

You have only one life, which you lose when your energy reserve is reduced to zero. This energy is lost through contact with flames and the castle's inhabitants, the most deadly being your own droids.



They blame you for their incarceration and are fatal to the touch.

The game's graphics are big and brightly coloured. The puzzles vary in their levels of difficulty and provide you with early success and an incentive to continue playing the game. Thunderstruck is one of the best arcade adventures that I have played on the Electron.

Carol Barrow

<i>Sound</i>	6
<i>Graphics</i>	8
<i>Playability</i>	9
<i>Value for money</i>	8
<i>Overall</i>	8

Christmas Crackers

These are just the kind of crackers any Electron user would love to find in his Christmas stocking – packed with party games that make full use of the computer's power!

And all for just £6.95 on cassette.

It's the best buy you'll make this Christmas!

6

GREAT GAMES

Pull the Cracker. Just like the real thing – and there's even a prize at the end.

Jet Set Santa. Guide him on his jet pack to collect and deliver the presents.

Snowplough. Clear the snow – but watch out for dangerous rocks and flying snowballs.

Snap. Colourful family fun in this seasonal variation of an old favourite.

Name the Carol. Quick-fire answers win the game. Or you can just listen to the music.

Candle Light. A classic game updated in this "light the Christmas tree" challenge.



Put some
sparkle
into your
Christmas!



TO ORDER TURN TO THE FORM ON PAGE 61

HANDS up all those who spotted my deliberate mistake last month.

Don't ask me why I said that 0,0 was at the top left of the screen instead of the bottom left as it really is. I just had a brainstorm and couldn't tell top from bottom (that was the week I went round with my socks on my head).

Anyway if you did spot it, well done. I'm glad someone was awake. And if you didn't, pay more attention in future.

Let's start by putting the Electron into a graphics mode with:

MODE 5

and then draw a line across the screen from bottom left to top right using:

DRAW 1279,1023

So far, so good. We're just using what we've dealt with up till now. Let's start anew with:

MODE 5

and enter:

VDU 29,640;512;

being very careful to ensure that you get the punctuation exactly right. If not, strange things will happen for which I take no responsibility. Now type in:

MOVE 0,0

and try and see what happens when you tell the micro to:

DRAW 1279,1023

You might have expected another diagonal line across the whole screen but that's not what you get. Instead there's a line from the middle of the display to the top right-hand corner. Why has this happened?

Obviously it's something to do with that VDU 29 command. What this does is to

Moving around the screen with a VDU 29

Part ten of the Electron graphics series by **TREVOR ROBERTS**

change the origin of the screen coordinates.

"Origin" is just a posh name for the point 0,0 which up till now has always been found at the bottom left corner of the screen. However by using VDU 29 in the format:

VDU 29,xorigin;yorigin;

you can move the origin to the point which previously had the coordinates *xorigin*, *yorigin*. In

the case of our earlier:

VDU 29,640;512;

this moves the origin to the centre of the screen. From now on graphics commands such as MOVE and DRAW will take this point as 0,0.

There's a point to note about VDU 29 (no pun intended). When it's issued it changes the origin but leaves the graphics cursor in the

same place.

In other words it doesn't automatically move the cursor from wherever it was before the VDU 29 to the new origin that's in force after that VDU 29.

Let's go back to the commands we issued to get our line from the centre to the top right. After the original:

MODE 5

the cursor was at 0,0 which, as




Figure 1: The effect on the screen coordinates of VDU29,640;512;

is normal, was at the bottom left of the screen. Now the following:

```
VDU 29,640;512;
```

moved the origin to the point that had coordinates 640,512. This will in future be known as point 0,0.

However the cursor was still lurking at the bottom left of the screen. It hadn't moved. Hence the need for:

```
MOVE 0,0
```

to shift it to the new origin before the:

```
DRAW 1279,1023
```

Try leaving out the MOVE and see what happens. Also try the following four DRAWS:

```
DRAW 640,512
DRAW 640,-512
DRAW -640,512
DRAW -640,-512
```

not forgetting to MOVE back to 0,0 each time. Can you explain what's happening? Figure 1 should help.

Until now all our coordinates have been positive numbers. We could have tried to draw lines with commands such as:

```
DRAW -100,-100
```

and the Electron wouldn't have minded. But we wouldn't have seen the lines, they would lie off the display.

However, as soon as we move our origin to the centre of the screen (or anywhere on the screen apart from the bottom left) negative coordinates become a possibility, as the second part of Figure 1 illustrates.

Notice that the overall dimensions of the screen haven't changed. It's still 1280 graphics coordinates across and 1024 down. Only

now that we're measuring from the centre of the screen we use positive and negative values to determine the direction of our lines from the origin.

We could have done this before but it would have been a waste of time as we wouldn't have seen the lines — they'd be off the screen.

You'll see that after a VDU 29 has moved the origin to the centre:

```
MOVE 0,0
DRAW 100,100
```

is greatly different from:

```
MOVE 0,0
DRAW -100,100
```

or:

```
MOVE 0,0
DRAW -100,-100
```

The lengths of the lines are the same, only the directions are

```
10 REM Program I
20 MODE 5
30 VDU 29,640;512;
40 PROCaxes
50 END
60 DEF PROCaxes
70 MOVE 0,-512
80 DRAW 0,512
90 MOVE -640,0
100 DRAW 640,0
110 MOVE 0,0
120 ENDPROC
```

Program I

different.

Armed with this knowledge, Program I should cause no difficulties.

Line 30 moves the origin to the centre of the screen and once this is done the program calls PROCaxes. This then draws two lines across the screen effectively quartering it. These lines are the x axis (horizontal) and the y axis (vertical).

As it is, the screen's a bit blank. Can you label the axes? You'll probably need to use VDU 5 to do it.

Incidentally, you'll notice that in Program I I've used -512 and -640 rather than the values shown in Figure 1, -511 and -639.

This is because I automatically think in terms of half 1280 and half 1024 when I'm dividing up the screen. As it is, this makes no difference. Can you see why?

When you've finished play-

```
10 REM Program II
20 MODE 5
30 VDU 29,640;512;
40 PROClines
50 END
60 DEF PROClines
70 MOVE 0,0
80 FOR line=1 TO 20
90 x=RND(1279)
100 y=RND(1023)
110 DRAW x,y
120 MOVE 0,0
130 NEXT line
140 ENDPROC
```

Program II

ing round with Program I have a look at Program II, which attempts to draw 20 random lines.

You should have no problems seeing how it works. PROClines does the drawing, picking 20 pairs of random coordinates for the ends of the lines (line 120 ensuring that they always start at the origin.) The trouble is that all the lines are in the top right quarter of the screen.

Again, strain your brain to figure out why. And when you've had enough, run Pro-

```
10 REM Program III
20 MODE 5
30 VDU 29,640;512;
40 PROCaxes
50 PROClines
60 END
70 DEF PROClines
80 MOVE 0,0
90 FOR line=1 TO 20
100 power=INT(RND(2))
110 x=-1^power*RND(640)
120 power=INT(RND(2))
130 y=-1^power*RND(512)
140 DRAW x,y
150 MOVE 0,0
160 NEXT line
170 ENDPROC
180 DEF PROCaxes
190 MOVE 0,-512
200 DRAW 0,512
210 MOVE -640,0
220 DRAW 640,0
230 MOVE 0,0
240 ENDPROC
```

Program III

‘We use positive and negative numbers to determine the direction of our lines from the origin’

gram III, which solves the problem using our previous two procedures and a simple bit of maths.

● And that's where we'll leave it for this month. There's more than enough in VDU 29 to keep you busy experimenting until next month, when we'll be going further along the right lines, graphically speaking.



FIRST BYTE INTERFACES



JOYSTICK INTERFACE

The leading joystick interface for the Electron, over 20,000 sold!!

Adds joystick movement to most Electron Games

Colour co-ordinated high quality plastic case which plugs directly into the back of the Electron

Comes complete with game conversion tape

Price **£19.95**

PRINTER INTERFACE

Works with standard Centronics/Parallel Printers
Adds BBC style printer commands to your Electron
Requires no software patches, all commands are handled directly by the Printer Interface

Simple instructions are included

(Ideal to work in conjunction with Mini Office)

Colour co-ordinated high quality plastic case

Printer Cable (Sep) **£9.95**

Printer Interface Price **£19.95**

FIRST BYTE COMPUTERS, 10 CASTLEFIELDS, MAIN CENTRE, DERBY DE1 2PE

MAIL ORDER FORM.

Please rush me the following items

- ☐ First Byte Joystick Interface @ £19.95
☐ First Byte Printer Interface @ £19.95
☐ Printer Cable (BBC/Electron Comp) @ £9.95

I enclose a cheque made payable to FBC Systems Ltd ☐

I wish to pay by Access ☐ Visa ☐ Expiry Date _____

Card No.

Signed _____

Name _____

Address _____

Tel. _____

QUAL-SOFT

THOUGHTWARE

Sports simulations

SORRY WE'RE LATE, BUT WE THINK YOU'LL FIND IT WORTH THE WAIT

Way back in 1983 we introduced LEAGUE DIVISION 1 for the BBC Micro. In September 1984 the original version of SOCCER SUPREMO, an Electron Version of this game, was introduced. In both games you become the manager of a newly promoted 1st division team, which you have to build up into a challenger, and hopefully winner, of the 1st Division Championship. The game uses professional simulation techniques which produce a true, natural management simulation rather than the simple minded mental arithmetic exercises of other "simulations". This caused this response:

"*Hugely enjoyable but dangerously addictive*" says Dr. Trevor Harley, Department of Psychology, University of Warwick
(He's bought four of our soccer management games)

**WELL DR HARLEY, YOU AIN'T SEEN NOTHING YET
THE NEW**

TAPE 1
6 Seasons
League Division 1
The F.A. Cup

SOCCER SUPREMO

TAPE 2
European Cup
E.U.F.A. Cup
Cup Winners Cup

A SOCCER MANAGEMENT SIMULATION

To the original version of SOCCER SUPREMO we've added; the F.A. Cup, the European Cup, the E.U.F.A. Cup and the European Cup Winners Cup. We've introduced multiple DATA files for the different seasons and to allow a massive transfer market of over seventy players, from World Cup stars to top scoring non-league players, we've retained the 3D, 22 man, 90 minute football match graphics, improving the graphics' layout. We've added sound, in-match injuries, named goal scorers, penalty shoot-outs (European matches), and replaced the complicated match statistics with a post match individual player assessment. We've well, lots of other small improvements.

The game is now almost three times the size of the original, using two tapes plus the multiple datafiles. But **WE'VE ADDED NOTHING TO THE COST**

The new SOCCER SUPREMO is supplied DIRECT from Qual-Soft on a same day basis. TAPE 1 + TAPE 2 + MANUAL, P&P and VAT still costs £9.95. Current owners of the original SOCCER SUPREMO can obtain a £5.00 rebate by returning their tape with their order. Just include a cheque for £4.95

QUAL-SOFT
Dept. EU,
18 Hazlemere Road
Stevenage SG2 8RX

Tel: 0438
721936

Please supply:
SOCCER
SUPREMO
for my Electron

Name: _____

Address: _____

Access No. (if applicable) _____

CALL &C00!M

f2

Keep track of those function keys

**ROBIN NIXON presents a
way to make the most of
these invaluable aids to
program development**

AS well as being useful for quick and easy entry of data into programs, the Electron's function keys can also be an invaluable aid to programming.

For example, it's often quite useful to set up one function key to list a program — with changed foreground and background colours if required, and perhaps another key to list the particular section of a program you are working on.

Also it's quite handy to set the Break key to run a program again.

There is one snag though. If you program a function key with a long sequence of commands and then later want to add or delete a command, you have to type the whole lot in again.

Also, if you have defined a large number of keys it's easy to lose track of which key does what.

Now these problems are

solved with Program 1, Function Key Lister.

What it does is to assemble and save a machine code program called *FLIST* which will list all function key definitions in exactly the same way as they would be typed in.

This means that you can copy and edit a particular function key's definition in much the same way you would a program line.

As you may know, the function key definitions are stored in page &B (&B00 to &BFF), the first 16 bytes of which point to the start of each key's definition.

There is no pointer to the end of a definition, so if you need to know its length you must find the start of the next definition which is the end of the definition you are checking.

One thing to remember when using function keys is that codes less than 32 or

greater than 127 must be represented by control sequences.

For example, if you want to enter the code for carriage return (CHR\$13) you have to type !M. The ! stands for control and M is the 13th letter of the alphabet.

If you want to enter the code 129 you should type !!A. Again ! is control, the !, although it is CHR\$33, when following a ! is treated as CHR\$128.

And finally the !A, control A, is CHR\$1 which, when added to 128 gives us CHR\$129.

However if you typed !!A this would mean CHR\$193, which is 128+65. This is because the A is not preceded by a ! and is therefore not a control character. Thus the Ascii value of A, 65, is added to 128.

Usually these control sequences are used by BBC Micro users to insert teletext

control characters into a function key for colourful Mode 7 displays.

But they are equally useful for displaying user-defined characters or entering special codes, other than alphanumeric ones, into programs.

However as Program 1 assembles into the user-defined character area you will have to assemble the program elsewhere if you wish to use them. You can do this by changing the value of P% in line 260.

I'll leave you with the set of function key definitions I most often use:

```
*KEY 0 MODE 6:M:NLIST:M
*KEY 1 RUN:M
*KEY 2 CALL &C00:M
*KEY10 OLD:M*FX11,20:M*FX12
,2!MODE 6:M:NLIST:M
```


From Page 23

```

100 REM *****
110 REM *
120 REM * Function Key *
130 REM * Lister *
140 REM *
150 REM * By R.Nixon *
160 REM *
170 REM * (c) Electron *
180 REM * User *
190 REM *
200 REM *****
210 REM
220 MODE6
230 oswrch=&FFEE
240 osnewl=&FFE7
250 FOR PASS=0 TO 3 STEP3
260 PX=&C00
270 [
280 OPT PASS
290 \
300 .start
310 \
320 LDY #0
330 \
340 .ptitle
350 \
360 LDA title,Y
370 BEQ loopinit
380 JSR oswrch
390 INY
400 JMP ptitle
410 \
420 .loopinit
430 \
440 LDY #0
450 \
460 .loop1
470 \
480 LDA &B00,Y
490 STA &70
500 LDA &FF
510 STA &71
520 LDX #0
530 \
540 .loop2
550 \
560 LDA &B00,X
570 CMP &70
580 BCC notgreater
590 BEQ notgreater
600 JMP greater
610 \

```

```

620 .notgreater
630 \
640 INX
650 CPX #16
660 BNE loop2
670 LDA &71
680 CMP &FF
690 BEQ nodef
700 JSR osnewl
710 LDA #32
720 JSR oswrch
730 LDX #0
740 \
750 .printloop1
760 \
770 LDA keymess,X
780 BEQ pdone
790 JSR oswrch
800 INX
810 JMP printloop1

```



```

820 \
830 .pdone
840 \
850 TYA
860 CMP #10
870 BCS notsingle
880 LDA #32
890 JSR oswrch
900 TYA
910 JMP single
920 \
930 .notsingle
940 \
950 LDA #49
960 JSR oswrch
970 TYA
980 SEC
990 SBC #10
1000 \
1010 .single
1020 \
1030 CLC
1040 ADC #48
1050 JSR oswrch

```

```

1060 LDA #32
1070 JSR oswrch
1080 LDX &70
1090 \
1100 .pstring
1110 \
1120 LDA &B01,X
1130 CMP #128
1140 BCC smaller
1150 JMP toobig
1160 \
1170 .smaller
1180 \
1190 CMP #32
1200 BCC toosmall
1210 \
1220 .pbyte
1230 \
1240 JSR oswrch
1250 INX

```

```

1260 CPX &71
1270 BNE pstring
1280 JMP nodef
1290 \
1300 .toobig
1310 \
1320 PHA
1330 LDA #124
1340 JSR oswrch
1350 LDA #33
1360 JSR oswrch
1370 PLA
1380 AND &7F
1390 JMP smaller
1400 \
1410 .toosmall
1420 \
1430 PHA
1440 LDA #124
1450 JSR oswrch
1460 PLA
1470 CLC
1480 ADC #64
1490 JMP pbyte

```

```

1500 \
1510 .nodef
1520 \
1530 INY
1540 CPY #16
1550 BEQ quit
1560 JMP loop1
1570 \
1580 .quit
1590 \
1600 JSR osnewl
1610 RTS
1620 \
1630 .greater
1640 \
1650 CMP &71
1660 BCC less
1670 JMP notgreater
1680 \
1690 .less
1700 \
1710 STA &71
1720 JMP notgreater
1730 \
1740 .keymess
1750 \
1760 EQU $*KEY$
1770 EQU 0
1780 \
1790 .title
1800 \
1810 EQU 22
1820 EQU 6
1830 EQU 31
1840 EQU 11
1850 EQU 1
1860 EQU $Function Key Li
ster$
1870 EQU 31
1880 EQU 12
1890 EQU 2
1900 EQU $(c) Electron Us
er$
1910 EQU 10
1920 EQU 0
1930 ]
1940 NEXT
1950 OSCLI ($SAVE FLIST $
+STR$*start$* +STR$*PX$)

```

This listing is included in this month's cassette tape offer. See order form on Page 61.



SLOGGER

SLOGGER'S LATEST PRODUCT THE 'MASTER' RAM BOARD

THE MASSIVE 32K SHADOW RAM GIVES YOU THE FIRST 64K ELECTRON

* Shadow Ram is one of the most powerful features of the BBC Master Series, which puts it in a class of its own. In "Shadow Mode", not only your **BASIC** programs, but also your **STARWORD**, **STARSTORE**, **VIEW**, **VIEWSTORE**, **VIEWSHEET** files or **MACHINE CODE** programs, in fact virtually all correctly written programs (except most games), can now be as large as **28,000 BYTES IN ANY SCREEN MODE**.

This means that your **VIEW** or **STARWORD** files can be more than twice as large (three times as large if you are working in 80 column mode).

If this is not enough, you also get a speed increase similar to the Turbo Driver.

It is common knowledge that games will not run with either Shadow **RAM** or Second Processors, for this reason, Slogger have designed in a "**TURBO** mode" so that games players can also reap the full benefit of this "Multi-function" unit.

A three position switch allows the user to quickly change between **NORMAL**, **SHADOW** and **TURBO** modes.

The screen uses a maximum of 20K which leaves **12,000 bytes free**, Slogger has taken this into account in its operating system (fitted to the board) so that it can be used as 12K printer buffer for instance.

The Master **RAM** Board is **FULLY COMPATIBLE WITH ALL CURRENT ELECTRON ADD-ONS** except the Turbo-Driver (both units fit into the 6502 Microprocessor socket).

The Master **RAM** Board is available in two forms

1. kit form . . . a fully built board including components (except 6502 Microprocessor) and switch.

Order **MR2** for only **£54.95**

2. Installation service . . . send your Electron to us **FREEPOST** and it will be upgraded to 64K and returned to you within seven days of receipt by SLOGGER (using the cut out below).

Fitted, tested including carriage paid both ways **PLUS ONE YEARS FULL WARRANTY**.

Order **MR1** for only **£64.95**.

THE ELK TURBO-DRIVER



(DESIGNED BY ANDYK LTD)

**INCREASES THE SPEED OF YOUR
ELECTRON COMPARABLE TO THE BBC**

- ★★ UP TO 100% IMPROVEMENT IN SPEED ★★
- ★★ ABLE TO RUN BBC SOFTWARE (Non Mode 7)
WHERE SPEED WAS THE LIMITING FACTOR ★★
(Such as Acornsoft's Aviator Flight Simulator)
- ★★ MAKES ELECTRON SOFTWARE RUN FASTER ★★

**CAN BE SWITCHED BETWEEN NORMAL AND
"TURBO-DRIVE"**

- ★★ OPERATES IN ALL ELECTRON MODES ★★
 - ★★ **NO SOFTWARE MODIFICATION REQUIRED** ★★
 - ★★ COMPATIBLE WITH ALL ADD-ONS
Plus 1, Plus 3, Rombox, Adaptor Boards, etc) ★★
- Your upgraded Electron will be returned within 7 days of receipt by SLOGGER

All Inclusive ONLY £42.00 (VAT included)

Fitted, Tested, Including switch, carriage paid both ways

PLEASE QUOTE T-D1 ON ORDER FORM

The Upgrade '**TURBO-DRIVER**' Kit available

(including switch)

PLEASE QUOTE ON FORM T-D2 £29.95 Incl. P&P

Parcel Post
Amount of
postage to be
paid by
licensee

Date stamp

Postage Forward Parcel Service
Licence no. GJC1

No postage stamp
necessary
unless posted in
Channel Islands
Isle of Man or
Republic of Ireland

**SLOGGER LTD
107 RICHMOND ROAD
GILLINGHAM
KENT
ME7 1BR**

P

Slogger's unique guarantee!!!

The guaranteed seven day installation service
SLOGGER is providing a unique service with guarantees to return your Electron with the "**TURBO-DRIVER**" or "**MASTER**" **RAM BOARD**, installed **WITHIN SEVEN DAYS OF ITS RECEIPT!!!**

Simply enclose your order with your Electron (in its original packing if possible) and send using the "Free post" address label opposite.

New

ELECTRON THE ROMBOX PLUS

New

A direct replacement for the Acorn Plus I

- ★ Two Cartridge slots
- ★ Four ROM Sockets
- ★ Centronics Printer Interface
- ★ Joystick Interface available for the Cartridge slot. (Separate price)
- ★ Ability to carry 64K of Sideways RAM

£49.95

£49.95

STARWORD (16K ROM)

A Professional word Processor for UNDER £35

- ★ Does everything VIEW does plus MUCH MORE!

Designed for the home user, education or small business needs, STARWORD enables even those with limited typing skills to produce and print letters, manuals or reports using the Electron.

- ★ 40 and 80 column screen modes.
 - ★ 132 column text width max.
 - ★ Variable margins and tabs.
 - ★ Formatting and justification.
 - ★ Very extensive printer control facilities.
 - ★ Very large documents, letters no problem.
 - ★ Search, Find, replace.
 - ★ Move, Copy, Insert.
 - ★ Extensive single key editing.
 - ★ Proper Mailmerge with STARSTORE & STARSTORE II.
 - ★ Text spooling.
 - ★ Headers, Footers, Page numbers.
 - ★ Text remains through BREAK.
 - ★ Printer driver for non-EPSON printers.
 - ★ Very easy to use.
 - ★ 120 page well written manual.
- "It is certainly the most powerful currently available for the Electron". ELECTRON USER April '86.

ONLY £34.50

STARWORD (ROM) for CUMANA DISK INTERFACE

Enhanced version of Starword using the Cumana clock to allow Day, Date and Time stamping when printing. A feature available on only the best Word Processors!

ONLY £34.50

PRINTER DRIVER for STARWORD (16K ROM)

Use most printers with STARWORD.

ROM £9.95

STARSTORE (ON 8K ROM)

Store and retrieve your names and addresses or any other information with the STARSTORE DATABASE, written specially for the Electron, STARSTORE works with STARWORD for personalising standard letters (mailmerging).

ONLY £21.95

STARSTORE II (16K ROM)

- ★ New improved more powerful Database for Disk Users.
 - ★ Maximum of 90 Fields.
 - ★ Maximum 10 character Field name.
 - ★ 254 characters per field.
 - ★ 9,999 records available otherwise maximum records limited to size of Disk.
 - ★ Formatted printing to allow fields at specific point.
- ONLY £29.95**

ROMBOX

Now in its third year of manufacture, the ROMBOX still offers superb value for money giving the following features:

- ★ Runs all good (non Mode 7) BBC or Electron ROM software.
- ★ Fully compatible with Plus 1, Plus 3 and all Plus 1 and ROMBOX Plus add-ons.
- ★ Up to 8k ROMs instantly selectable.
- ★ Supports 8k and 16k sideways RAM.
- ★ Allows further expansion at rear.

STILL ONLY £44.95

ROMBOX-P

Offers all the features of ROMBOX Plus built-in centronics printer interface and FREE Printer ROM (worth over £20).

- ★ Up to 8 ROMs instantly selectable.
- ★ Selectable 8/16K Print buffer to increase throughput.
- ★ Ideal as a word-processing station with Plus 3 fitted.
- ★ FREE Printer ROM included.
- ★ Superb value for money at **ONLY £69.95**

PRINTER ROM (8K ROM)

Allows use of sideways RAM as 8K or 16K print buffer and offers a host of useful utilities for EPSON printers. Ideal for all your printing requirements.

- * Electron/BBC compatible

ONLY £24.95

CUMANA DISK STARTER PACK

- ★ 40T Single Sided Double Density BBC Drive
- ★ Interface slots simply into Plus I or ROMBOX Plus Cartridges
- ★ Uses no RAM
- ★ Additional Sideways ROM Socket
- ★ Real Time Clock & Calendar with battery and backup.

Price **£169.95** with carriage etc.

S.E.D.F.S.

SLOGGER ELECTRON DISK FILING SYSTEM

A brand new upgrade ROM for the CUMANA INTERFACE allowing BBC compatibility. Please phone for details.

T2P3 T2CU T2P4

THE TAPE TO DISK COPIERS

A ROM utility for transferring the majority of all cassette software. Eg. Acornsoft and Micropower to the various Electron Disk systems.

Please order:

T2P3 for the PLUS 3

T2CU for the CUMANA DFS

And, under development, coming Soon,

T2P4 for the A.C.P. 1770 DFS

STILL ONLY £19.95

VINE MICRO'S ADDCOMM (ROM)

★ 40 Commands.

★ Graphics, Toolkit and Logic Graphics.

ONLY £25.00

VINE MICRO'S MATRIX ROM

The Matrix ROM provides a comprehensive range of commands for performing matrix operations (including inversion).

ONLY £41.40

PLUS 1 ROM UPGRADE

Replacement 8K Eeprom to allow loading of cassette Software in High resolution Modes. Allows Basic to be called instead of being forced into another language on Switch On or CTRL-BREAK.

ONLY £7.95

STARGRAPH (8K ROM)

Graphics Rom giving screen dump to EPSON printer, printing of text at any angle or any size, circle, ellipse polygons, arc, dotted lines, colour filling plus more.

ONLY £21.95

★ NOW AVAILABLE ★

★ THE SLOGGER ROM CARTRIDGE ★

TWIN ROM ADAPTORS DESIGNED TO CARRY ANY 8K or 16K EPROM FOR THE ACORN PLUS ONE, SLOGGER ROMBOX PLUS AND THE BBC MASTER SERIES.

ONLY £12.95

16K SIDEWAYS RAM

Has the provision to run Sideways ROMs as well as being selectable as a 16,000 byte print buffer, provided that you have ROMBOX-PLUS or PRINTER ROM.

★ COMPLETE WITH RAMS

★ WRITE PROTECTED

★ NO SOLDERING

★ SIMPLY FITS INTO A ROM SLOT

ON ANY SLOGGER ROMBOX

★ ONLY £29.95

ELKMAN (8K ROM)

An Electron system manager providing the ability to save and then load ROM images for use in sideways RAM.

Gives complete control of all ROMs and interface units present on the system.

ONLY £17.50

*TREK (16K ROM)

A ROM disassembler with a difference. Ideal for beginners not only to Machine Code but to the Electron itself as this ROM Utility actually COMMENTS as it disassembles, a feature found in no other package.

SPECIAL INTRODUCTORY PRICE £17.50

RS423 SERIAL PORT

Has Drive capability and Software Interface as on the BBC Model "B". Plugs directly into Plus 1 Cartridge slot.

ONLY £39.99

STARMON (8K ROM) MACHINE CODE MONITOR

★ Display of memory in: ASCII and binary, decimal, octal or hexadecimal.

★ Full support of sideways ROMs.

★ Comprehensive debugging facilities, including breakpoints, traces and events.

★ "a very professional piece of firmware" ... Acorn User.

ONLY £22.50

SLOGGER'S AUTHORISED DEALERS

ALAN JAMES COMPUTERS, Birmingham. Tel: 021-778 5737.

ATOMIC COMPUTER SYSTEMS, Burnley. Tel: 0282 54299.

BITS & BYTES, Bognor Regis. Tel: 0243 867143.

CHESHIRE MICRO SYSTEMS, Warrington. Tel: 0925 414109.

COMPLIFACE, Central London. Tel: 01-580 0181.

COMPUTERAMA, Shrewsbury. Tel: 0743 60528.

DA COMPUTERS LTD, Leicester. Tel: 0533 549407.

DATS STORE, Bromley, Kent. Tel: 01-460 8991.

DATELEAF, Wellingborough. Tel: 0933 228966.

ELECTRONEQUIP, Fareham. Tel: 0329 230671.

FARNHAM COMPUTERS, Surrey. Tel: 0582 457195.

GAMER COMPUTERS, Brighton. Tel: 0273 728681.

GLASGOW COMPUTER DEPOT, Glasgow. Tel: 041 332 3944.

HOBBYTE, Luton. Tel: 0582 457195.

MICROCHOICE, Portsmouth. Tel: 0705 327591.

MICROWAY, Rainham. Tel: 0634 376702.

SOFTSHOP, Chalfont St. Giles, Bucks. Tel: 0753 889010.

WEST WILTS MICROS, Trowbridge. Tel: 02214 62759.

DECASOFT, Wetteren, Mellosteenweg 64-3, Belgium.

VELOBYTE COMPUTERS, Schiedamsedijk 5A-6A, 3011 EB Rotterdam, Netherlands. Tel: Rotterdam, Holland (01) 4138197.

MAIL ORDER ONLY

21ST SOFTWARE, 15 Bridgefield Avenue, Wilmslow, Cheshire SK9 2JS. Tel: Wilmslow (0625) 528885.

SALES: Monday-Friday 9am-5pm.

Saturday 9am-12am.

TECHNICAL ENQUIRIES DESK

Monday-Friday 1.30pm-4.30pm.

VISA



**SEND
FOR
THEM
TODAY**

Cheques payable to:
SLOGGER LTD.

Expiry Date

☐ Access No.

☐ Visa

Name

Address

Signed Tel. No:

Send Orders to: **SLOGGER LTD.**

107 RICHMOND ROAD, GILLINGHAM, KENT

All prices include VAT P&P UK Mainland only

PLEASE SUPPLY

Cost

1 _____ £ _____
2 _____ £ _____
3 _____ £ _____
4 _____ £ _____
5 _____ £ _____

Total £

DEALER ENQUIRIES WELCOME. TEL: 0634 52303 (2 lines)

DEC 86

The most adventurous and original way
to test your French ever devised.



FRENCH

on the
RUN!



**The adventure game
with a big difference.**

£9.95 cassette
£11.95 5¼" disc
£13.95 3" disc

**You're on
your own in
Occupied
France —
facing the
toughest test
that a British
pilot has
ever had to
experience!**

DATABASE SOFTWARE

The year is 1943. As an RAF officer stranded in Occupied France you have one aim — to get back to Britain.

The only way to do this is to try to pass as a Frenchman, but if your French isn't good enough you risk capture and interrogation by the police or even the Gestapo.

Even the simplest tasks — from buying food to taking buses — place you at risk. And to add to your problems you've got limited funds: "Should I hitch a lift or take the train?", "Do I sell my belongings or get a job?"

Whatever you decide to do, time is short. And there are always people willing to denounce you...

French on the Run is that rare combination: A truly educational program that's also a thoroughly enjoyable game. This text adventure not only tests your grammar and vocabulary, but your knowledge of France and the French way of life.

And as your French improves the language problems get harder and the situations become progressively more dangerous. There are four routes to complete in sequence — you need the password from the last before attempting the next. The standard of French required is about O level, though on the last route it rises to just below A level.

And there's a chance for you to try out the French you'll learn in practice: We are offering a **FREE WEEKEND IN PARIS** as a prize to the first person to get back to England alive, having broken a code near the end of the final route.

For teachers: French on the Run uses multi-choice questions with randomised distractors, all carefully chosen to illustrate linguistic points or points concerning things French. The program is meant for individual assessment, but can be used just as effectively for classroom work. A sealed envelope contains details of how the secret passwords are created.

TO ORDER TURN TO THE FORM ON PAGE 61

SANTA'S SLEIGH



CHRISTMAS is here once more and Santa is getting ready to deliver all his presents. The sleigh is waiting and all he needs to do is load up the goodies.

Rudolf has been put out to pasture and the sleigh is now gas powered. It's a bit of a fuel guzzler so take it easy and keep an eye on the fuel gauge.

The presents have been stolen and scattered throughout a warehouse, so you guide Santa round on his sleigh and pick them all up.

When you have collected all the presents in one room you can move on to the next through the exit at the bottom of the screen.

This is by no means an easy task since many dangers lurk deep within the warehouse.

Watch out for the large spider descending on its thread and dodge the Christmas crackers bouncing up and down.

CONTROLS

Return = thrust
Z = left
X = right

VARIABLES

stage% Screen.
live% Number of lives left.
score% Score.
FUEL% Amount of fuel left.
walk% Whether you have landed.
X%,Y% Santa's coordinates.
HI%() High scores.
HI\$() High score names.

Full listing starts
on Page 30

From Page 29

```

10 REM Santa's Sleigh
20 REM By Andrew Waite
30 REM (c) Electron User
40 MODE 6
50 PROCinit
60 VDU 19,1,2;0;23,1,0;0;0;0;
70 COLOUR129:COLOUR0:PRINT " Santa's Sleigh.....by Andrew Waite " :COLOUR128:COLOUR1
80 PRINT "Someone has stolen Santa's presents and hidden them in an old warehouse. It is guarded by a gruesome spider and two grisly bouncers."
90 PRINT "Santa can land on the brick floors but watch out for the spikes and don't crashland too quickly! Santa's sleigh has a limited supply of fuel so be careful."
100 PRINT "After collecting all the presents in the room move on to the next through the tunnel at the bottom of the screen."
110 PRINT "Z=LEFT X=RIGHT RETURN=THRUST""Or use a PLUS 1 joystick"
120 PRINT "Do you want sound in the game Y/N?"
130 REPEAT
140 B$=GET$
150 UNTIL B$="Y" OR B$="N"
160 IF B$="N" THEN *FX 210,1
170 IF B$="Y" THEN *FX 210,0
180 PRINT "Press **J** for PLUS 1 joysticks""or **K** for Keyboard control to start"
190 REPEAT
200 B$=GET$
210 UNTIL B$="K" OR B$="J"
220 REPEAT
230 liveX=4:scoreX=0
240 stageX=1:tresX=0
250 exlX=FALSE
260 RESTORE 2450

```

```

270 FOR NX=1 TO 8
280 READ txX(NX),tyX(NX)
290 NEXT
300 REPEAT
310 MODE 5
320 VDU 23,1,0;0;0;0;0;
330 COLOUR 129
340 FOR NX=0 TO 29
350 PRINT TAB(0,NX);CHR$24;TAB(19,NX);CHR$224
360 NEXT
370 COLOUR 128:COLOUR 1
380 PRINT TAB(2,27);"00000"
390 PRINT TAB(7-LEN STR$(scoreX),27);scoreX
400 PRINT TAB(15,29);stageX
410 PRINT TAB(4,29);liveX
420 COLOUR 3
430 PRINT TAB(2,26);"SCORE"
440 PRINT TAB(14,26);"FUEL"
450 PRINT TAB(13,28);"SCREEN"
460 PRINT TAB(2,28);"LIVES"
470 RESTORE 2410
480 FOR NX=1 TO 56
490 READ XX,YY,WX,VX
500 IF VX=224 COLOUR 129:COLOUR 3
510 IF VX=225 COLOUR 128:COLOUR 3
520 IF VX=234 COLOUR 128:COLOUR 2
530 IF VX=235 COLOUR 128:COLOUR 1
540 PRINT TAB(XX,YY);STR$(WX,CHR$VX);
550 NEXT
560 VDU 5
570 RESTORE 2460
580 FOR NX=1 TO 8
590 READ XX,YY
600 IF txX(NX)=0 THEN 630
610 GCOL 0,1:MOVE XX*64,(32-YY)*32:VDU250
620 GCOL 0,2:MOVE XX*64,(32-YY)*32:VDU251
630 NEXT
640 B$=CHR$240+CHR$241
650 S$=CHR$228+CHR$229
660 SI$=CHR$238+CHR$231
670 syX=10:suX=FALSE
680 byX=3:upX=TRUE

```

```

690 X1=628:Y1=200
700 FUELX=200
710 charX=226:char2X=227
720 newX=0:outX=TRUE
730 SPEEDX=0:walkX=FALSE
740 GCOL 3,1:MOVE X1,Y1
750 PRINT CHR$226
760 COLOUR 128:COLOUR 1
770 IF B$="K" PROCkey ELSE PROCjoy
780 UNTIL liveX=0
790 FORNX=1 TO 10
800 FORMX=1 TO 2000:NEXT
810 PRINT TAB(4+NX,15);HI$( "GAME OVER",NX,1)
820 NEXT
830 FORMX=1 TO 10000:NEXT
840 FOR NX=10 TO 1 STEP -1
850 IF scoreX>HIX(NX) HIX(NX)=HIX(NX-1):HI$(NX)=HI$(NX-1):newX=NX
860 NEXT
870 MODE 6:PROChi
880 UNTIL FALSE
890 :

```

This is one of hundreds of programs now available FREE for downloading on

MicroLink

```

900 DEF PROCinit
910 VDU 23,224,255,16,16,16,255,1,1,1
920 VDU 23,225,0,0,0,0,0,0,0,255
930 VDU23,226,48,112,120,176,58,57,127,126
940 VDU23,227,12,14,30,13,92,156,254,126
950 VDU23,228,135,127,57,123,255,52,84,147
960 VDU23,229,225,254,156,222,255,44,42,201
970 VDU23,230,1,1,1,1,1,1,1,1
980 VDU23,231,128,128,128,128,128,128,128,128
990 VDU 23,234,129,66,36,24,24,36,66,129
1000 VDU 23,235,0,0,0,0,0,0,28,62,127
1010 VDU23,240,247,119,255,127,255,127,247,119

```

```

1020 VDU23,241,238,239,254,255,254,255,238,239
1030 VDU23,250,231,231,231,0,0,231,231,231
1040 VDU23,251,24,24,24,25,5,255,24,24,24
1050 DIM txX(8),tyX(8)
1060 DIM HI$(10),HIX(10)
1070 FOR NX=1 TO 10
1080 HI$(NX)="Electron"
1090 HIX(NX)=1100-(100+NX)
1100 NEXT
1110 ENDPROC
1120 :
1130 DEF PROCkey
1140 REPEAT
1150 IF INKEY(-98) LX=TRUE ELSE LX=FALSE
1160 IF INKEY(-67) RX=TRUE ELSE RX=FALSE
1170 IF INKEY(-74) FX=TRUE ELSE FX=FALSE
1180 PROCgame
1190 UNTIL outX=FALSE
1200 ENDPROC
1210 :
1220 DEF PROCjoy
1230 REPEAT
1240 joyX=ADVAL(1)
1250 butX=ADVAL(0) AND 3
1260 IF joyX<&D000 LX=TRUE ELSE LX=FALSE
1270 IF joyX<&2000 RX=TRUE ELSE RX=FALSE
1280 IF butX=1 THEN FX=TRUE ELSE FX=FALSE
1290 PROCgame
1300 UNTIL outX=FALSE
1310 ENDPROC
1320 :
1330 DEF PROCgame
1340 GCOL 3,1:X1X=XX:Y1X=YX:char2X=charX
1350 IF LX=TRUE X1=X1-8:charX=227 ELSE IF RX=TRUE X1=X1+8:charX=226
1360 IF FX=TRUE AND FUELX>0 SPEEDX=SPEEDX+2:FUELX=FUELX-1:SOUND &10,-15,5,7
1370 Y1=Y1+SPEEDX:IF walkX=FALSE SPEEDX=SPEEDX-1
1380 MOVE X1X,Y1X:PRINT CHR$(charX):MOVE X1X,Y1X:PRINT CHR$(char2X)
1390 VDU 4:IF stageX>1 PROCspider:IF stageX>2 PROCbouncer

```



```

1400 PRINT TAB(14,27);FUEL
X;" "VDU 5
1410 AX=POINT(XZ,YZ):BX=PO
INT(XZ+36,YZ):CZ=POINT(XZ,Y
Z-32):DZ=POINT(XZ+36,YZ-32)
1420 IF (CZ=3 OR DZ=3) AND
SPEEDZ>9 SPEEDZ=0:walkZ=T
RUE ELSE walkZ=FALSE
1430 IF walkZ=TRUE AND AX=
0 AND BX=0 ENDPROC
1440 IF AX=0 AND BX=0 AND
CZ=0 AND DZ=0 ENDPROC
1450 IF CZ=-1 AND tresZ=0
PROCend:outZ=FALSE:ENDPROC
1460 atresZ=tresZ:PROCTrea
sure:IF (atresZ+1)=tresZ EN
DPROC
1470 PROCexplode:outZ=FALS
E:ENDPROC
1480 :
1490 DEF PROCTreasure
1500 RESTORE 2460
1510 FOR NZ=1 TO 8:READ px
Z,pyZ
1520 IF ((NZ<5 AND XZ<txZ
(NZ)) OR (NZ>4 AND XZ+40)=t
xZ(NZ))) AND (tyZ(NZ)-8<YZ
AND tyZ(NZ)+36>YZ) PROCscor
e
1530 NEXT
1540 ENDPROC
1550 :
1560 DEF PROCscore
1570 VDU 4
1580 COLOUR 3
1590 PRINT TAB(pxZ,pyZ);CH
R$225;TAB(pxZ,pyZ-1);" "
1600 COLOUR 1

```

```

1610 scoreZ=scoreZ+100
1620 tresZ=tresZ+1
1630 txZ(NZ)=0:tyZ(NZ)=0
1640 SOUND 1,-15,100,5
1650 PRINT TAB(7-LEN STR$(
scoreZ),27);scoreZ
1660 IF scoreZ>1999 AND ex
lZ=FALSE liveZ=liveZ+1:FOR
NZ=1 TO 3:SOUND 1,-15,200,5
:SOUND 1,0,0,5:NEXT:exlZ=TR
UE:PRINT TAB(4,29);liveZ
1670 VDU 5
1680 SPEEDZ=0
1690 GCOL 0,1
1700 MOVE XZ,YZ
1710 PRINTCHR$charZ
1720 GCOL 3,1
1730 ENDPROC
1740 :
1750 DEF PROCend
1760 VDU 4
1770 REPEAT
1780 IF FUELZ>4 scoreZ=sco
reZ+4:FUELZ=FUELZ-4 ELSE sc
oreZ=scoreZ+FUELZ:FUELZ=0
1790 PRINT TAB(7-LEN STR$(
scoreZ),27);scoreZ
1800 PRINT TAB(14,27);FUEL
Z;" "
1810 SOUND 11,-15,200-FUE
LZ,1
1820 UNTIL FUELZ=0
1830 *FX 15,1
1840 RESTORE 2450
1850 FOR NZ=1 TO 8
1860 READ txZ(NZ),tyZ(NZ)
1870 NEXT
1880 tresZ=0

```

```


1890 CLS
1900 PRINT""Move on to fi
nd""score presents..."
1910 FOR NZ=1 TO 10000:NEX
T
1920 stageZ=stageZ+1
1930 VDU 5
1940 ENDPROC
1950 :
1960 DEF PROCspider
1970 IF suZ=TRUE PRINT TAB
(9,syZ DIV 2);" "syZ=syZ-
1 ELSE PRINT TAB(9,syZ DIV 2
);S1$;syZ=syZ+1
1980 PRINT TAB(9,syZ DIV 2
);S$
1990 IF syZ>50 suZ=TRUE EL
SE IF syZ<12 THEN suZ=FALSI
2000 ENDPROC
2010 :
2020 DEF PROCbouncer
2030 PRINT TAB(4,byZ);" "
;TAB(14,25-byZ);" "
2040 IF byZ<3 upZ=FALSE EL
SE IF byZ>22 upZ=TRUE
2050 IF upZ=TRUE byZ=byZ-1
ELSE byZ=byZ+1
2060 PRINT TAB(4,byZ);B$;1
AB(14,25-byZ);B$
2070 ENDPROC
2080 :
2090 DEF PROCexplode
2100 liveZ=liveZ-1
2110 VDU 4
2120 GCOL 0,3
2130 SOUND 10,-15,6,40
2140 FOR NZ=1 TO 20
2150 MOVE XZ+20,YZ-20
2160 DRAW XZ+RND(100)-RND(
50),YZ+RND(100)
2170 NEXT
2180 FOR NZ=1 TO 10000:NEXT
2190 ENDPROC
2200 :
2210 DEF PROCchi
2220 VDU 19,1,3;0;23,1,0;0
;0;0;
2230 HI$(newZ)=STRING$(30,
".")
2240 *FX 15,1
2250 HIX(newZ)=scoreZ
2260 IF newZ<>0 PROCprinthe
:PRINT TAB(7,22);"Please e
nter your name";INPUT TAB(3
,1+(2*newZ));HI$(newZ)
2270 PROCprinthe
2280 PRINT TAB(4,23);"Pres

```

```

s <SPACE> for a new game"
2290 REPEAT UNTIL GET=32
2300 ENDPROC
2310 :
2320 DEF PROCprinthe
2330 CLS
2340 PRINT TAB(10);"TODAYS
HI SCORES";TAB(10);"-----
-----"
2350 FOR NZ=1 TO 10
2360 PRINT""NZ;STRING$(
3-LEN STR$(NZ)," ");HI$(NZ)
;STRING$(30-LEN HI$(NZ),".")
;HIX(NZ)
2370 NEXT
2380 IF newZ=0 PRINT TAB(7
,22);"Your score was ";sco
reZ
2390 ENDPROC
2400 :
2410 DATA 0,0,20,224,0,30,
9,224,11,30,9,224,1,25,0,22
4,11,25,0,224,0,26,1,224,0,
27,1,224,0,28,1,224,0,29,1,
224,11,26,1,224,11,27,1,224
,11,28,1,224,11,29,1,224,6,
4,0,224,7,0,2,224,7,12,2,22
4,7,5,1,224,7,6,1,224,7,7,1
,224,12,5,1,224
2420 DATA 12,6,1,224,12,7,
1,224,11,0,2,224,1,5,3,224,
1,10,3,224,1,15,3,224,1,20,
3,224,16,5,3,224,16,10,3,22
4,16,15,3,224,16,20,3,224,6
,12,3,224,6,18,3,224,11,12,
3,224,11,18,3,224,9,1,2,224
,9,2,2,224,9,3,2,224
2430 DATA 6,17,3,225,11,17
,3,225,1,4,3,225,1,9,3,225,
1,14,3,225,1,19,3,225,16,4,
3,225,16,9,3,225,16,14,3,22
5,16,19,3,225,6,11,3,225,11
,11,3,225,1,24,8,235,11,24,
8,235
2440 DATA 6,3,3,235,11,3,3
,235,8,7,1,225,11,7,1,225
2450 DATA 196,896,196,736,
196,578,196,418,1052,896,10
52,736,1052,578,1052,418
2460 DATA 2,4,2,9,2,14,2,1
9,17,4,17,9,17,14,17,19


```



This listing is included in this month's cassette tape offer. See order form on Page 61.

If you want to start doing more with your micro than just playing games, this package is your ideal introduction to the four most popular applications for professional computers. All the programs have been designed for simplicity, so even a child can use them. Yet they include advanced features not yet available on programs costing many times as much!

**Finalist for the Home Software
of the Year Award**



**Contains 32 page booklet giving clear,
easy-to-follow instructions on all 4 programs**

Word Processor: Ideal for writing letters and reports. There is a constant display of both time and word count, plus a words-per-minute display to encourage the budding typist! A unique feature is the double-size text option in both edit and printer mode – perfect for young children and people with poor vision.

Database: You use this for storing information, just like an office filing cabinet. Facts you have entered can be quickly retrieved by just keying in a word or part of a word. They can be sorted, replaced, saved for future use or printed out.

Spreadsheet: Enables you to use your micro for home accounts or pocket money records. It creates a display of numbers in rows and columns. Continuous updating is possible, and a changed figure can be instantly reflected throughout the rest of the spreadsheet. Your results can be saved, to be used for future updates, or can be fed into its associated program.

Graphics: Part of the spreadsheet section, it lets you draw bar charts, pie charts and histograms to give a graphic presentation of your statistics. Helps to give life and colour to the duller figures!

☆ **Word Processor** ☆ **Spreadsheet**
☆ **Database** ☆ **Graphics**

**Now they're
all together -
in ONE simple
package**

Four full-scale
programs for
an incredible
low, low price! **£5.95**
cassette

Also available from:

BOOTS COMET Currys Dixons WHSMITH

Greens John Menzies RUNBLOWI spectrum and other computer stores

TO ORDER TURN TO THE FORM ON PAGE 61

YIPPEE! It's Christmas morning and Santa has left lots of presents for you hanging on the tree. But before you can have them you must guess a hidden word.

At the bottom of the screen you'll see a row of dots, one for each letter in the word. Press a letter to make a guess and if you are right it will be entered into the correct position.

However if you are wrong one of your presents will be taken off the tree.

Can you guess the word or will you lose all your presents? It's up to you!

Yule Spell is a seasonal variation on that old classic Hangman and is great fun for all the family.

There are about 160 words and I have included as many seasonal ones as I can. You can easily add your own by tagging them on to the end of one of the data statements starting at line 800.

There is a short delay when the program is run as it draws the title page.

Plus 3 users should save the program before running it since it switches off the ADFS and downloads to &E00.

YULE SPELL

By
KEITH TRANGMAR



PROCEDURES

lost	Erases the fairy.
escape	Ends the game.
space	Waits for the spacebar to be pressed.
dunnit	Congratulates player.
tune	Plays Jingle Bells.
present	Draws each present.
fairy	Draws the fairy.
flakes	Draws the snowflakes.

VARIABLES

C%	The letter chosen.
B%	Position of the letter in the word.
F%	True if the letter appears more than once.
M%	The number of words.
S%	The number of letters guessed.
T%	The number of guesses.
A\$	The word.



```

10 REM ** Yule Spell **
20 REM * By K.Trangmar *
30 REM (c) Electron User
40 *FX14.6
50 IF PAGE>&E00 GOTO950
60 MODE2:VDU23,1,0;0;0;0
;:DIM PX(9):ZX=ROUND(-TIME)
70 VDU19,15,7;0;17,15:PR
OCsnow:PROCyule:PROCdbl("Pr
ess SPACE to play.",-1,29):
REPEAT:PROctune:PROCflakes:
UNTIL INKEY(0)=32
80 REM Find number of wo
rds available
90 RESTORE000:MX=TRUE:RE
PEAT:READA$:MX=MX+1:UNTILA$
="*"
100 REM Set up title page
110 ON ERROR PROCescape
  
```


From Page 33

```

120 ENVELOPE1,10,-5,0,0,5
0,0,0,126,0,0,-126,126,126
130 ENVELOPE2,10,7,0,0,75
,0,0,126,0,0,-126,126,126
140 SOUND&11,2,150,10:PRO
Ctree
150 REM Select word
160 TX=-1:RESTORE000:FOR
AX=1 TO RND(MX):READ A$:NEX
T:B$=A$:SZ=0:FOR AX=0TO9:PX
(AX)=TRUE:NEXT:WX=0
170 FORAX=0TO25:AX?&900=0
:NEXT:LX=0-(LEN(A$)DIV2):*F
X13,6
180 VDU17,128,17,7:FORMX=
1TOLEN(A$):IFMID$(B$,WX,1)=
". "THENPROCdb1(MID$(A$,WX,1
),LX+WX,29)ELSEPROCdb1(".",
LX+WX,29)
190 NEXT:OSCLI"FX21":*FX1
15
200 PRINTTAB(2,0);"Next"
" Choice: ";VDU127,23,1,1;
0;0;0;
210 REPEAT:CX=INKEY(0):UN
TIL CX>64 AND CX<91 AND CX?
&8BF=0:CX?&8BF=255:VDUCX,23
,1,0;0;0;0;17,132,17,3
220 FX=FALSE:IF CX=90 THE
NVDU31,3,25,90 ELSEVDU31,((
CX-65) MOD5)+1,((CX-65) DIV
5)+20,CX
230 VDU29,-32;0;BX=INSTR
(B$,CHR$CX):IF BX=0 GOTO270
240 SX=SX+1:IF SX=LEN(A$)
PROCdunnit:GOTO140 ELSESOU
ND&11,2,100,10
250 B$=LEFT$(B$,BX-1)+". "
+RIGHT$(B$,LEN(B$)-BX)
260 FX=TRUE:GOTO230
270 PROCdraw:IF TX=10 GOT
O140 ELSE 180
280 REM Erase presents
290 DEFPROCdraw:IF FX=FAL
SE TX=TX+1 ELSEENDPROC
300 IF TX<10 SOUND&11,1,1
00,10 ELSEPROClost:ENDPROC
310 REPEAT:DX=RND(10)-1:U
NTIL PX(DX)=TRUE
320 PX(DX)=FALSE:AX=DX DI
V2:IF DX MOD2=0 MOVE400+50*
AX,230+125*AX ELSEMOVE1190-
50*AX,230+125*AX
330 VDU5,10,2,0,11,11,128
,128,0,0,10,128,128,4:ENDPR
OC
340 REM No presents left
350 DEFPROClost:OSCLI"FX1

```

```

4,6":SOUND&11,1,100,20:MOVE
840,1016:VDU5,10,2,0,128,12
8,0,0,10,128,128,0,0,10,128
,128,4:VDU28,0,26,8,19,17,1
28,12,26,17,129,17,7:PROCdb
1("Tough luck",0,1):VDU17,1
32,17,3:PROCdb1("You didn't
make it !",-1,24)
360 VDU28,0,27,19,26,12,2
6:PROCdb1("The word was",3,
26):VDU28,0,31,19,28,17,11,
17,140,12,26:PROCdb1(A$,LX+
1,29):PROCspace:ENDPROC
370 DEFPROCescape:OSCLI"F
X14,6":SOUND&11,1,100,20:VD
U17,129,17,7:PROCdb1(" Quit
ter ",0,1):VDU28,0,26,8,19
,17,128,12,26,17,132,17,3:6
OTO360
380 DEFPROCspace:VDU31,2,
7,17,7,17,128:PRINT;"Press"
" SPACE" to Play " a
gain":REPEAT UNTIL INKEY(-9
):ENDPROC

```

```


NX=255 RESTORE430:READ NX
420 IF NX=0 SOUND&11,0,0,
0:ENDPROC ELSE SOUND&11,-1,
NX,15:ENDPROC
430 DATA96,0,96,0,96,96,0
,96,0,96,0,96,96,0,96,0,100
,0,80,0,80,0,96,96,96,0,0,1
00,0,100,0,100,100,0,100,96
,0,96,0,96,96,0,96,96,0,80,
0,80,0,96,0,80,80,80,0,100,
100,0,0
440 DATA96,0,96,0,96,96,0
,96,0,96,0,96,96,0,96,0,100
,0,80,0,80,0,96,96,96,0,0,1
00,0,100,0,100,100,0,100,96
,0,96,0,96,0,96,100,0,100,0
,96,0,80,0,80,80,80,80,0,0
,0,0,0,0,255
450 DEFPROCtree
460 VDU23,128,0,4,10,9,4,
3,0,0,23,129,0,16,40,72,144
,224,0,0
470 VDU23,130,0,0,0,0,0,0
,63,63,23,131,0,0,0,0,0,2

```

```

925,128:PLOT85,875,250:PLOT
85,925,250:VDU5
530 FOR AX=0 TO 4:6COL0,2
:MOVE 600+50*AX,250+125*AX:
MOVE 1200-50*AX,250+125*AX:
PLOT85,900,450+125*AX:MOVE4
80+50*AX,230+125*AX:PROCpre
sent:MOVE1190-50*AX,230+125
*AX:PROCpresent:NEXT
540 PROCfairy:VDU4:OSCLI"
FX20":ENDPROC
550 DEFPROCpresent
560 IF RX=1 THEN RX=4 ELS
E IF RX=4 THEN RX=5 ELSE RX
=1
570 VDU11,11,10,0,6,128,1
29,0,0,10,0,RX,130,131,0,0,
10,132,133,0,0,11,10,0,3,13
4,135,0,0,10,136,137
580 ENDPROC
590 DEFPROCfairy
600 VDU23,128,0,0,0,128,1
28,192,224,240,23,129,0,0,0
,2,2,6,14,30
610 VDU23,130,0,0,0,0,3,0
,0,0,23,131,0,0,0,0,128,0,0
,0
620 VDU23,132,240,120,40,

```



```

390 DEFPROCdunnit:OSCLI"F
X14,6":VDU17,129,17,7:PROCd
b1("Well done!",0,1):VDU17,
128:PROCdb1(A$,LX+1,29):SOU
ND1,2,50,20:PROCspace:ENDPR
OC
400 DEFPROCdb1(Q$,PX,QX):
FORIX=1TOLEN(Q$):?&70=ASC(M
ID$(Q$,IX,1)):AX=10:XX=&70:
YX=0:CALL &FFF1:VDU23,253,?
&71,?&71,?&72,?&72,?&73,?&7
3,?&74,?&74,23,254,?&75,?&7
5,?&76,?&76,?&77,?&77,?&78,
?&78,31,PX+IX,QX,253,10,0,2
54:NEXT:ENDPROC
410 DEFPROCtune:READNX:IF

```

```

54,254
480 VDU23,132,63,63,63,63
,63,63,63,0,23,133,254,254,
254,254,254,254,254,0
490 VDU23,134,0,0,0,0,0,0
,0,0,23,135,0,0,0,0,0,0,0,0
500 VDU23,136,28,0,1,0,20
,0,0,0,23,137,20,136,192,13
6,28,0,0,0
510 VDU20,26,12,20,0,31,1
9,20,17,129,12,26,10,0,4,20
,0,3,11,0,12,26,29,-32;0;
520 PROCdb1("Yule Spell",
0,1):MOVE64,175:MOVE440,175
:PLOT85,64,400:PLOT85,440,4
00:6COL0,7:MOVE875,128:MOVE

```

This is one of hundreds of programs now available FREE for downloading on

MicroLink

```

48,32,0,0,0,23,133,62,60,24
,24,0,0,0,0
630 VDU23,134,0,0,0,0,0,0
,0,24,23,135,0,0,0,0,0,0,0
,48
640 VDU23,136,0,0,0,0,0,3
,3,3,23,137,0,0,0,0,0,128,1
28,128
650 VDU23,138,7,7,15,15,3
1,31,31,7,23,139,192,192,22
4,224,240,240,240,192
660 VDU23,140,7,7,7,7,15,
15,15,15,23,141,192,192,192
,192,224,224,224,224
670 MOVE840,1016
680 VDU5,10,0,7,136,137,0
,0,10,0,6,130,131,0,0,10,0,
3,128,129,0,0,10,132,133,0,
0,10,0,6,130,139,0,0,10,140
,141,0,0,11,10,0,7,134,135
690 VDU23,128,255,255,255
,255,255,255,255,255
700 ENDPROC
710 DEFPROCsnow
720 PROCdb1("One moment p

```


lease. ",0,29)

730 FORVZ=2T014:VDU19,VZ,
0;0;:NEXT

740 FORVZ=0T0159STEP8:CZ=
RND(14):6COL0,1:MOVE8*VZ,16
:DRAW64+8*VZ,16:MOVE8*VZ,11
2:DRAW64+8*VZ,112:FORVZ=255
T028STEP-4

750 CZ=CZ+1:IF CZ=15 CZ=2
760 6COL0,CZ:PLOT69,32+8*
VZ,4*VZ:NEXT,:ENDPROC

770 DEFPROC lakes:VDU19,C
Z,0;0;:CZ=CZ+1:IF CZ=15 CZ=
2

780 VDU19,CZ,7;0;:ENDPROC

790 REM Christmas words

800 DATATREE,HOLLY,IVY,SN
OW,SANTA,ANGEL,BELLS,FAIRY,
ROBIN,STAR,CHOIR,NOEL,YULE,
FIRE,PAPER,PARTY,CREAM,MERR
Y,CHEER

810 DATACRACKER,BAUBEL,SN
OWMAN,JINGLE,LANTERN,PUDDIN
G,CANDLE,SLEIGH,DONKEY,MANG
ER,RUDOLF,SHERRY,BRANDY,TUR

KEY,LIGHTS,ICICLE,TINSEL,PA
RCEL

820 DATAPRESENTS,MISTLETO
E,REINDEER,NATIVITY,STOCKIN
G,FESTIVITIES,SHEPHERDS,SNOW
FLAKE,CELEBRATION,DECEMBER

830 REM Other words

840 DATACAMEL,EQUAL,CRAVE,
EMPTY,SPICE,FEAST,GOOSE,GR
EED,HEART,HIPPO,FLAME,JOKER
,JUICE,KNIFE,KNOCK,LARGE,LA
UGH,LEAST,MATCH,MEDAL,MOOSE
,NIGHT,NOVEL,QUEEN,RADIO,RO
UND,SERVE,SHAKE,SMALL,VICAR
,WHALE,YOUNG

850 DATAANCHOR,ARRIVE,BOT
TLE,CASTLE,COPPER,DINNER,EA
STER,GARDEN,GINGER,MAGNET,N
EPHEW,MATURE,ORANGE,PANTRY,
PEOPLE,PERSON,RACKET,SACRED
,YELLOW,WINTER

860 DATABOURBON,CLIMATE,C
ONTEST,DELIVER,DISTANT,FORT
UNE,GLIMPSE,HEALTHY,HOLIDAY
,KINGDOM,MERMAID,MILLION,OC

TOPUS,OUTSIDE,PANTHER,SAPHI
RE,SARCASM,SELFISH,TRIDENT,
USELESS,WEATHER,WHISTLE,SPA
RKLE

870 DATAJELLYBEAN,BLIZZAR
D,CARNIVAL,DYNAMITE,ELEPHAN
T,FEBRUARY,GLORIOUS,HANDSOM
E,ILLUSION,KANGAROO,LAUGHTER
,MARZIPAN,ORIGINAL,ORNAMEN
T,PARADISE,REMEMBER,SQUIRRE
L,SURPRISE,TOMORROW,THOUSAN
D,UNIVERSE,VACATION,WARDROB
E,YOURSELF

880 DATABACKGAMMON,COMFOR
TABLE,COMMEMORATIVE,DESIRAB
LE,EXPENSIVE,FASCINATING,FA
NTASTIC,GRATUITOUS,KNICKERBO
CKERGLORY,LIQUORICE,MARVEL
LOUS,MYSTERIOUS,NEIGHBOURHO
OD,RIDICULOUS,VENTRILOQUIST
,XYLOPHONE,ZEPPELIN

890 DATA*

900 DEFPROC yule:VDU5,23,6
4,126,255,255,255,255,255,2
55,126:MOVE0,650:6COL0,15:6

OSUB910:MOVE0,640:6COL0,1:6
OSUB910:VDU4:ENDPROC

910 PRINT;"0 00 00 00
0000 00 00 00 00
0 0 00 00 00 00 00
00 00 00 00 00 00 00
0000";

920 PRINT;"

";
930 PRINT;"000 000 000 0
0 0 000 0 0 0 0
00 000 00 0 0 0 0
0 0 0 000 0 000 000
000"

940 RETURN

950 REM Downloader

960 DX=PAGE-&E00:*KEY0 *T
.!MF.IX=PAGE TO TOP S.4:!(I
X-DX)=!IX:N.:(TOP-DX)=&FF0
D:PAGE=&E00!MD.!MRUN!M
970 *FX138,0,128

*This listing is included in
this month's cassette
tape offer. See order
form on Page 61.*

BBC/ELECTRON PROFESSIONAL SOFTWARE

Our educational software is used in thousands of schools and homes throughout Great Britain.

EDUCATIONAL 1

BBC/ELECTRON

Tape £6.95 Disc £8.95

Hours of fun and learning for children aged five to nine years. Animated graphics will encourage children to enjoy counting, maths, spelling and telling the time. The tape includes six programs: MATH 1, MATH 2, CUBECOUNT, SHAPES, SPELL and CLOCK.

... 'An excellent mixture of games' ... Personal Software - Autumn 1983.

EDUCATIONAL 2

BBC/ELECTRON

Tape £6.95 Disc £8.95

Although similar to Educational 1 this tape is more advanced and aimed at seven to twelve year olds. The tape includes MATH 1, MATH 2, AREA, MEMORY, CUBECOUNT and SPELL.

FUN WITH NUMBERS

BBC/ELECTRON

Tape £6.95 Disc £8.95

These programs will teach and test basic counting, addition and subtraction skills for four to seven year olds. The tape includes COUNTING, ADDING, SUBTRACTION and an arcade type game called ROCKET MATHS which will exercise addition and subtraction. With sound and visual effects.

These are excellent programs which teachers on the project have no hesitation in recommending to other teachers. ... Computers in Classroom Project.

FUN WITH WORDS

BBC/ELECTRON

Tape £6.95 Disc £8.95

Start your fun with alphabet puzzle, continue your play with VOWELS, learn the difference between THERE and THEIR, have games with SUFFIXES and reward yourself with a game of HANGMAN.

... 'Very good indeed' ... A&B Computing - Jan/Feb 1984

JIGSAW AND

SLIDING PUZZLES by P. Warner BBC/ELECTRON

Tape £6.95 Disc £8.95

There are two jigsaw and four sliding puzzles on a 3 x 3 and 4 x 4 grid. Each program starts off at an easy level to ensure initial success but gradually becomes harder. It helps children to develop spatial imagination and in solving problems. The tape includes: OBLONG, JIGSAW, HOUSE, NUMBERS, CLOWN and LETTERS.

★★SPECIAL OFFER★★

Buy three titles and deduct £4.00

Add 50p p&p per order. Please state BBC or ELECTRON or 40 or 80 track for discs.

Golem Ltd, Dept E, 77 Qualitas, Bracknell, Berks RG12 4QG. Tel: 0344 50720

EDUCATION SOFTWARE THE "LEARN EASY" RANGE from PTARMIGAN SOFTWARE

Mathematics 1 age 5-12yrs

Addition 1
Subtraction 1
Shapes
Times table 1
Times table 2

	BBC Disk	Electron Tape
£9.95	£6.95	£6.95

Mathematics 2 age 9 upwards

Addition 2
Subtraction 2
Multiplication 1
Division 1
Number Signs

	BBC Disk	Electron Tape
£9.95	£6.95	£6.95

These programs have been developed with the aid of teachers and have been tested in Essex Schools and homes. The programs actually teach the concepts of Borrow, Carry & Payback.

NOT ANOTHER DEMONSTRATION PROGRAM!

Actually teaches and corrects with full on screen explanations. Designed as a stand alone teaching aid.

All prices inclusive of Post and Packing. Equal Addition OR Decomposition Methods Available.

Please state requirements with order (or phone)

DISKS: Please state 40 or 80 track with order.

PTARMIGAN SOFTWARE
5 ANSON CHASE, SHOEBOURNESS
ESSEX SS3 9RW
Phone: 03708 2429

Discounts available to Education Establishments
Dealer Enquiries Welcome
Watch this space for more Quality Education Software


Never before have there been such money-saving offers for readers of a computer magazine!



EXPAND your Electron

... for much, much less than the price you'd normally pay

STOCKS LIMITED
Phone orders only



How the Plus 1 helps you make the most of your Electron

With the Plus 1, you and your Electron enter a whole new computing dimension. The Plus 1 turns your Electron into a fully fledged micro capable of using printers, joysticks and cartridge ROMs – the software that comes on a chip. In addition, the Plus 1's analogue to digital port gives access to the outside world – while the slots for the ROM cartridges allow the Electron to take advantage of the latest, most exciting hardware developments yet to be released.

If you want to use your Electron to the full, then it's essential you get a Plus 1.

Normal price

Special price for readers of Electron

£39.95

Inc. Full ROM

EXPAND – with the Electron Word

Convert your Electron into a sophisticated word processing package. The package consists of the versatile View, Acorn's custom designed word processor cartridge and the many powerful capabilities of View become yours. Whether you're writing a simple letter or your first novel – the Plus 1 make an unbeatable combination.

Normal price £82.80

Electron User

EXPAND – with the Electron Wo

Now you can transform your Electron into a serious micro Workstation. This package consists of a Plus 1 and the wordprocessor and Viewsheets spreadsheet, both on cartridge. Workstation makes the Electron a hard working yet inexpensive and office. From business letters to a set of invoices, from cash flow crises, it can take them all in its stride.

Normal price £119.80

Electron User

All prices include VAT and carriage.
All offers subject to availability.

Phone your order to 061-4



ay!

nake

price £59.90

al price
aders of
on User

9.95

REE game
cartridge

Processor!

processor with this value
le Plus 1 interface,
sor. Just plug in the
e instantly available.
you'll find View and

price £49.95

rkstation!

with the Electron
e acclaimed View
tridge ROMs. The
nsive tool for home
home economics to

price £59.95

180 0171

EXPAND - with the under-£100 Plus 3!

The Plus 3 expansion unit provides you with a disc drive and disc interface in one compact unit. It consists of a single sided 80 track drive and ADFS, and can store up to 320k of data on each 3½in disc with no limit to the number of files. Expansion ports at the rear of the unit enable a Plus 1 to be added and a second drive can be attached which can be either 5¼in or 3½in, 40 or 80 track.

The Plus 3 comes complete with a Welcome disc packed full of games, demonstrations, utilities and help files, plus a 111 page manual containing everything you need to get you started right away.

Normal price £219.00

Electron User price £99.95


... or a Plus 3 PLUS Database!

Bring the speed of discs and the organised memory of a powerful database to your Electron with the Electron Database combined with the Plus 3 disc drive, this dynamic duo should provide the answer to all your dataprocessing needs.

The database has all the facilities any normal user, home or business, would need. Yet - thanks to its menu-driven structure - it's simplicity itself to use. Records can be as varied as you require: You can have up to 32 fields ranging from 2 to over 200 characters in size. Once you've entered the records, information can be recovered with the minimum of fuss, sorting and searching over any number of fields. And when you've created your record structure you're not stuck with it: Field sizes can be changed at will. So, if your interested in keeping records, do yourself a favour: Upgrade to the Electron Database and let your micro do the work.

Normal price £248.95

Electron User price £114.95





MIKE PLUMMER introduces you to his turtle graphics language

POGO is a programming language providing many of Logo's turtle graphics commands plus some other facilities which I will describe later.

As it is not exactly like normal Logo – not that there is such a thing as a standard Logo – and differs from most turtle graphics programs, I have called the language Pogo (Plummer's Logo).

Despite its omissions – for instance, it has no functions for list processing – Pogo should at least give you a grounding in some of the techniques used in Logo.

For the uninitiated, a turtle graphics program draws pictures by sending an imaginary turtle round the screen leaving a track behind it. The commands within the language allow you to turn the turtle, make it go forwards and backwards and start or stop drawing its track.

There is a procedural mechanism similar to BBC Basic's DEFPROC which allows you to define a set of small pictures and then build up a more complicated picture by calling up the smaller ones by name.

I have split the description of Pogo into two articles. This part describes the Pogo compiler, its structure and how it

works. The second will contain a description of the Pogo language, a tutorial in its use and some examples of Pogo definitions.

The main difference between Pogo and some other turtle graphics programs is that it is a compiler, not an interpreter.

An interpreter reads the actual program code that you have typed in and whenever it comes across the name of a variable or procedure looks in memory to find where that item is stored. It has to do that every time it finds the name, even in the same statement.

On the other hand compilers convert the program text into code, change all references to variables and so on into actual memory addresses and calculate the address for branches to go to before the program is run. This enables the program to run much faster. Also the compiled code tends to occupy less memory.

In the extreme, some compilers convert the program code into pure machine code. A lot of compilers, and Pogo is one of them, convert the source code into a very much more compact intermediate code where all variable names and so on have been converted to memory addresses. This is

then interpreted by a run time interpreter.

In Pogo both the compiler and run time interpreter are written in Basic so they are limited by the speed of the Basic interpreter. Also the limited memory of the Electron means that something has to be sacrificed, and with Pogo you lose the ability to edit your source code.

This is not as serious as it sounds, since by the nature of this sort of programming language you start off by defining your own words and then use these in later definitions. You can make sure that the original word is thoroughly tested before including it in a later definition.

There are only very minimal editing facilities within the language, and all you can really do is to use line editing when typing in your data. Alternatively View can be used to edit the source code – you then EXEC it into Pogo.

There are commands to list the names of all words – but not their definitions – and the variables set up. Definitions can be erased from memory when no longer required.

The compiler will work with tape or disc although the amount of memory available for your Pogo programs

depends on the value that PAGE is set to. There is around 2k available with a Plus 3, and 6k with cassette, Plus 4 and Cumana disc systems.

I don't intend to describe completely how the program works as it would occupy an enormous amount of text, but just to give a brief résumé of the structure of the compiled code and the procedures and principal variables used.

A Pogo program consists of a series of reserved words that are converted into a pseudo-code which is stored in one of two buffers. The first, called the immediate buffer, contains compiled code which will be run when any code entered in direct mode has been successfully compiled.

Typing in commands in direct mode is similar to typing:

```
PRINT "HELLO"
```

in Basic and getting the response HELLO printed on the screen straight away. This is as opposed to typing:

```
10 PRINT "HELLO"
```

where the print statement becomes part of a Basic program.

The equivalent to the second case in Pogo is when

defining a new word. Here the compiled code is inserted into the definition buffer. A defined word is just a series of Pogo statements which can be called by name, much as a BBC Basic procedure.

As with procedures it is possible to pass parameters to a defined word. You can also define integer variables with names that begin with a #.

A reserved word is stored in a buffer as an op-code followed by the parameters. A variable is stored as the name followed by &OD plus four bytes for the value. A defined word is stored as the name followed by &OD, the number of parameters and address of the next definition.

Expressions using variables are stored as strings but with all variables names converted to ! (address of variable). The expression is evaluated at run time using Basic's EVAL function.

Two areas of memory are used as workspace. The first is the Pogo stack which contains branch addresses when compiling and return addresses

and loop counters when running.

The second is a local parameter area. This contains the names of a defined word's parameters when compiling and the parameter values when running.

When any input is read from the keyboard or a file using EXEC the input string is parsed token by token until the string is empty. The code is compiled into the immediate buffer and run if you are in immediate mode.

When defining a new word using TO, code is compiled into the definition buffer until an END statement is found. Any errors detected during compilation or when executing compiled code cause the current action to be interrupted and a message printed giving the cause of the error.

You should be able to fathom out the method used to compile and run the language from the information I have given here. Next month we'll see how to write Pogo programs but in the meantime you can check if your program is

working by typing in this short program:

```
TO SQUARE
cls
print "A square!"
repeat 4
{
  forward 200 : right 90
}
END
```

Enter SQUARE to run it. You

can probably guess what it draws!

One thing to note when entering the program: until you are sure that you have it working properly enter line 620 as:

```
620 REPORT:PRINT" at line
";ERL
```

It will help when debugging.

● That's all for this month, next time we'll look at the language in more detail.

Pogo listing

```
10 REM POGO
20 REM Turtle Graphics
30 REM By M.J.Plummer
40 REM (c) Electron User
50 GOTO540
60 :
70 REM Execute reserved
word
80 DEFPROCrun(p%):LOCALn
Z:Z=Z+2
90 IF p%<1 OR p%>36 PROC
er(11):ENDPROC
100 ON p% GOTO 120,130,14
0,150,160,170,240,250,260,2
70,300,320,380,400,410,420,
360,390,310,430,270,200,210
,440,110,310,450,460,190,47
0,480,490,310,510,520,180
110 n%=!Z:Z=Z+4:IF n%>
0 !n%=FNgval:ENDPROC ELSE L
Z:(n%+4-1)=FNgval:ENDPROC
120 Q%=TRUE:ENDPROC
130 PROCav(FNgval):ENDPR
OC
140 PROCav(-FNgval):ENDPR
OC
150 CLS:ang=0:XX=640:YY=5
12:MOVEXX,YY:soh=0:coh=1:PR
OCdrt1:ENDPROC
160 PROCtn(-FNgval):ENDPR
OC
170 PROCtn(FNgval):ENDPR
OC
180 PROCdrt1:XX=FNgval:YY
=FNgval:MOVE XX,YY:PROCdrt1
:ENDPROC
190 Z=0:ENDPROC
200 LX=LX-LX?-1+4-1:ZX=FN
pop:ENDPROC
210 n%=ZX:UX=?(!ZX-5):MX=
LX+UX+4:MX=UX:VX=-4:ZX=ZX+
4
220 IF UX=0 GOTO 230 ELSE
MX!VX=FNgval:VX=VX-4:UX=UX
-1:GOTO220
230 LX=MX+1:IF LX>loc+51
2 PROCer(19):ENDPROC ELSE P
ROCpush(ZX):ZX=!n%:IF SX<MX
PROCer(6):ENDPROC ELSE END
PROC
240 PX=FALSE:ENDPROC
250 PX=TRUE:ENDPROC
260 PRINT"At X=";XX;" Y=
";YY;" Heading(deg)=";ang":
ENDPROC
270 UX=?ZX:ZX=ZX+1:IF p%=
10 VDU5 ELSE IF POS<>0 PRIN
T
280 IF UX PRINT$ZX:ZX=ZX
+LEN$ZX+1 ELSE PRINT ;FNgva
l;
290 VDU4:ENDPROC
300 IFFNgval=0 ZX=!ZX-3:F
Z=FALSE ELSE ZX=ZX+4:FZ=TRU
E
310 PROCpush(FZ):ENDPROC
320 VX=?ZX:ZX=ZX+1:IF VX=
255 OR VX=2 ENDPROC ELSE IF
VX=1 FZ=FNpop:ENDPROC
330 IF VX=3 UX=FNpop:UX=U
X-1:IF UX>0 ZX=!ZX:PROCpush
(UX):ENDPROC
340 IF VX=3 ZX=ZX+4:ENDPR
OC
350 IF VX<>4 GOTO 380 ELS
E ZX=!ZX
360 VX=!ZX:ZX=ZX+4:IF FN
gval ENDPROC
370 ZX=VX:ENDPROC
380 IF FZ ZX=!ZX:FZ=FALSE
ELSE ZX=ZX+4
390 ENDPROC
```

PROCEDURES AND FUNCTIONS

run()	Execute reserved word.
gtk	Get next token.
comp	Compile next token.
exec	Execute immediate code.
push()	Push number onto stack.
pop	Pop number from stack.
ifl	Compile IF.
el	Compile ELSE.
rep	Compile REPEAT.
while	Compile WHILE.
mk	Compile MAKE.
def	Define a new word.
end	End definition.

VARIABLES

A%	Defining/immediate flag.
C%	Code buffer.
F%	IF nesting.
G%	ELSE flag.
H%	Turtle heading.
J%	Immediate buffer.
K%	WHILE nesting.
O%	Pointer to previous definition.
R%	REPEAT nesting.
S%	Stack pointer.
T%	Text pointer.
W%	Definition buffer.
X%,Y%	Turtle coordinates.
Z%	Program pointer.

From Page 39

```

400 PROCpush(FNqval):ENDP
ROC
410 BX=TRUE:ENDPROC
420 BX=FALSE:PROCdrt1:END
PROC
430 VDU FNqval:ENDPROC
440 PROCdshow:ENDPROC
450 PROCsv:ENDPROC
460 PROCld:ENDPROC
470 PROCflin:ENDPROC
480 PROCspl:ENDPROC
490 nX=!ZX:ZX=ZX+4:IF nX<
0 nX=LX+nX+4-1
500 INPUT!nX:ENDPROC
510 OSCL1 $ZX:ZX=ZX+LEN$Z
X+1:ENDPROC
520 PRINT"Bytes used  ",
WX-CX"Bytes free  ",C
X+DX-WX"Local area used",L
X-locs"Stack size  ",CX+D
X-SX-4:ENDPROC
530 :
540 MODE4
550 ON ERROR GOTO610
560 DX=2000+11000-PAGE:DI
M CX DX:DIM ln 256:DIM im 2
56:DIM locs 512
570 PROCinit:PROCdrt1
580 REPEAT:PROCcomp:UNTIL
QX:MODE6:END
590 :
600 REM Handle BASIC erro
rs
610 IF NX NX=FALSE:PROCin
vc(FALSE):*SPOOL
620 IF ERR=17 PRINT "'Es
cape"+CHR$7:GOTO580 ELSE I
F ERR=214 PROCer(17):GOTO58
0 ELSE IF ERR=26 OR ERR=16
PROCer(11):GOTO580 ELSE MOD
E6:REPORT:PRINT" at line ";
ERL:END
630 :
640 REM Get code from inp
ut buffer
650 DEFFNgtk:LOCALk$,j$
660 IF $ln<>" GOTO 700
670 IF NX INPUT LINE"$ln
ELSE IF AX=0 INPUT LINE"-
"$ln ELSE INPUT LINE"@ "$ln
680 IF AX=0 JX=im:$im=STR
ING$(255,CHR$0):FX=0:RX=0:K
Z=0
690 IF$ln="" GOTO670
700 IF LEFT$($ln,1)=" " $

```

```

ln=MID$($ln,2):GOTO 700
710 IF RIGHT$($ln,1)=" "
$ln=LEFT$($ln,LEN$ln-1):GOT
0710
720 IF LEFT$($ln,1)=CHR$3
4:TX=INSTR($ln,CHR$34,2):k$
=LEFT$($ln,TX):$ln=MID$($ln
,TX+1):IF TX=0 PROCer(1):="
"
730 IF k$<>" " =k$
740 TX=INSTR($ln," "):IF
TX=0 k$=$ln:$ln="" ELSE k$=
LEFT$($ln,TX-1):$ln=MID$($l
n,TX+1)
750 TX=1
760 REPEAT:j$=MID$(k$,TX,
1):IF j$>"a"ANDj$<="z" k$=
LEFT$(k$,TX-1)+CHR$(ASC(j$)
AND&SF)+MID$(k$,TX+1)
770 IF ASCj$>127 OR ASCj$
<32 k$=LEFT$(k$,TX-1)+MID$(
k$,TX+1)
780 TX=TX+1:UNTILTX>LENk$
790 =k$
800 :
810 REM Initialise system
820 DEFPROCinit
830 $ln=""
840 AX=FALSE:BX=FALSE:EX=
FALSE:G=TRUE:HX=0:LX=locs:N
X=FALSE:OX=CX:PX=TRUE:QX=FA
LSE:SX=CX+DX-4:WX=CX:XZ=640
:YZ=512:ZX=0
850 soh=0:coh=1:ang=0
860 PRINTTAB(9,1):"POGO (
V1.0) by M.J.Plummer":MOVE
640,512
870 ENDPROC
880 :
890 REM Report errors
900 DEFPROCer(eX):LOCALjX
,k$:jX=0:RESTORE 940:EX=TRU
E:JX=im:AX=0:SX=CX+DX-4:WX=
OX:VDU4
910 FORjX=1TOeX:READ k$:N
EXT:IFZXPRINT"Execution":E
LSEPRINT"Compilation";
920 PRINT" error  ":CHR$7
+k$:jX=jX+1:IF NX NX=FALSE:
PROCinvc(FALSE):*SPOOL
930 ENDPROC
940 DATA Missing quotes,U
ndefined,Bad expression,Inc
omplete,Bad list,Stack full
,Stack empty,IF list,REPEAT
list,WHILE list,Bad statee
nt,Bad name,Bad parameters
,Already defining,Memory fu

```

```

ll,No definition,Bad file,A
lready exists,Parameters
950 :
960 REM Compile a line of
code
970 DEFPROCcomp:LOCALt$:E
X=FALSE:t$=FNgtk:IF EX ENDP
ROC
980 IF FNres(t$) IF FNwd
(t$) IF FNasg(t$) PRINT"*+
* ";t$; " ***":PROCer(2):EN
DPROC
990 IF EX ENDPROC ELSE IF
$ln="" AND AX=0 PROCexec
1000 ENDPROC
1010 :
1020 REM Reserved words
1030 DATA QUIT, FORWARD, BAC
K,CLS,LEFT,RIGHT,UP,DOWN,?,
TYPE,IF,],ELSE,REPEAT,HIDE,
SHOW,WHILE,MAKE,TO,VDU,PRIN
T,END,,LIST,,SAVE,LOAD,BR
EAK,EXEC,SPOOL,ACCEPT,FORGE
T,OSCL1,SIZE,GPOS,!
1040 :
1050 REM Test for reserved
word
1060 DEFFNres(t$):RESTORE1
030:LOCALnX,k$:nX=0
1070 IF t$=" " :=FALSE
1080 IFt$="/*" REPEAT UNTI
L FNgtk="*/":=FALSE
1090 IF t$="NEW" RUN
1100 IFt$="" :=FALSE
1110 REPEAT READk$:nX=nX+1
:UNTIL k$="*" OR INSTR(k$,t
$)
1120 IF k$="*" :=TRUE
1130 IF AX ?WX=1:WX?1=nX:W
X=WX+2 ELSE ?JX=1:JX?1=nX:J
X=JX+2
1140 IF nX=2 OR nX=3 OR nX
=5 OR nX=6 OR nX=20 PROCexp
r
1150 IF nX=10 OR nX=21 PRO
Cgetp
1160 IF nX=11 PROCif1:GOTO
1310
1170 IF nX=12 PROCelst:=FA
LSE
1180 IF nX=13 PROCel:GOTO1
310
1190 IF nX=14 PROCrep:GOTO
1310
1200 IF nX=17 PROCwhile:GO
TO1310
1210 IF nX=18 PROCmk
1220 IF nX=19 PROCdef:GOTO

```

```

1310
1230 IF nX=22 PROCend
1240 IF nX=27 OR nX=28 OR
nX=30 OR nX=31 OR nX=34 PRO
Ctxt
1250 IF nX=32 PROCivar(FNq
tk)
1260 IF nX=33 PROCfgt(FNgt
k)
1270 IF nX<>36 GOTO 1290 E
LSE PROCexpr:IF FNgtk<>,"
PROCer(11):=FALSE
1280 PROCexpr
1290 IF $ln=""GOTO1310 EL
SE k$=FNgtk
1300 IF k$="]" $ln="]" "+$l
n ELSE IF k$<>:" PROCer(11
)
1310 GX=FALSE:=FALSE
1320 :
1330 REM Execute the conte
nts of the immediate buffer
1340 DEFPROCexec:IF FX PRO
Cer(8):ENDPROC ELSE IF RX P
ROCer(9):ENDPROC ELSE IF KX
PROCer(10):ENDPROC
1350 AX=0:FX=FALSE:RX=FALS
E:ZX=im:LX=locs:ZX=CX+DX-4
1360 REPEAT:IF ?ZX=1 PROCr
un(ZX?1) ELSE ZX=0
1370 UNTIL ?ZX=0 OR ZX=0:Z
X=0
1380 IF POS<>0 PRINT
1390 ENDPROC
1400 :
1410 REM Draw pointer
1420 DEFPROCdrt1:IF BX END
PROC ELSE LOCALqX,wX,eX,rX:
GCOL3,1
1430 qX=15*coh:wX=25*soh:e
X=15*soh:rX=25*coh:MOVEXX,Y
X:PLOT0,-qX,eX:PLOT1,qX+wX,
-eX+rX:PLOT65,0,0:PLOT1,qX-
wX,-eX-rX:PLOT1,-2*qX,2*eX:
MOVEXX,YX:GCOL0,1:ENDPROC
1440 :
1450 REM Put expression in
to buffer
1460 DEFPROCexpr:LOCALnX,p
X,i$,j$,k$:IF FNeck ENDPROC
ELSE k$=FNgtk
1470 IF $ln="" GOTO 1490 E
LSE j$=FNgtk:IF INSTR("[:],
",j$) $ln=j$+" "+$ln:GOTO 1
490
1480 k$=k$+j$:GOTO1470
1490 VX=INSTR(k$,"#"):IF V
X=0 GOTO1520 ELSE j$="":pX=

```



```

VX-1:VX=VX+1
1500 i$=MID$(k$,VX,1):IF F
Nalpn(i$) j$=j$+i$:VX=VX+1:
GOTO1500
1510 nZ=FNvar(j$):IF nZ>0
k$=LEFT$(k$,pZ)+"!"+STR$nZ+
MID$(k$,pZ+LENj$+2):GOTO149
0 ELSE IF nZ<0 nZ=4+nZ:k$=L
EFT$(k$,pZ)+"!"+STR$(nZ-1
)+MID$(k$,pZ+LENj$+2):GOTO1
490 ELSE PRINT "Variable ";
j$:PROCer(2):ENDPROC
1520 PROCinbf(k$)
1530 ENDPROC
1540 :
1550 REM Put a string into
buffer
1560 DEFPROCinbf(k$):IF AZ
GOTO 1580
1570 $JZ=k$:JZ=JZ+1+LENk$:
ENDPROC
1580 $WZ=k$:WZ=WZ+1+LENk$:
ENDPROC
1590 :
1600 REM Extract value fro
a buffer
1610 DEFFNqval:LOCALans:an
s=EVAL($ZZ):ZZ=ZZ+1+LEN$ZZ:
=ans
1620 :
1630 REM Move
1640 DEFPROCav(n):LOCAL m:
PROCdrtl:m=n+soh:XI=XI+m:IF
m-INTm>0.5 XI=XI+1
1650 m=n+coh:YI=YI+m:IF m-
INTm>0.5 YI=YI+1
1660 IF PX GCOL 0,1:DRAW X
I,YI ELSE MOVE XI,YI
1670 PROCdrtl:ENDPROC
1680 :
1690 REM Turn
1700 DEFPROCtn(n):LOCALhd:
PROCdrtl:ang=(ang+n) MOD 36
0:hd=RADang:soh=SIN(hd):coh
=COS(hd):PROCdrtl:ENDPROC

1710 :
1720 REM Get text and put
in buffer
1730 DEFPROCtxt:LOCALk$:IF
FNeck ENDPROC ELSE k$=FNgt
k$:IF EX ENDPROC
1740 IF LEFT$(k$,1)=CHR$34
k$=MID$(k$,2,LENk$-2)
1750 PROCinbf(k$):ENDPROC
1760 :
1770 REM Check for valid n
ame characters

```



```

1780 DEFFNalpn(k$):IF(k$)=
"A" AND k$<="Z")OR(k$)="0"
AND k$<="9") OR k$="_"! =TR
UE ELSE =FALSE
1790 :
1800 REM Check for end of
input
1810 DEFFNack:IF AZ=0 AND
$ln="" PROCer(4):=TRUE ELSE
=FALSE
1820 :
1830 REM Push number onto
stack
1840 DEFPROCpush(nZ):!GZ=n
Z:SZ=SZ+4:IF SZ<WZ PROCer(6
)
1850 ENDPROC
1860 :
1870 REM Pop a number from
stack
1880 DEFFNpop:SZ=SZ+4:!=SZ
1890 :
1900 REM Put IF into buffe
r
1910 DEFPROCifl:LOCALt$:PR
OCexpr:IF EX ENDPROC
1920 t$=FNgtk:IF EX ENDPRO
C ELSE IF t$<>"[" PROCer(5)
:ENDPROC
1930 FI=FI+1:IF AZ=0 PROCp
ush(JZOR&10000):JZ=JZ+4 ELS
E PROCpush(WZOR&10000):WZ=W
Z+4
1940 ENDPROC
1950 :
1960 REM Process end of li
st
1970 DEFPROCelst:LOCALkZ,j
Z:kZ=FNpop:IF SZ>CZ+DZ-4 PR
OCer(5):ENDPROC ELSE jZ=(kZ

```

```

AND &70000) DIV &10000:kZ=
kZAND&FFFF:IF jZ=7 PROCpush
(kZOR&70000):WZ=255:WZ=WZ+
1:ENDPROC
1980 IF jZ=1 FI=FI-1:GZ=TR
UE ELSE IF jZ=3 RI=RI-1:GOT
O 2010 ELSE IF jZ=4 KI=KI-1
:GOTO 2030
1990 IF AZ=0 ?JZ=jZ:JZ=JZ+
1:!kZ=jZ ELSE ?WZ=jZ:WZ=WZ+
1:!kZ=WZ
2000 ENDPROC
2010 IF AZ=0 ?JZ=jZ:!(JZ+1
)=kZ:JZ=JZ+5 ELSE ?WZ=jZ:!(
WZ+1)=kZ:WZ=WZ+5
2020 ENDPROC
2030 IF AZ=0 !JZ=jZ:JZ=JZ+
1:!JZ=kZ:JZ=JZ+4:!kZ=jZ ELS
E !WZ=jZ:WZ=WZ+1:!WZ=kZ:WZ=
WZ+4:!kZ=WZ
2040 ENDPROC
2050 :
2060 REM Put ELSE into buf
fer
2070 DEFPROCel:LOCALt$:IF
NOT GZ PROCer(8):ENDPROC
2080 t$=FNgtk:IF EX ENDPRO
C ELSE IF t$<>"[" PROCer(5)
:ENDPROC
2090 IF (!SZAND&70000)<>&1
0000 PROCer(8):ENDPROC
2100 IF AZ=0 PROCpush(JZOR
&20000):JZ=JZ+4 ELSE PROCpu
sh(WZOR&20000):WZ=WZ+4
2110 ENDPROC
2120 :
2130 REM REPEAT in buffer
2140 DEFPROCrep:LOCALt$:PR
OCexpr
2150 t$=FNgtk:IF EX ENDPRO

```

```

C ELSE IF t$<>"[" PROCer(5)
:ENDPROC
2160 RI=RI+1:IF AZ=0 PROCp
ush(JZOR&30000) ELSE PROCpu
sh(WZOR&30000)
2170 ENDPROC
2180 :
2190 REM WHILE loop
2200 DEFPROCwhile:IF AZ=0
PROCpush(JZOR&40000):JZ=JZ+
4 ELSE PROCpush(WZOR&40000)
:WZ=WZ+4
2210 PROCexpr:IF EX ENDPRO
C ELSE IF FNgtk<>"[" PROCer
(5):ENDPROC
2220 KI=KI+1:ENDPROC
2230 :
2240 REM Declare a new var
iable
2250 DEFPROCak:IF AZ=1 PRO
Cer(14):ENDPROC
2260 LOCALt$,nZ:t$=FNgtk:I
F LEFT$(t$,1)=""t$=MID$(t
$,2):AZ=1 ELSE PROCer(12):E
NDPROC
2270 nZ=FNqlb(t$):IF nZ>0
PRINT "*** ";t$; "***":PRO
Cer(18):ENDPROC
2280 nZ=1:REPEAT IF NOT FN
alpn(MID$(t$,nZ,1)) nZ=-1 E
LSE nZ=nZ+1
2290 UNTIL nZ=-1 OR nZ=LEN
t$+1:IF nZ=-1 PRINT "*** ";
t$; "***":PROCer(12):ENDPRO
C
2300 ?WZ=2:WZ=WZ+1
2310 PROCinbf(t$):!WZ=0:WZ
=WZ+4
2320 AZ=0:OZ=WZ:ENDPROC
2330 :
2340 REM Set TYPE or PRINT
parameter
2350 DEFPROCgetp
2360 IF ASC$ln=32 $ln=MID$
($ln,2):GOTO2360
2370 IF ASC$ln=34 GOTO 239
0 ELSE IF AZ=0 ?JZ=0:JZ=JZ
+1 ELSE ?WZ=0:WZ=WZ+1
2380 PROCexpr:ENDPROC
2390 IF AZ=0 ?JZ=1:JZ=JZ+1
ELSE ?WZ=1:WZ=WZ+1
2400 PROCtxt:ENDPROC
2410 :
2420 REM Find a variable
2430 DEFFNvar(t$):LOCALnZ:

```


From Page 41

```
nX=FNparm(t$):IF nX=0 GOTO244
0 ELSE nX=FNglb(t$)
2440 IF nX=0 OR ((nX>0) AND (nXAND&10000)) =0 ELSE =
nX
2450 :
2460 REM Search for a glob
al variable
2470 DEFFNglb(t$):LOCALnX:
nX=CX
2480 IF nX>WX OR nX=0 :=0
ELSE IF ?nX=3 GOTO 2490 EL
SE IF ?nX=2 nX=nX+1:IF t$=
nX nX=nX+LENt$+1:=nX ELSE n
X=nX+LENt$+5:GOTO2480
2490 IF ?nX=3 nX=nX+1:IF $
nX=t$ nX=nX+LENt$+6:=nXOR&
10000 ELSE nX=nX+LENt$+2:n
X=!nX:GOTO2480
2500 :
2510 REM Search for parame
ter
2520 DEFFNparm(t$):LOCALnX
,kX:kX=locsinX=-1
2530 IF t$=kX :=nX ELSE I
F kX>LX :=0 ELSE nX=nX-1:k
X=kX+LENt$+1:GOTO2530
2540 :
2550 REM Show dictionary
2560 DEFPROCdshow:LOCALnX:
nX=CX:PRINT
2570 IFnX=WX:PRINT:ENDPRO
C
2580 IF?nX=2 nX=nX+1:PRINT
" " $nX;nX=nX+LENt$+1:PRI
NTTAB(20);"Value = ";!nX:nX
=nX+4:GOTO2570
2590 nX=nX+1:PRINTnX;nX=
nX+LENt$+1:PRINTTAB(20);"P
arameters (" ;?nX;)" :nX=!(n
X+1)
2600 GOTO2570
2610 :
2620 REM Define a new word
2630 DEFPROCdef:IF AX>0 PR
OCer(14):ENDPROC ELSE AX=1
2640 LOCALt$,nX:t$=FNgtk:n
X=1:REPEAT IF NOT FNalpn(MI
D$(t$,nX,1)) nX=-1 ELSE nX=
nX+1
2650 UNTIL nX=-1 OR nX=LEN
t$+1:IF nX=-1 PRINT"*** ";
t$;" ***":PROCer(12):ENDPRO
C
2660 nX=FNglb(t$):IF nX>0
PRINT"*** ";t$;" ***":PROC
```

```
er(18):ENDPROC
2670 OX=WX:WX=3:WX=WX+1:$
WX=t$:WX=WX+LENt$+1:IF WX>S
X PROCer(15)
2680 ?WX=0:LX=locs
2690 IF $ln="" GOTO2750 EL
SE nX=1:t$=FNgtk
2700 IF LEFT$(t$,1)=" ":t$
=MID$(t$,2):AX=1 ELSE PROCe
r(12):ENDPROC
2710 nX=1:REPEAT IF NOT FN
alpn(MID$(t$,nX,1)) nX=-1 E
LSE nX=nX+1
2720 UNTIL nX=-1 OR nX=LEN
t$+1:IF nX=-1 PRINT"*** ";
t$;" ***":PROCer(12):ENDPRO
C
2730 $LX=t$:LX=LX+LENt$+1:
?WX=?WX+1:IF $ln="" GOTO 27
50
2740 t$=FNgtk:IF t$="," G0
T02690 ELSE $ln=t$+" "+$ln
2750 WX=WX+1
```

This is one of hundreds of programs now available FREE for downloading on

MicroLink

```
2760 PROCpush(WXOR&70000):
WX=WX+4
2770 IF $ln<>" " PROCer(13)
2780 ENDPROC
2790 :
2800 REM End of a definiti
on
2810 DEFPROCend:LOCALkX:kX
=FNpop:IF kX AND &70000 <>
&70000 OR AX<>1 PROCer(16):
ENDPROC
2820 AX=0:!kX=WX:OX=WX:END
PROC
2830 :
2840 REM Find defined word
2850 DEFFndwd(t$):LOCALnX,
kX:nX=FNglb(t$):IF nX=0 OR
t$="" :=TRUE ELSE IF nX<&100
00 PRINT"Definition ";t$:P
ROCer(2):=FALSE ELSE nX=nX
AND &FFFF:kX=?nX-5)
2860 IF AX=0 ?JX=1:?(JX+1)
=23:!(JX+2)=nX:JX=JX+6 ELSE
?WX=1:?(WX+1)=23:!(WX+2)=n
X:WX=WX+6
2870 IF kX=0 GOTO 2880 ELS
E PROCexpr:kX=kX-1:IF kX>0
```

```
t$=FNgtk:IF t$="," GOTO2870
2880 IF kX PROCer(19):=FAL
SE
2890 IF LEFT$(t$,1)=" " $
ln=MID$(t$,2):GOTO2890
2900 IF LEFT$(t$,1)=":" $
ln=MID$(t$,2)
2910 =FALSE
2920 :
2930 REM Assign value to v
ariable
2940 DEFFNasg(t$):IF LEFT$
(t$,1)<>" " :=TRUE ELSE t$=
MID$(t$,2):nX=1
2950 IF NOT FNalpn(MID$(t$
,nX,1)) PRINT"*** ";t$;" *
***":PROCer(12):=FALSE ELSE
IF nX<>LENt$ nX=nX+1:GOTO29
50
2960 nX=FNparm(t$):IF nX=0
nX=FNglb(t$):IF nX=0 PRINT
"*** ";t$;" ***":PROCer(2)
:=FALSE
2970 IF AX=0 ?JX=1:?(JX+1)
=25:!(JX+2)=nX:JX=JX+6 ELSE
?WX=1:?(WX+1)=25:!(WX+2)=n
X:WX=WX+6
2980 IF FNgtk<>" " PROCer(
3) ELSE PROCexpr
2990 =FALSE
3000 :
3010 REM Set up input addr
ess
3020 DEFPROCivar(t$):IF LE
FT$(t$,1)<>" " :ENDPROC ELS
E t$=MID$(t$,2):nX=1
3030 IF NOT FNalpn(MID$(t$
,nX,1)) PRINT"*** ";t$;" *
***":PROCer(12):=ENDPROC ELS
E IF nX<>LENt$ nX=nX+1:GOTO
3030
3040 nX=FNparm(t$):IF nX=0
nX=FNglb(t$):IF nX=0 PRINT
"*** ";t$;" ***":PROCer(2)
:=ENDPROC
3050 IF AX=0 !JX=nX:JX=JX+
4 ELSE !WX=nX:WX=WX+4
3060 ENDPROC
3070 :
3080 REM Save current defi
nitions
3090 DEFPROCsv:LOCALiX,fX:
fX=OPENOUT($ZX):ZX=ZX+LENt$
+1:IF fX=0 PROCer(17):ENDP
ROC
3100 iX=CX:IF WX>CX REPEAT
BPUT# fX,?iX:iX=iX+1:UNTIL
```

```
iX=WX
3110 CLOSE#fX:ENDPROC
3120 :
3130 REM Load new definiti
ons
3140 DEFPROCld:LOCALfX:fX=
OPENIN($ZX):ZX=ZX+LENt$+1:
IF fX=0 PROCer(17):ENDPROC
3150 CLS:PROCinit
3160 IF NOT EOF#fX REPEAT
?WX=BGET#fX:WX=WX+1:UNTIL E
OF#fX OR WX>CX+DX
3170 IF NOT EOF#fX PROCer(
15)
3180 CLOSE#fX:ENDPROC
3190 :
3200 REM Read input from A
SCII file
3210 DEFPROCflin:OSCLI "EX
EC "+$ZX:ZX=ZX+LENt$+1:END
PROC
3220 :
3230 REM Save input in a f
ile
3240 DEFPROCspl:PROCinvc(T
RUE):OSCLI"SPool "+$ZX:ZX=Z
X+LENt$+1:NX=TRUE:ENDPROC
3250 :
3260 REM Forget defined wo
rds
3270 DEFPROCfgt(t$):LOCALj
X,nX:jX=TRUE:IF ASCt$=35 t$
=MID$(t$,2):jX=FALSE
3280 nX=FNglb(t$):IF nX=0
PRINT "*** ";t$;" ***":PRO
Cer(2):ENDPROC
3290 IF (NOT jX AND nX>&FFF
FF) OR (jX AND nX<&10000) P
ROCer(2):ENDPROC
3300 WX=(nXAND&FFFF)-2:IF
jX WX=WX-4
3310 REPEAT WX=WX-1:UNTIL
?WX<4:$ln="" :ENDPROC
3320 :
3330 REM Invert colours
3340 DEFPROCinvc(nX)
3350 IF nX COLOUR129:COLOU
R0:GCOL 0,129:GCOL 0,0 ELSE
COLOUR128:COLOUR1:GCOL 0,1
28:GCOL 0,1
3360 ENDPROC
```

This listing is included in this month's cassette tape offer. See order form on Page 61.

All the programs from the last 12 months of Electron User are available on tape.

On the December 1986 tape:

Santa's Sleigh Help Father Christmas fill his sleigh with presents in this fast arcade game. **Yule Spell** Spelling can be fun with this seasonal variation on the old favourite hangman. **Pogo** A Logo turtle graphics compiler. **Function Key Lister** Keep track of your function key definitions with this helpful utility. **10 Liners** Two short but impressive graphics demonstrations.

On the November 1986 tape:

TRAIN TROUBLE You've just robbed a bank. Can you escape the forces of law and order in this chase over the carriages of a fast moving express? **DAY AT THE RACES** You can gamble away to your heart's content in safety with our entertaining two player horse racing game. **BASIC COMPILER** This superb utility will turn your Basic programs to machine code in no time at all. **10 LINERS** A routine from our fascinating series of short programs.

On the October 1986 tape:

RAT CATCHER Try your hand at pest control with this fast action arcade game. **MATHS RUN** Put your powers of mental arithmetic to the test with this educational program. **BOS** This on screen editor will take the tedium out of debugging listings and sort out your typing slips. **CROSSWORD** Two programs for crossword lovers – one to design crosswords and the other to help you solve them. + **BONUS game;** **QUASIMODO'S QUEST** Rescue Esmerelda in this colourful version of the all time favourite.

On the September 1986 tape:

CAVERN CAPERS Blast your way from the depths of the labyrinth to escape from the planet. **DRAW WRITER** A superb utility to translate your on screen graphics to the procedures to create them. **COMPANY COUNT** Work your way up the company pecking order in this educational maths test. **TEN LINERS** Another short but fascinating program. + **BONUS game;** **ROCKFALL** Go diamond mining in this intriguing

multi-screen arcade romp.

On the August 1986 tape:

HOWZAT! A vivid recreation of a day's test cricket for two players. **3D MAZE** Quick reactions and a sense of direction are needed to escape from our twisty maze. **TEXTED** Let this versatile text editor turn your micro into an electronic typewriter. **DRIVER** A powerful printer driver for View.

On the July 1986 tape:

ROYAL WEDDING Celebrate the royal event with our ingenious sliding block puzzle. **SNAPDRAGON** Two player version of the classic card game. **ATTRIBUTES** Colourful two player strategy game. **FORMATTER** Make your listings easier to read. **DISCS** Extended star commands. **EXTRA COMMANDS** A WHILE ... WEND command for your micro. **PLUS** superb digitised picture of Andrew and Sarah.

On the June 1986 tape:

FISHING Enjoy a quite day by the river, and maybe catch your tea as well! **TACTICAL PURSUIT** A two player strategy game played with pawns on a chess board. **MINIBASE** Create an electronic telephone directory. **EXTRA COMMANDS** Add more commands to Basic. **SCREEN DUMP** Multi-tone screens dumps for Epson compatible printers.

On the May 1986 tape:

MISSILE JAMMER Defend the city of Pezina from a missile invasion. **VECTOR LETTERS** Use *LINE to create double height text. **DEGREES** Convert from Centigrade to Fahrenheit and vice-versa. **CROCODILE TEARS** Spell well or end up as a crocodile's dinner. **ZAP** Blast the marauding aliens. **EXTRA COMMANDS** Adding new keywords to Basic.

On the April 1986 tape:

INVASION FORCE Exciting zap 'em space game. **EASTER EGG HUNT** Seasonal game using compass points. **BACH TO BASICS** Music tutor. **NOTICE BOARD** Text scrolling utility. **SEARCH and RECOVER** Two

routines from the disc article.

NOTEBOOK Recursion backwards.

On the March 1986 tape:

GRAND PRIX Exciting race game. **DICER** A clever test of strategy. **MARCHING ORDER** Counting and ordering numbers. **FIND AND REPLACE** Useful editing program. **SECTOR EDITOR** Excellent disc utility. **TIMEPIECE** Superb graphics demonstration. **OXO** Game of cunning. **TRICIRC** A circle of triangles.

On the February 1986 tape:

NECROMANCER Superb text adventure. **GREBIT** Arcade action. **FAST BACKUP** Disc utility. **MACHINE CODE** How to write an arcade game. **TAPEDISC** More software transferring techniques. **SIDEWAYS RAM** Example program.

On the January 1986 tape:

FRUIT WORM An arcade classic. **HELICOPTER RESCUE** Pilot an air sea rescue helicopter. **MACHINE CODE** Detect collisions between sprites. **TAPEDISC** Transfer your software to disc. **MODE012** Multi-Mode screens.

On the December 1985 tape:

GET SET SANTA Christmas fun collecting presents. **MISSILE ATTACK** Save your cities! **PROGRAM PROBE** Using joysticks. **SPACE COUNT** Counting for youngsters. **CHRISTMAS CARD** Cards and carols for all. **DISC MENU** Disc Menu creator.

On the November 1985 tape:

KARATE WARRIOR Electrifying combat. **ULA** Mode 6 Mode 7! **PAINT ROLLER** Colourful arcade action. **DEFUSE** Beware the bombs. **SPRITE PRINT** Machine code graphics utility. **TRAIN** Far from stationery graphics.

Save wear on your fingers and ensure all your programs are error-free by using our monthly tapes. They are only: £3.75.

TO ORDER, PLEASE USE THE
ORDER FORM ON PAGE 61

The story so far

WE haven't gone very far on our intrepid journey into Basic, but already we've come across a lot of things. We've seen how to use the PRINT command — along with the appropriate punctuation — to get information displayed. Also, in case we're not satisfied, we've learned how to use CLS to clear the screen.

Not content with this we've moved on to the keyword LET, which allows us to create variables. And as you might expect from the name, we varied our variables. Finally we moved from the command mode we'd been using and learned how to LIST and RUN a simple program.

Yet more varying variables

Set up four variables with:

```
LET total=0  
LET a=1  
LET b=2  
LET c=3
```

and now:

```
LET total=total+a
```

You should be able to see that the variable total will now hold the value 1. Check it with:

```
PRINT total
```

— in fact get your Electron to check everything I say — and then:

```
LET total=total+b
```

If you now:

```
PRINT total
```

you'll see that it has a new value, 3. This doesn't last long as:

```
LET total=total+c
```

soon brings total up to 6 as a final:

```
PRINT total
```

confirms.

The point to grasp is that the variable total keeps on changing. It's been used to hold a running total of three other variables. At any time the value held in total is the consequence of the numbers which have been added to it so far. You could say that total acts as a kind of memopad, keeping track of what's happened as the variable varies.

BACK TO BASICS

Part four of TREVOR ROBERTS' down-to-earth series



Variable rules, OK?

You can call your variables anything you like — and you probably will when things go wrong — so long as they obey a few simple rules.

For a start they must begin with a letter. The rest of the name can be made up of letters and numbers combined in any way you like, but the first character must be a letter. From this you'll see why both:

```
LET 1sttime=1
```

and:

```
LET 123FOUR=5
```

are wrong, each giving you a syntax error message to tell you that you've broken the rules of Electron Basic. However:

```
LET time1=1
```


and:

```
LET one234=5
```

are acceptable.

Also, you can't have punctuation marks, spaces or arithmetic operators (+, -, *, /) in a name. So cats+dogs, running total and bonus! are right out as far as the Electron is concerned.

The last rule is that the variable name can't begin with a





Basic keyword as it confuses the micro. So:

```
LET PRINTERCOST=200
```

is wrong as PRINT is a Basic keyword.
You can however have:

```
LET printerCost=200
```

This is because, unlike some micros, the Electron can tell the difference between uppercase and lowercase letters. This means that:

```
LET CAPITAL=1000
```

and:

```
LET capital=1000
```

produce two different variables, capital and CAPITAL.

Having said that though, don't do things like that, as it can cause mix-ups. Just because a complication is allowed doesn't mean that it has to be used. The rule in programming is KISS — Keep It Simple, Stupid! The rules for naming variables are summed up thus:

Rules for naming variables

RULE	WRONG	RIGHT
No spaces in variable name	sleeping dogs	sleepingDogs
Must not start with number	2ndtime	secondtime
No punctuation marks in name	pete's	petes
No arithmetic operators	night+day	nightAndDay
Can't start with keyword	LETTERS	letters

Variables, strings and things.

While we've been messing about with our variables and seeing what they can be called and what they do, one thing about them hasn't varied in the slightest. They have all been numeric variables.

All a numeric variable is is a variable that holds numbers or values. So we've been stuck with things like:

```
total=23
```

or:

```
numericVariable=100
```

These aren't the only type of variables the Electron will allow us. It also lets us use string variables.

Cast your mind back and you'll remember what a string is. It's just a collection of characters treated as one. You tell the Electron that you're treating them as a string by lumping them together inside quotation marks. So:

```
PRINT "ab&X44** H7"
```

and:

```
PRINT "This is a string"
```

both print strings on the screen.

Now suppose that, for reasons we'll come to later, we want to use a variable name for a string. Can we do it? As ever, try it on your Electron and see. Use a line like:

```
LET string="H&CV)900p"
```

and the Electron will reject it with:

Type mismatch

The reason for this is that the Electron is a tidy-minded beast. It will not allow strings to be stored in numeric variables, only in string variables.

And it's very fussy about the names that these string variables can take. They follow the rules for naming our numeric variables with one important addition. They must end with the dollar sign — \$ — which you'll find on the 4 key. So while:

```
LET name="Trevor Roberts"
```

is right out, you'll find that:

```
LET name$="Trevor Roberts"
```

is allowed. You can prove this to yourself with:

```
PRINT name$
```

which displays my name. Fame at last.

Have a go at making your own string variables and see if you can see what we gain by using them. More next time.

HELLO and welcome to the last article of the series. And if you can see through the tears that have flooded your eyes following that announcement, take a look at Program I.

It should cause you no problems if you think back over what we've covered in the last two months.

Can you figure out what the output will be? Try running the program and see if you're right.

```
10 REM Program I
20 a=100
30 b=200
40 PROCsum(a,b)
50 END
60 DEF PROCsum(first,second)
70 sum=first+second
80 PRINT first " + ";second " = ";sum
90 ENDPROC
```

Program I

While it's probably no surprise to you that 100 added to 200 comes to 300, the program does have its use as a revision aid.

Take a look at the procedure defined between lines 60 and 90. This is defined using two dummy or formal parameters, *first* and *second*.

You'll find these in the brackets following the procedure name. When the procedure is called in line 40 with:

`PROCsum(a,b)`

These formal parameters take their values from the actual parameters used in the procedure call. In this case it will be the current value of the variables *a* and *b*.

Now that *first* and *second* have got their values, line 70 ensures that they are added together with the result stored in *sum*. Line 80 then tells you that:

100 + 200 = 300

and the procedure ends. The program now goes to the statement after the procedure call and since this consists of **END** the program obligingly

does just that.

Once you've mastered the intricacies of Program I, see if you can spot the difference between that and Program II.

And when you've seen that Program I's line 80 is now Program II's line 50 can you explain why the output is now:

0 + 0 = 300

The answer lies in the fact that the variables *first* and *second* are dummy variables. They are used in the procedure to show the micro what to do when it's called.

When it is, they take their values from the parameters in the procedure call but they only have these values *inside* the procedure itself.

They are known as local variables, only having a value inside the workings of the procedure. All the formal or

```
10 REM Program II
20 a=100
30 b=200
40 PROCsum(a,b)
50 PRINT first " + ";second " = ";sum
60 END
70 DEF PROCsum(first,second)
80 sum=first+second
90 ENDPROC
```

Program II

dummy parameters in a procedure definition are local variables.

So, when line 40 calls `PROCsum`, *first* takes its value from *a* while *second* gets its from *b*.

Line 80, tucked between the `DEF PROC` and `ENDPROC` of the procedure definition

adds the two values together and stores the results in *sum*.


The procedure then ends and control returns to the statement after the procedure call. This is line 50 which attempts to display the values of *first*, *second* and *sum*.

However, it only gets the value of *sum*—300—correct. It seems to think that *first* and *second* are both 0!

The reason for this is that *first* and *second* are both formal parameters of the procedure definition and so, according to the rules of BBC Basic, are local variables. They can have values but only inside the procedure.

Any attempt to use them outside the procedure itself, as in line 50, results in failure.

Get it straight in your mind that the formal parameters of a procedure are local to that



Avoiding split personalities

PETE BIBBY concludes his series on Basic programming techniques

procedure.

They can take values from a procedure call and use those values inside a procedure but they can't be used outside the procedure.

And once you've got that idea fixed in your head I'll now tell you that you can use *first* and *second* outside the procedure but they're not the same *first* and *second*!

If you don't believe me, add these lines:

```
35 first=1:second=2
50 PRINT "Outside the procedure"
55 PRINT "first=";first" second=";second
80 PRINT "Inside the procedure"
85 PRINT "first = ";first"
second = ";second
```

and run Program II again.

You'll see that it quite happily accepts different values for *first* and *second* depending on whether they are inside or outside the procedure. They don't clash.

In fact this is what happened during our first run of Program II. The values of *first* and *second* used inside the procedure were 100 and 200, while those outside were both zero.

From this you might see that as soon as the micro finds a procedure with formal parameters, it not only uses them as local variables inside the procedure but creates copies of them outside the procedure, setting them to zero.

Don't worry too much if this seems a bit puzzling, the Electron will keep track of things for you. Just grasp the fact that while formal parameters can have values inside a procedure, these values are local to that procedure and can only be used inside it.

And if for reasons best known to yourself you decide to use variables with the same name outside the procedure, the Electron treats them as completely different variables.

It may be confusing for us

poor humans but to the Electron it's self-evident that the parameter *first* which it finds inside the procedure definition is nothing to do with the variable *first* it might find anywhere else in the program.

Before we leave Program II, have a look at how the variable *sum* behaved. This was used both inside the procedure (line 80) and in the main program (line 50) without any problems.

It was 300 both times with none of the problems of split personality we found with *first* and *second*. A variable like this, that's available both inside and outside procedures, is called a global variable.

In fact, rather like Moliere's gentleman who was delighted to find that he'd been speaking prose all his life, we've always used global variables.

In nearly all our efforts the variables have been available to all parts of the program. It's only when we got into passing parameters that we entered the restricted world of local variables.

The trouble is that now we're using procedures we have to be careful about global variables causing unwanted side-effects. Program III shows what I mean.

```
10 REM Program III
20 a=100
30 b=200
40 sum=a+b
50 PROCdiscount(a,b)
60 PRINT "The discount price on ";sum" is "discount
70 END
80 DEF PROCdiscount(first,second)
90 sum=first+second
100 IF sum>500 THEN sum=sum*.9 ELSE sum=sum*.95
110 discount=sum
120 ENDPROC
```

Program III

This purports to add together two prices, held in *a* and *b* and put the result in the variable *sum*. PROCdiscount is then called to figure out what discount is available on *a* and *b*

with the discount price held in *discount*.

I leave it to you to figure out how the procedure works.

The trouble is that while the procedure works, the program itself doesn't. Instead of being told that the discount price on 300 is 285 we are informed that:

The discount price on 285 is 285

Can you see what's happened?

The problem occurs because the variable *sum* is being used both inside and outside the procedure. Outside it is given the value 300 and then PROCdiscount is called.

Inside the procedure *sum* is used to hold the value of *first* added to *second* and then to hold the discount price which is eventually transferred to *discount*.

So by line 110 the *sum* inside the procedure has a value of 285. And since *sum* is a global variable this means that its original value of 300 is overwritten.

Hence *discount* and *sum* both have the same value and the silly message results. It's an unwanted side-effect of using *sum* as a working variable inside the procedure.

Of course if *sum* was local to the procedure none of the above would have happened. And this can be achieved by using the keyword LOCAL.

Used inside a procedure it limits the effect of the variables listed after it to that procedure. Logically enough it makes them local variables. Try using:

85 LOCAL sum

in Program III and you'll see the problem disappear. Now the *sums* no longer clash. Incidentally, there's another way of making *sum* local. Try passing it to the procedure as a parameter.

It's good practice to make sure that all the working variables inside procedures are local to avoid unwanted side-effects.

Of course you could avoid

them by not using the same name for variables inside and outside procedures but this isn't always easy.

Often we can build a program by adding together procedures we've already written. The trouble is that they tend to use the same variable names such as *total*, *sum*, *flag* and so on.

This is especially so since they all must have something in common as they're being "pasted" together to form one program.

By making sure that as many of the variables as possible are localised, clashes can be minimised. And talking of clashes, take a look at Program IV, last month's Program V.

```
10 REM Program IV
20 temp=0
30 PROCadd
40 first=temp
50 PROCadd
60 second=temp-first
70 PROCmaximum(first,second)
80 PRINT "and the total of both is ";temp
90 DATA 1,2,3,4,5
100 DATA 6,7,8,9,10
110 END
120 DEF PROCadd
130 FOR loop=1 TO 5
140 READ number
150 temp=temp+number
160 NEXT loop
170 ENDPROC
180 DEF PROCmaximum(max,min)
190 temp=max
200 IF min>max THEN max=min:min=temp
210 PRINT";max" is greater than ";min
220 ENDPROC
```

Program IV

This uses PROCadd to add the two sets of numbers held in lines 90 and 100, storing their respective sums in *first* and *second*. Then line 70 calls

Beginners

From Page 47

PROCmaximum which tells us which of the two sums is the greater.

All this seems simple enough with the only real problem being why we'd want to do it in the first place! However, running the program results in the message:

40 is greater than 15
and the total of both is 15

which is hardly right.

By now you should suspect that the answer is a clash of variables and you'd be right. Can you see which ones?

The answer is *temp* which is used in both procedures but in different ways. The *temp* of PROCmaximum is used to hold the value of the first parameter passed to it.

This is fine but the program

expects that the *temp* of line 80 will still be holding the total sum of all the numbers as it did after PROCadd was called for the second time. And this isn't the case.

The *temp* of PROC-



maximum is a global variable and as such it overwrites any previous value of *temp*.

The solution is fairly obvious. Just add:

185 LOCAL temp

and the program produces:

40 is greater than 15
and the total of both is 55

Once the effects of PROCmaximum's *temp* are localised then the problem is over.

Notice however that we don't use a line like:

125 LOCAL temp

in PROCadd. This would make PROCadd's *temp* a local variable which might seem to be a good thing but it's not. Try it and see.

The problem is that the

main program uses the value of *temp* calculated by PROCadd. Making it local "hides" it from the rest of the program so it can't be used.

The result is zeros instead of numbers in the final display. So the rule is: If you want to use a variable from a procedure elsewhere in the program, leave it global so the program can get the value out of the procedure.

And that's all you'll get out of me as we've reached the end of the series. By now you should have a fair grasp of Basic and some of the simpler programming techniques.

The rest is up to you as you try to use them in your own programs. Remember, programming is learnt by doing it, not just by reading about it. And your Electron is the best teacher you'll ever have. Have fun. ■

ANNOUNCING ANOTHER GENERATION OF SOFTWARE BARGAINS FROM POTTER PROGRAMS "THE HOTTER PROGRAMS"

BRIDGEMASTER - Price: £5.95

An entertaining, 100% machine code simulation of bridge, suitable for the beginner and experienced player alike.

A comprehensive bidding system; a competitive playing algorithm; high resolution graphics and player interaction are all major features of this game which can be played in two ways.

1. Demonstration mode - The Electron bids and plays all four hands giving unlimited demonstrations of the bidding and rules of play.

2. Game mode - you bid and play the South hand while the Electron plays the rest. If you or North are in a contract, then you play both hands.

Superb value at only £5.95

POTTERS ARCADE 4 PACK - Price: £5.95

Four Arcade type games on 1 tape, which include:

THE THREE CRYSTALS - A three part, "30" Arcade adventure for the serious arcade addict. Features 3 practice modes, pause and sound on/off options.

YARTSIE - An exciting computerised dice game for 1-3 players, which combines both chance and skill. Full playing instructions are included.

FRUITY - A 4 reel Fruit Machine simulation with everything you would expect from your own personal fruit machine - superb graphics - rapid response - random holds, nudges up or down, shuffle feature. Choice of gambling winnings and a £50 jackpot.

HUNCHBACH - Enthralling arcade action as you help Quasimodo rescue Esmeralda. Joystick and sound options.

All four games truly tremendous value at only £5.95

POTTER'S ADVENTURE 4 PACK - Price: £5.95

Four typically fiendish text adventures on 1 tape which include:

INNER SPACE - Following a car crash your consciousness is hovering in the twilight zone between life and death - can you escape back to reality? There are over 100 locations to explore.

HEXAGRAM OF TRUTANIA VALLEY - To save your home valley from the evil forces of Tanell, you must find and assemble the legendary hexagram of Trutania - a powerful magic artifact. There are over 200 locations to explore.

STRANDED ON ILOOFRAZ - Stranded on the alien planet of Iloofraz, you must find a way back to earth. A challenging adventure with many detailed location descriptions.

PHILOSOPHER'S STONE - A quest to find the Philosopher's stone, used by alchemists to turn base metals to gold and it also confers eternal youth. Thrilling adventure action.

All four adventures terrific value at only £5.95

THE TWIN ORBS OF AALINOR - Price: £3.95

A very difficult and entertaining machine code fantasy adventure with data compression, giving approximately 20,000 characters of text. Features include a split screen display; score and rating system; interactive characters and well over 100 locations with detailed descriptions. Set in the Land of Aalinor, can you harness the power of the Twin Orbs to overcome the evil Gorgoroth?

FLINT STRIKES BACK - Price: £2.95

Once again our hero does battle with the hideous T.E.R.D. organisation. Can you save England from ruin? A real time adventure with over 100 locations and a multi-statement interpreter.

THE RETURN OF FLINT - Price: £2.95

The sequel to the very popular SUPER AGENT FLINT. As the Super Agent you have successfully docked you captured rocket with the British Space Station, only to find that it has been infiltrated by the dastardly T.E.R.D. organisation. This is where your mission begins.

SUPER AGENT FLINT - Price: £2.95

The dreaded T.E.R.D. (Terrorist for England's Ruin and Destruction) organisation has reared its ugly head. Only you as Super Agent Flint can capture their interstellar rocket and secret plans. "Quite fast and fun to play... at the price I must recommend it" Electron User.

GALADRIEL IN DISTRESS - Price: £2.95

The Princess Galadriel has been abducted and an evil spell holds her prisoner. You must seek aid from the Wise Lore Master to release her and save yourself from the wrath of King Theoden.

THE STAFF OF LAW - Price: £2.95

Can you track down the Staff of Law and master its potent earth power to defeat the Despoiser? "Extremely fiendish... well worth buying" Electron User.

GROUNDLED - Price: £2.95

A strategic adventure, set in a hostile tropical land. Only a calculating and aggressive mind can do battle with murderous beasts and make ancient magic to escape. Are you up to it?

All adventures with full save game facility for the Electron or BBC B.

SPECIAL OFFER on games priced £2.95 each.

ANY THREE games for £5.95 or FOUR games for only £7.95.

OR ALL FIVE games £9.95.

Please add 50p P&P per order (£1 for orders outside the U.K.). Also hint sheets available 20p each game.

MORE SOFTWARE BARGAINS

	RRP	Our Price
10 Computer Hits Vol II	£9.95	£7.00
Frak	£7.95	£6.00
Citadel	£9.95	£7.00
Strike Force Harrier	£9.50	£6.75
Commando	£9.95	£7.25
Psychastria	£7.95	£6.50

Games in stock at time of advertising, order early to avoid disappointment. Games returned by 1st Class Mail. Please add 50p Postage and Packing.

WANTED: Top quality programs for the Electron/BBC B in machine code or Basic. Send us a copy of your program on cassette for evaluation. Generous royalties paid if accepted. Absolute confidentiality is guaranteed.

Send Cheque or P.O. with your order to:

Dept 16
POTTER PROGRAMS
7 Warren Close, Sandhurst,
Camberley, Surrey
GU17 8JR
Telephone: 0252 877608

FOR CONNOISSEURS OF ACTION, LEISURE OR LEARNING

All programs available for BBC B, B+, Master, Compact & Electron

The ANSWER BACK QUIZ Series each
£9.95 cassette
£10.95 5.25" disc
£12.95 3.5" disc

ANSWER BACK - JUNIOR General knowledge for ages 6-11
Combines a wealth of fascinating information on a multitude of topics with a compelling "Princess & Dragon" game for youngsters.

ANSWER BACK - SENIOR General knowledge for ages 12 and over
Space-game fans yearn to learn whilst destroying the aliens! Includes a gigantic general knowledge database of questions and answers.

ANSWER BACK - SPORT Mega-Sports Game for ages 14-adult
Includes machine-code football and tennis games together with a mind-bending collection of sports quizzes.

ALL ANSWER BACK PROGRAMS include simple commands for creating and saving an unlimited number of new multiple choice questions files AND are fully compatible with our new range of accessory files "FACTFILE 500".

The FACTFILE 500 Series each
£4.95 cassette
£5.95 5.25" disc
£8.45 3.5" disc

Each pack contains a massive supplementary database of 500 questions and 2000 multiple choice answers for use with any of the above ANSWER BACK programs. FACTFILE 500 packs are available on an ever increasing range of leisure and educational subjects for youngsters, CSE/O-Level students and adults. FACTFILE 500 subjects include: Arithmetic, Spelling, Sport, Natural History, First Aid, Science, English Words, England, Scotland, and many more. Write or phone for latest subject list and age ranges.

The MODERN LANGUAGE Series each
£8.95 cassette
£9.95 5.25" disc
£19.95 3.5" disc

Easily the most popular and successful Foreign Language Learning programs of all time, for beginners to O-Level/CSE/GCSE. Complete with extensive vocabulary files which may be extended or modified indefinitely by users.

The French Mistress (Level A or Level B) Choose Level A for thousands of nouns;
The German Master (Level A or Level B)
The Spanish Tutor (Level A or Level B)
The Italian Tutor (Level A or Level B) Choose Level B for verbs, adjectives
The Welsh Tutor (Available November) adverbs, phrases etc
*3.5" disc contains both levels A & B

IDENTIFY EUROPE each
£7.95 cassette
£9.95 5.25" disc
£10.95 3.5" disc

Provides a fascinating and competitive way of discovering and learning the geography of Europe. The program will provide countless hours of amusement and all the family is sure to benefit from it. Includes an incredibly detailed map of Europe. Suitable for all ages, 6-Adult.

When ordering please state your computer type.
(BBC disc users please specify 40/80 track)
ALL PRICES include VAT, P&P and 24 hour despatch.
Send cheque, PO or quote your Access number.
Telephone orders welcome.

KOSMOS SOFTWARE LIMITED
FREEPOST (no stamp needed), DUNSTABLE,
Beds LU5 6BR
Telephone (05255) 3942 or 5406



MORE RAM AND SPEED!

E2P-6502

PMS ADD SECOND PROCESSOR POWER TO THE ELK!

Disappointed by the speed of your Electron?
Would you like an ELK that performs like a Beeb?
Is shortage of RAM getting you down?
Unable to use 80 column display with View?

IF YOUR ANSWER IS YES -

THEN PMS HAVE THE SOLUTION

LOOK AT THIS INCREDIBLE SPECIFICATION:

- 300% speed increase in Basic (Mode 0)
- 3.5 times more text in View (Mode 3)
- 30K Basic programs in all modes
- 60K free for machine code
- 'Hi' Languages (Basic & View) give at least 44K
- Absolutely no modifications required
- Plugs into Plus 1 slot
- Runs BBC ROM Languages

ONLY £89

INC VAT
+ £2 DELIVERY

**THE ULTIMATE "ADD-ON" FOR THE
ELECTRON**

PMS ANNOUNCE...

WORDWISE PLUS ON THE ELECTRON!!

Now, thanks to the power of the E2P Second Processor, Electron users can run the most popular BBC wordprocessor - Computer Concept's WORDWISE PLUS. PMS programmers have re-written the MODE 7, WORDWISE screen handling, and keyboard routines to work on an Electron with E2P.

Not only this, but because a Second Processor is being used, a massive 42K - yes! over 42,000 characters - of text can be handled, with PREVIEW ALWAYS in an 80 column MODE!! Add to this the fact that E2P WORDWISE PLUS is totally disk based, requiring NO ROMS or cartridges.

E2P WORDWISE PLUS is a full implementation of the original WORDWISE PLUS, with all the SEGMENT MENU features maintained. WORDWISE files created on a BBC can be loaded into the Electron and vice versa.

PMS are offering E2P WORDWISE PLUS at an introductory price of **ONLY £39.95 (Inc VAT & delivery).**

E2P WORDWISE PLUS is supplied on 3.5" or 5.25" disk (state size & DFS format, when ordering) together with full WORDWISE documentation. E2P WORDWISE PLUS is available ONLY from PMS. **NOTE: This is a special version of WORDWISE which will NOT run on a BBC or unexpanded Electron.**

PMS overseas dealers: VELOBYTE COMPUTERS, Schiedamsedijk 5A-6A, 3011 EB Rotterdam, Netherlands.

ORDER FORM

Please send me _____ E2P-6502 Second Processor(s)
_____ E2P Wordwise Plus Disk(s) (3.5"/5.25")

I enclose cheque/postal orders for a total of £ _____
OR

Please debit my ACCESS/VISA account by £ _____

A/c No. _____ Expiry date _____

NAME _____ SIGNED _____

ADDRESS _____
POST CODE _____

E2P Operating System required on:

5.25in disk/3.5in disk/tape/ROM (delete as required)

CHEQUES SHOULD BE MADE PAYABLE TO 'PERMANENT MEMORY SYSTEMS'

Send to: Permanent Memory Systems, 38 Mount Cameron Drive,
St Leonards, EAST KILBRIDE G74 2ES

Please allow 28 days for delivery

PHONE 03552 32796



DEALER ENQUIRIES WELCOME

IF you've followed my last series you should have realised that when it comes to debugging programs — or writing them yourselves for that matter — success will often depend on how much thought and preparation went into the program before the keyboard was touched.

Structured is a word often used by experts to describe a program that has been carefully put together using a collection of subroutines, each controlled by a main section.

You can liken this to a prefabricated house with each wall, window or door representing a little program in its own right.

Producing the finished building — linking the modules together according to a predetermined plan — is a much simpler task than trying to create something from the raw materials without any plans whatsoever.

And of course the finished building is much easier to dismantle should the need arise.

You can relate this concept to programming. A well planned idea, using individually written routines, is simpler to put together.

The finished product also benefits from being easy to unravel and consequently easier to debug, both for the writer and for someone who might type in his program.

It will not have gone unnoticed by those who read Pete Bibby's beginners regularly that his articles covering GOSUB and DEFPROC have persistently tried to get this message across.

To try and give you a practical example of this style of programming I have decided to have a go at putting together a very simple Minefield game that will not only be structured, but also contain some useful ideas that you could incorporate into other programs.

The idea of the game is as old as the hills and very simple.

There are a number of mines hidden in a square grid, and by entering X, Y coordinates, you attempt to find them all in the least-possible

Groundwork for your first games program

number of goes.

My work of art will be a slight variation on that, consisting of a 10 by 10 grid of boxes in which are hidden 10 little faces that I've christened the Smileys.

You enter the coordinates of the square that you think one of these is in, column first, then row.

If you choose correctly, the Smiley is displayed, accompanied by perhaps a suitable chorus of The Entrance of the Queen of Sheba or something similar.

Should you choose wrongly, you could be greeted by an ear-splitting raspberry or similar noise, and given clues as to the whereabouts of the nearest target.

Well, that's it in theory — the main problem is starting to program it. I thought for a

while and came to a monumental decision — I typed in:

10 REM Al's Smiley Hunt

No mug this lad. If I don't manage to get the program working, at least I'll know what it's supposed to do.

Right, then, the first thing to do, and I don't know whether the experts do this, is to plan the program out on paper. So I wrote out a list of routines to carry out the following tasks:

1. Initialise arrays, variables and characters.
2. Show title, draw and set up the grid.
3. Position Smileys.
4. For a set number of Smileys, take input, check and validate.
5. Check input against 3.
6. Show Smiley if correct.
7. Give clue if incorrect.
8. When all Smileys found show how many guesses.

That's enough delay getting to the keyboard — it's about time we got stuck in. We're going to write the game in chunky Mode 5, so line 20 reads:

20 MODE 5

Now, I could have used subroutines to carry out all the tasks above, but I decided to use the Electron's "procedures" as they are far more powerful, as you'll see later.

To achieve something resembling the above list, I laid out the program as follows:

```
30 PROCinit
40 PROCtitle
50 PROCgrid
60 PROCsmileys
70 REPEAT
80 PROCinput
90 PROCcheck
100 UNTIL smileys>9
110 PROCfinished
120 PROCresults
```

I thought for a long time how best to set up the two-dimensional grid and store values in the various squares.

There are several ways of doing this, and by far the most efficient way to solve the problem — and Pete Bibby's covered it in his Beginners Series — is the use of an array box(9,9).

I have included this in the




Figure 1: Setting up the two windows



The Smiley Hunt

Conducted by
ALAN McLACHLAN

first procedure DEFPROCinit along with three VDU23 statements, one to turn off the cursor, line 160, and two to define new characters, lines 170 and 180.

There is also a REM statement at line 130; in fact there will be one at the start of all the procedures to make the program easier to read. The whole routine reads as follows:

```
130 REM*****
140 DEFPROCinit
150 DIM box(9,9)
160 VDU23;8202;0;0;0;
170 VDU23,224,0,126,126,1
26,126,126,126,0
180 VDU23,225,126,255,153
,255,189,195,255,126
185 ENVELOPE 1,1,50,-50,0
,1,1,0,126,0,0,-126,126,126
190 ENDPROC
```

The array reserves sufficient memory for 100 boxes, all accessible by the numeric variable *box*. The reason it is 100 locations and not 81 is that it allows for 0 as X and Y subscripts – the numbers in the brackets.

You'll see why I have preferred to use the numbers 0-9 rather than 1-10 later, but for now just settle for the fact that it will be much easier in the long run.

It will make rather a nice display to split the screen into two parts, with the grid in one, and the inputs in another.

Your micro steps in to help

here with a facility to define a text window, but the difficulty I encountered was that I wanted to define two.

I got round this by creating a procedure that would define two different text windows, but only one would be called at any one time.

The power of the procedure command comes into its own here because I was able to pass five different parameters with it. *W* the window number 1 or 2, *col*, *wx*, *wy*, the colour and *X*, *Y* coordinates of any text to be printed and of course *A\$* the text itself.

I've called this procedure DEFPROCwindow. The windows shown in Figure 1, are set up in lines 230 and 240, using the command VDU 28, conditional on the number assigned to the variable *W*.

```
200 REM*****
210 DEFPROCwindow(W,col,w
x,wy,A$)
220 COLOUR col
230 IF W=1 THEN VDU28,0,4
,19,0
240 IF W=2 THEN VDU28,0,3
1,19,5
250 PRINTTAB(wx,wy);A$
260 ENDPROC
```

We also want these two windows to have different background colours, window 1 = red, window 2 = black, and this will be done when the PROCwindow is called.

The default logical colours

in Mode 5 are Black (0), Red (1), Yellow (2) and White (3), and I'm going to keep it simple by sticking to these.

You can, if you wish, change any of these to another of the Electron's "actual" colours with a simple VDU 19 statement. This takes the form:

```
VDU 19,logical,actual,0,0,0
```

where the variable *logical* holds any of the Mode 5 logical colour numbers 0-4, and *actual* any of the actual colour numbers shown on page 141 of the User Guide.

During our game we are going to be using quite a few variables and where possible we'll try to give them names that mean something.

Two important variables are *turns* which I've chosen to signify how many guesses we've had, and *smileys* to indicate the total number of smiling faces we've found.

It is important that these are set to zero when the game is re-run, and we'll do this in the next procedure DEFPROCtitle. The reason I have not

```
270 REM*****
280 DEFPROCtitle
290 PROCwindow(1,0,0,0,"
):COLOUR129:CLS
300 turns=1:smileys=0
310 PROCwindow(1,3,2,2,"A
l's Smiley Hunt")
320 PROCdelay(2)
330 ENDPROC
```

included them in DEFPROCinit is that I need to call this procedure at the start of each new game, to re-set the variables.

I have only included in DEFPROCinit the items that need to be initialised once per game. In fact if you try calling DEFPROCinit again you'll generate the error "Bad DIM at line 150" – you just can't re-dimension arrays.

You'll also notice that I've created window 1 by calling PROCwindow for the first time in line 290, but because I only want to clear the screen I have passed zero in all the parameters except the first.

PROCwindow in line 310 however passes all five parameters because I'm printing the title of the game.

If you're anything like me and enjoy seeing your name on the screen, include your own version of *A\$* – be my guest, but don't you dare tell anyone you wrote the program on your own.

While I was writing the program I needed quite a few delay loops to create pauses. I decided to make a procedure out of these that could be called by one command, passing as the parameter the length of the pause.

Line 320 calls this procedure DEFPROCdelay which is held in lines 980-1020. This creates a delay dependent on the digit contained in the variable *number*.

```
980 REM*****
990 DEFPROCdelay(number)
1000 FOR delay=1 TO (numbe
r+1000)
1010 NEXT delay
1020 ENDPROC
```

This completes the initialisation stage and if you look back at our list you'll see that the next job is to draw the grid of boxes.

You could show these boxes as any character you wanted, but I've defined a simple shape in line 170 and tagged it CHR\$(224).

To put this character on screen in the form of a grid, we

From Page 51

simply create two FOR...NEXT loops containing the start and end locations of the screen coordinates, then call PROCwindow again, passing the appropriate variables as parameters.

DEFPROCgrid, after clearing the screen to black, uses two FOR...NEXT loops to generate the X and Y locations of each box - *boxx*, *boxy*. The boxes are then printed on screen using PROCwindow, noting this time it is window 2 that is called, the lower one.

These FOR...NEXT loops are also used to place Os in all the locations in our array *box()* using line 390.

By the way, don't worry about the missing lines between 400 and 460 - we'll be putting these in next month.

Remember, if you are going to identify your NEXTs, you must put them in reverse order

to the FORs, as in line 400.


```
340 REM*****
350 DEFPROCgrid
360 PROCwindow(2,0,0,0,"
):COLOUR128:CLS
370 FOR boxx=4 TO 13:FOR
boxy=7 TO 16
380 PROCwindow(2,2,boxx,b
oxy,CHR$224)
390 box(boxx-4,boxy-7)=0
400 NEXT boxy:NEXT boxx
460 ENDPROC
```

I didn't the first time I typed the line in, and got the error message "No FOR at line 400". You can avoid this slip by not identifying the NEXTs at all, but it makes it easier to read programs if you do.

You can check you've done this right so far by entering a dummy line as in line 55.

55 GOTO 55

Run the program and you should now see in the lower



window, 100 yellow boxes in 10 rows of 10 on a black background. If you haven't, check everything you've done so far very carefully.

● Well, I think you've had enough for one session. Next

month we'll put in the screen coordinates and look at how to hide the Smileys.

We'll also progress on to the input routine, and check for any correct or incorrect guesses.

SHARDS SOFTWARE SAYS "IT'S ALL HERE, FOLKS"

OPERATION SAFRAS £7.95

NEW

Age 11+

At last it's here! From the author of WOODBURY END and PETTIGREW'S DIARY, the mystery adventure from Shards. Presented as an extensive text adventure, you play the part of Rupert James Pettigrew, agent extraordinaire, in a quest for his captured fellow agents and the mysterious Safras Sword. This game is set in the towns and cities of modern day Britain and FEATURES A UNIQUE COMPETITION! - The first three Electron players to completely solve the game (provided they are registered with us) will feature as characters in our forthcoming 1987 adventure blockbuster!

WOODBURY END £6.95

Age 11+

Our highly acclaimed mystery adventure set in the strange English village. Still another 20 original prints to give away to completed solutions! Electron User called this "one of the best three adventures available on the Electron". In text and graphics.

PETTIGREWS DIARY £3.95

Age 11+

The legendary epic three part adventure game, sweeping three continents in your search for the secrets of the diary. Micro Adventurer called this "one of the top three adventure games ever (in 1984)" In graphics and text.

GALILEE £4.95

Age 8+

An extensive text adventure set in biblical times and packed with atmosphere and authenticity. Also includes a novice mode, for the young adventurer.

MYSTERY OF THE JAVA STAR £3.95

Age 8+

Our popular and hugely entertaining 4 part educational adventure. Presented with 3 levels of difficulty, 3 scenarios and 11 tasks. You must embark on an expedition to the South Seas in an exciting treasure hunt. Electron User said "excellent, for kids of all ages, including big ones". In graphics and text.

WHOOPSY £3.95

Age 5+

The silliest, most ridiculous, and funniest arcade game around! In full colour with 11 levels, you control a baby who must collect all his toys before Mummy gets him/her. His only weapon is his... WHOOPSY!

INFANT PACK £4.95

Age 3-6

Three colourful and entertaining games for the toddlers. Requires minimum of supervision and used by infant schools and play schools throughout UK. Includes building blocks, shapes and directions. Lots of animations!

JUNIOR PACK £4.95

Age 6-12

Four entertaining educational action games to tax their brains while keeping the little horrors interested. Sound, colour and graphics used to the full. Includes mathematical and spelling games.

SCIENCE ONE £2.95

Age 11-16

Physics 'O' level syllabus in full colour graphics. Used in hundreds of schools. Covers Lenses, Mirrors, Thermometers, Meters and Balances.

Either Phone your Access/Visa order to 01-514 4871 or send coupon below to: SHARDS SOFTWARE, FREEPOST (no stamp required), ILFORD, ESSEX IG1 2BR. (If in hurry send by 1st Class mail).

Please send me _____

Name _____

Address _____

I enclose a Cheque/PO/VISA/ACCESS for _____ Credit Card Number _____

Please send me your latest newsletter _____

Drink

DRINK: This short program by Andrew Waite draws a refreshing cocktail, and your Electron then proceeds to drink it!

```

1 REM Drink
2 REM By Andrew Waite
3 MODE 1:VDU 23,1,0;0;0
:0::6COL 0,2:PROCcircle(150)
1:6COL 0,3:PROCcircle(150):
6COL 0,2:PROCcircle(130):6C
OL 0,3:PROCsectors:6COL 0,1
29:MOVE 325,600:MOVE 350,10
0:PLOT 87,635,600:PLOT 87,6
00,100:6COL 0,2
4 MOVE 350,100:MOVE 370
,100:PLOT 85,300,1024:PLOT
85,320,1024:6COL 0,1:MOVE 3
05,1024:DRAW 355,100:MOVE 3
17,1024:DRAW 365,100:6COL 0
,3:MOVE 315,800:DRAW 350,10
0:DRAW 600,100
5 DRAW 650,800:DRAW 315
,800:FOR N=1 TO 1000:NEXT:P
RINT TAB(20,15):"CHEERS":6C
OL 0,0:FOR NZ=600 TO 100 ST
EP -1:PLOT 77,500,NZ:NEXT:P
RINT TAB(20,15):"BURP! ";TA
B(0,0):END
6 DEF PROCcircle(RX):FO
R NZ=800+RX TO 800-RX STEP
-4:JX=SQR(ABS(RX*RX-(NZ-800
)*(NZ-800))):MOVE 650-JX,NZ
:DRAW 650+JX,NZ:NEXT:ENDPRO
C
7 DEFPROCsectors:FOR N=
0 TO 6.2 STEP 0.7:YX=150+SI
N(N):YZ=150+COS(N):MOVE 650
,800:DRAW YX+650,YZ+800:NEX
T:ENDPROC

```


Pyramid

PYRAMID: Ian Rodgers shows how to produce an impressive graphic display with just a few lines of Basic.


```

1 MODE1:VDU23,1,0;0;0;0 ,20
:19,3,6;0;
2 6COL 0,3:MOVE 0,1023:
MOVE 1279,1023:PLOT 85,0,60
0:PLOT 85,1279,600:6COL 0,2
:MOVE 0,600:PLOT 85,1279,0:
PLOT 85,0,0
3 PROCcircle
4 6COL 0,1:MOVE 140,262
:MOVE 640,762:PLOT 85,1140,
262:PLOT 85,1140,512:6COL 0
,0:MOVE 640,762:DRAW 1140,2
62:MOVE 140,262:DRAW 640,76
2:DRAW 1140,512:MOVE 140,26
2:MOVE 1140,262:PLOT 85,170
5 AX=140:BX=262:CX=1140
6 FOR STX=1 TO 25:MOVE
AX,BX:DRAW CX,BX:AX=AX+20:B
X=BX+20:CX=CX-20:NEXT
7 DX=512:EX=262:FX=1140
8 FOR STX=1 TO 25:MOVE
FX,EX:DRAW FX,DX:DX=DX+10:E
X=EX+20:FX=FX-20:NEXT
9 A=BET:RUN
10 DEF PROCcircle:FOR I=
1000 TO 800 STEP-4:J=SQR(AB
S(10000-(I-900)*(I-900))):M
OVE 1000-J,I:PLOT 5,1000+J,
I:NEXT:ENDPROC

```



JOYSTICKS— THE COMPLETE SOLUTION



DELTA 3B SINGLE—BBC B or ELECTRON PLUS 1 £12.00

A single joystick that in some ways can act as two. The custom made special "low noise" potentiometers are wired so that it will work as a left hand or right hand joystick. It can even run some programs written for two joysticks and has the fire buttons of both.

DELTA 3B TWIN—BBC B or ELECTRON PLUS 1 £19.95

A direct but improved alternative for the original ACORN joysticks, with 2 joysticks wired to one plug. As with all our joysticks they have the fast action sprung to centre return of the steel shafted nylon covered joystick. The light action makes them ideal to hold and the 3 fire buttons allow left or right-handed use.



Available from your dealer
or direct from us



Voltmace Limited

Park Drive
Baldock
Herts
SG7 6EW
Telephone (0462) 894410



The Wheel of Fortune
VOTED THE TOP ADVENTURE BY ELECTRON USER READERS

You are transported to a fantasy world of magic and mystery. As you wander this mystical land you encounter some strange people. They may help you to find valuable treasures but don't upset them or you may not live to find the Wheel of Fortune and return to civilisation.

SPECIAL CHRISTMAS OFFER

£2 off

(Normal Price)

The Famous Epic Adventures

(HURRY! Offer ends Jan. 31st 1987)



THE QUEST FOR THE HOLY GRAIL: To become a Knight of the Round Table, you must find the Holy Grail and return it to Camelot. Sounds simple, but you will have to face the deadly Black Knight, befriend the beautiful maiden, summon the mystical monk and solve a host of other problems to complete your quest.

CASTLE FRANKENSTEIN: The Frankenstein monster is terrorising the villagers. You have been elected to seek out and destroy him, but where do you start? Perhaps the graveyard holds some clues, or the deserted shack? Once you enter Frankenstein's castle, your adventure has only just begun...

THE KINGDOM OF KLEIN: The Wicked Witch of the Mountain has stolen the magic Klein Bottle from the palace. She has sworn to put a hideous curse on whoever tries to recover it. Can you discover the mystical properties of the Bottle and destroy the witch? Can you then escape from her domain alive?

ORDER FORM

To: Epic Software, 10 Gladstone St., Kibworth Beauchamp, Leicester LE8 0HL

	PRICE	Qty.	Help Sheet Tick Box
The Wheel of Fortune Normal Price £8.95	£6.95		
Castle Frankenstein Normal Price £6.95	£4.95		
The Quest for the Holy Grail Normal Price £6.95	£4.95		
The Kingdom of Klein Normal Price £6.95	£4.95		

Please add 50p for Postage & Packing
I ENCLOSE CHEQUE/P.O. TO THE VALUE OF _____ (Payable to 'Epic Software')

AVAILABLE ON CASSETTE FOR THE ACORN ELECTRON

NAME _____

ADDRESS _____

ALL ORDERS DESPATCHED WITHIN 24 HOURS

SEND LETTER IF YOU DON'T WANT TO CUT MAGAZINE

EPIC ADVENTURES "No true adventurer should be without them." Electron User 1985.

Micro Messages

I BOUGHT the Slogger Turbo board for the Electron in kit form some time ago. It is an excellent product and very good value for money.

But how many people have discovered one extra feature not mentioned in the adverts?

In either slow or fast mode, type in or load from cassette a Basic program less than &1200 bytes in length so that TOP remains below &2000.

Now flick the switch on the side of the Electron and, as advised in the instructions, press Control+Break. The program is now seemingly lost – typing OLD results in a Bad program error.

Now type in or load another Basic program, again less than &1200 bytes long.

Flick the switch a second time, press Control+Break, type OLD then LIST – and hey presto, your original program has reappeared!

Again flick the switch, press Control+Break, OLD then LIST, and you find you have your second program again.

This procedure can be repeated, and each program can be run at will. However on searching through the Electron's memory there never seems to be any trace of the other program.

Is there some sort of memory (at least 4k) on board the Turbo driver?

I find the apparent added memory very useful for storing, say, a utility program in slow mode, while working on a program in fast mode.

I can flick between the two at will without the need to save and load each program as

Hidden extra on the Turbo board

I need it.

The memory above &2000 seems to be common to both slow and fast modes, as a program placed here will not be lost on changing mode. – **Ian Brown, Halesowen, West Midlands.**

● The Turbo board has 8k of fast ram. This is much quicker to access than the Electron's normal ram.

It is mapped into the bottom 8k of the memory and is only used when the Electron is in Turbo mode.

Expanding memory

I HOPE you can help me with an idea that I have for increasing the memory of the Electron.

As designed, the machine incorporates 4xTMS4164 dynamic rams (65k*1 bit) and as you know both the BBC Micro and to an even greater extent the Electron are rather short of memory.

Now I see from an RS catalogue that there is an updated chip called TMS4256, and apart from an extra address line A8, would appear to be pin compatible

and yet giving extra ram.

According to my groggy arithmetic this should double the available user memory, but may slow the computer down a bit. This is no worry as you can obtain the Turbo board, if required. – **J. E. Manfield, Churt, Surrey.**

● These ram chips would multiply the memory by a factor of four, but it is not a simple matter of swapping the chips over.

The extra ram would have to be paged like sideways ram, so extra hardware would be needed and Basic would have to be re-written to make use of it.

A much simpler method would be to get PMS's second processor.

Second disc drive

I HAVE an Electron with Plus 1 and Plus 3, which I use in the parish office with View and a GLP printer, all of which is very satisfactory.

I have been thinking of upgrading to a second disc drive, and cannot work out what to do. The Plus 3 manual says that I can add a 5.25in drive, but I would rather add a 3.5in one.

Can you please advise what sort of drive I should be looking for. Should it have its own PSU, or can I use the now redundant mains adaptor/transformer that was replaced by the bigger black one for the Plus 3?

All of this is very confusing for a novice, and most of the advertisements seem aimed at BBC 5.25in disc users.

Electron User to the rescue please. – **Richard G. Billingham, Diss, Norfolk.**

● You can use any size drive

with the Plus 3 providing it has its own power supply.

You'll also need to buy a lead to plug it into the back of the Plus 3.

Recovering corrupted files

I RECENTLY spent several hours typing in a program from Electron User on to my new Electron.

I corrected my typing errors, ran it and saved it to tape. I've since tried to run the program again but it refuses to load properly.

The block numbers progress from 00 to 0D and then I get the Data? Block? and Rewind tape error messages.

I have tried various volume settings and I've cleaned the heads with no better results. I assume the recording was corrupted during or after the save operation.

Is there any way of recovering part or all of this program, as the thought of retyping it does not appeal to me?

Is there any method of checking if a program has saved properly? Should a program only be saved while in Mode 6? – **Bob Goodwin, Brentwood, Essex.**

● To load the corrupt file use:

!OPT2,0

!LOAD "*" E00

The OPT command tells the Electron to ignore all errors and carry on regardless.

Once the file has loaded enter:

OLD

!TOP=&FF00

to recover as much as possible.

To check whether a file has

FRUSTRATION OVER

FOR over eight months I have had a most annoying problem with my Electron set up, which comprises Electron, Plus 1, JP101 printer, running View on rom.

Despite all the usual printer drivers, calls for help from local dealers and of course the string of unanswered mail to Acorn – just how do they communicate, telepathically? Certainly not by letter even

with SAE enclosed – I was unable to program my printer requirements.

Then I bought the August 1986 issue of Electron User and keyed in Ian Brown's View Driver program.

Result: All my problems have been solved. I would ask you therefore to send by most heartfelt thanks to Ian for curing months of frustration. – **D. A. Turnbull, Darlington.**

From Page 55

saved correctly try loading it back with:

*LOAD ** 8000

The file will be loaded to &8000 which is the address of the start of the Basic rom.

This will have no effect on any program currently in memory, but it will tell you whether the file is OK or not.

A file will always load more reliably in Modes 4 - 6 rather than 0 - 3, but we don't know what the effect is on saving. Can any reader enlighten us?

Printing single sheets

A QUICK query about your excellent printer driver published in *Electron User*, August 1986.

I am using it with my Mannesmann Tally MT80 and it performs really well - first time round on single sheets.

But the paper out signal is given on subsequent runs and the only way I can prevent this is by re-loading the printer driver.

I suspect this is not the best way - but I cannot program in assembly language so am unable to modify the program myself.

Could you advise me on how to modify the program so that it can handle a succession of single sheets? - D. H. Dalby, Camberley, Surrey.


● We have never used a Mannesmann Tally MT80 so we can't say what the problem is. Can any of our readers help?

Better View from Electron

I AM a nurse tutor and even in nursing, computer aided instruction has arrived. In the school of nursing where I work we have one of the ubiquitous networks of BBC Micros.

Ours is an Amcom E-Net system using BBC Masters. Also incorporated into the network we have one old BBC B with a Torch Z80 disc pack and separate printer, capable of running Wordstar and dBase II.

At home I have an Electron with Plus 1, View, a mono-



chrome monitor and a printer, an Acorn AP-100A (I'm thinking of entering it in the *Antique Roadshow*).

Nevertheless using it I have just completed the last TMA (Tutor Marked Assignment) of my third Open University undergraduate course.

I have discovered a few facts which may interest readers.

When using View and editing in insert mode, the main command keys take the form of a cursor diamond. The keys used are the same as those for Wordstar.

Format and Line Delete are also the same. The only difference is that on the Electron the function key substitutes the control key. The dBase II editor also uses a cursor diamond.

The same is not true of the BBC Micro version of View, which has its editing control keys located somewhat

illogically amongst the bank of red functions keys.

The Electron version seems to me to be both better laid out in ergonomic terms and better in line with the use of these common CP/M applications programs.

Another interesting discovery I have made is that Microtext Plus, the rom version of the authoring system Microtext, works on the Electron.

We use ACP Rom adapter IIs on the networked BBC Masters. I found that the cartridge fits into the slot on my Plus 1 and the software works perfectly in all modes except 7. Of course the special teletext effects are not available, but these embellishments can be added later if needed.

One last point I feel I must make is that after two months of daily contact with Masters I have to say that despite the

Beat the blimp

FOR anyone who's been having trouble with Boffin I have discovered how to get past the Puffer Blimp in level 2.

The end of your umbrella is of course sharp and it says in the instructions that the Puffer Blimp is full of air.

Look at the picture to find out where to jump. Also you must keep your umbrella down so that you can burst the Puffer Blimp - Craig Wilson, Glasgow.

● Thanks for the tip Craig, we had a go ourselves and were convinced that it was impossible. We never thought of using the umbrella.

large and impressive case, if I was to do something demanding reliability and ease of use from a computer, I would choose between an Electron and the BBC B.

Congratulations on an excellent magazine. It is heartening to us over-30s to find that a positronic brain is not required to understand all the articles.

I used to take another magazine but the only items I could follow were the classifieds. - Steve Jones, Morriston, Swansea.

Mailing list needed

I AM the subscriptions secretary for a community newspaper in London and am desperately searching for software to enable me to keep my subscription records on disc and also to print the names and addresses on labels.

Do you know of any mailing list on disc which I could buy?

I have an Electron, Plus 1, Plus 4 from ACP and a disc drive with an Epson LX80 printer.

I am thinking of buying the Protek modem which you've been advertising lately.

In your advert you say that the Electron interface is the

WHAT would you like to see in future issues of *Electron User*?

What tips have you picked up that could help other readers?

Here is your opportunity to share your experiences.

Remember that these are the pages that you

write yourselves. So tear yourself away from your Electron keyboard and drop us a line.

The address is:

**Micro Messages
Electron User
Europa House
68 Chester Road
Hazel Grove
Stockport SK7 5NY.**

link between the modem and the computer and fits into the cartridge slot of the Electron's Plus 1.

If the two cartridge slots of the Plus 1 are already occupied by View and the Plus 4 interface, where do you put the modem interface? — **L.M. Branch, Shepherds Bush, London.**

● Slogger's Starword and Starstore II will enable you to store names and addresses and create mailing lists.

Standard letters can be written with Starword and names and addresses pulled from a Starstore II database file.

Starstore II will also enable you to print labels from a file of names and addresses.

You must unplug View when using the interface for the modem.

Maths answer

I FOUND that in Maths Fun from the October 1986 issue of Electron User the subtraction level produced a decimal number (num2) of at least six places when the first number was 1.

Since $\text{num} - \text{num2} = \text{ans}$, num1 has to be greater than 1 to stop this happening.

The following modification:

```
1040 IF type=4 THEN num1=(
level*3-2)*10:num1=num1-RND
(num1):IF num1<2 THEN 1040
ELSE num2=num1-RND(num1):an
s=num1-num2
```

will cure this problem. — **Arnold Boyle, Braintree, Essex.**

Shopping for Logo

I HAVE just been given a book on the language Logo for the Electron but I am having trouble in obtaining this on the screen. The book tells me to type in *LOGO but I find this just produces an error message. Could you please help? — **T.P. Murphy, Dartford, Kent.**

● To use Logo on the Electron you'll need either Acornsoft's

Turtle Graphics package or the Logo rom cartridge.

Turtle graphics can be found for as little as £3 but logo is about £40. Prices vary so shop around.

Safe place for BOS

IN THE October 1986 issue of Electron User there was a program called BOS. The accompanying article contained statements which I think could lead to confusion for users of this program.

The author stated that there were no spare pages of memory below PAGE on a cassette-based system. This is not true as pages &9 to &D are often left unused.

It is true that pages &9 and &A are the cassette input/output buffers, but these are only used with cassette files, so simply loading or saving a program will make no difference to these areas of memory.

For cassette users it is much more convenient to leave PAGE at &E00 and store the editor lower down in memory starting at &900.

To do this load in the source code (the assembly listing) and then delete lines 40 to 70, 230 to 240 and change line 250 to:

```
250 START%=&900
```

Now delete lines 3910 to 3930 and then save and run the program. All being well the program will now run at &900.

— **John Boyers, Middlesbrough, Cleveland.**

● Chris Nixon is correct when he says that there are no free pages of memory below PAGE. It is true that pages &9 to &D are often unused but it depends on what you are doing. Confusion can arise when using these areas of memory so if in doubt follow the author's advice and avoid them.

Page &B is used for function key definitions, page &C for character definitions, page &A for files and page &9 for envelopes 4 to 15 amongst other things.

If you are not using function keys, user-defined characters, lots of envelopes or files, page &9 is a safe place to store BOS.

ALL programs printed in this issue are exact reproduction of listings taken from running programs which have been thoroughly tested.

However on the very rare occasions that mistakes may occur corrections will be published as a matter of urgency. Should you encounter error messages when you type in a program

they will almost certainly be the result of your own typing mistakes.

Unfortunately we can no longer answer personal programming queries concerning these mistakes. Of course letters about suggested errors will be investigated without delay, but any replies found necessary will only appear in the mail pages.

BOS and butties

I WAS interested in the BOS utility in your October 1986 issue and I have typed it in but find that I need some help to use it.

Having answered C to the disc or cassette prompt I was asked to record the code, but when I had done this I was left a bit up in the air with a request to ensure that PAGE is set to &1200 or higher. As a novice it appears to me that the program sets PAGE at that point anyway.

I have an Electron with Plus 1 fitted but no disc drive and I did wonder whether this has anything to do with my difficulty. This is the first utility I have tried.

Could you also please tell me how to get the butty nearest the left hand side of screen 1 — second ledge up — in Jam Butty (Volume 1 Ten of the Best). — **Peter Martin, Wallington, Surrey.**

● The answer to your first query is that the program does relocate itself to &1200, so unless you personally alter PAGE you can ignore the message.

If you press Break or switch off then on again PAGE will be reset to &E00 and you will have to set it back to &1200.

To edit a program you must first load it then *RUN BOS — the machine code program created by the original listing in the magazine.

To edit a line enter *LINE

followed by the line number. Your problem has nothing to do with your equipment.

Now to your second query. The butty is on a dissolving ledge and if you walk to it the ledge will dissolve beneath your feet and you'll fall through the hole.

Taking one step at a time, walk left until the first butty disappears, then hit the left and jump keys together.

You'll bounce off the ledge above and drop past the second butty, picking it up on the way.

Commanding position

THIS program is the key to near invincibility in Acornsoft's Starship Command.

If you have never seen all eight types of starship, enter and run it before you chain the game in the normal way. You will now find that your energy banks recharge twice as fast as normal.

```
10 P%=&5700
20 [OPT2:PHP:PHA
30 LDA#24:STA#34B5
40 PLA:PLP:RTS:]
50 ?&220=0: ?&221=&57
60 *FX14,4
```

Martin Young, Paisley, Renfrewshire.

Four rip-roaring games for your computer for less than £1.50 per game!

Three of this high-powered collection are top-rate machine-code versions of arcade classics and the fourth is a thrilling real-time adventure game. There's hours of enjoyment and something to suit everyone in this unique value for money collection.



SNAPMAN – Guide your man through the maze as he munches energy pellets and avoids hostile aliens.

THOUSANDS OF COPIES SOLD!



MAYDAY – A futuristic adventure! As captain of an interstellar cruiser you must guide the sole survivor of a stricken space freighter through the wreckage of his craft. If you fail to recover those vital medical supplies a whole planet is doomed!



PANZER ASSAULT – You are a tank commander engaged in vicious combat against encircling enemy forces.



ALIEN INTRUDERS – With only your laser for protection you must destroy the waves of aliens who threaten to engulf you.

ONLY £5.95 tape
£6.95 3½" disc

TO ORDER TURN TO THE FORM ON PAGE 61

More great Electron games


This month we introduce a new volume in our Ten of the Best series – 10 more games to give you many hours of fun and entertainment.

These three packages are crammed with the best games from the last 18 months of Electron User. As an added bonus a previously unpublished game has been added to each one – stunning machine code masterpieces from our technical wizard, Roland Waddilove.

So give yourself a treat... with the most popular games compilations we've ever produced.



ONLY
£5.95 tape
£6.95 3½" disc



Jam Butty

Volume 1

Jam Butty: Machine code simulation of high drama on a building site.

Golf: Play a round by yourself, or play against your pals.

Haunted House: Fight against all the odds to get out alive.

Space Hike: Another classic. Help the spacemen avoid marauding monsters.

Park's Peril: Help Parky through an invisible maze, racing against time.

Rally Driver: All the thrills of high-speed driving, with none of the risks.

Alphaswap: Your letters are in a twist. Can you put them in order?

Knockout: Fast and furious action as you batter down a brick wall.

Money Maze: Avoid ghosts and collect coins in an all-action arcade classic.

Lunar Lander: The traditional computer game specially written for the Electron.



Atom Smash

Volume 2

Atom Smash: Machine code thrills as you help to save the world from destruction.

Bunny Blitz: Go egg collecting, but keep away from the proliferating rabbits.

Castles of Sand: Build castles – but beware the rising tide and hungry sandworms.

Reaction Timer: Test your reactions with this traffic lights simulation.

Solitaire: The Electron version of the age-old game of logic and patience.

Jumper: Jump for your life in this exciting arcade action game.

Break free: Test your wits and reflexes in this popular classic ball game.

Code Breaker: Crack the code in a colourful if frustrating brainteaser.

Parachute: Save the plunging sky divers from a watery end.

Star Fighter: Attack the bandit ships in this fast-moving 3D punch-up.



Rockfall

Volume 3

Rockfall: Come diamond mining in this fun packed game with its own screen designer.

Karate Warrior: Win your black belt in this gruelling test of karate skill.

Grand Prix: Battle your way into the lead in this tricky racing simulation.

Invasion Force: Can you survive wave after wave of relentlessly advancing aliens?

Grebit: Guide the frog across the busy road then across the fast-flowing river!

Fruit Worm: Steer the worm towards the fruit while avoiding rocks and its ever-growing tail.

Manic Mole: Watch out for melting platforms and conveyor belts in your quest for jewels.

Skramble: Fly your fighter fast and low over the landscape to penetrate enemy territory.

Mr Freeze: You'll need speed and strategy to reach the ice blocks before they melt away.

Paint Roller: Steer a speeding roller, run over paint pots but keep clear of the rocks.

TO ORDER PLEASE USE THE FORM ON PAGE 61

Scoop purchase for subscribers!


★ This is THE ultimate guide to the Electron

These offers only available with a subscription order. Existing subscribers can renew early to take advantage of this offer.

This detailed guide to the Electron's operating system is a must for every serious Electron user. In its information packed pages you'll find:

- ★ Full details of how to implement the powerful *FX/OSBYTE calls.
- ★ Page ROMs revealed: The way they work and how to write your own.
- ★ Programming the ULA – all you need to know.
- ★ Full coverage of memory allocation and usage – make every byte count.
- ★ Complete circuit diagram: How to use the expansion capabilities Electron's exciting to the full.

and much, much more...



Quite simply, the *Electron Advanced User Guide* is THE essential handbook that will allow you to exploit the full potential of the Electron.

Make sure of your copy by subscribing to *Electron User* and taking advantage of this money-saving offer!

Only £3.45 (inc. P&P)

Save a massive £6!

Normal price £9.45

Existing subscribers can also take advantage of this exceptional offer.


Exclusive offers ONLY for subscribers to Electron User

This fast-moving zap and blast game wowed the reviewers. Now we're making it available to you at a never-to-be-repeated price.

Was £7.95

NOW £3.95

You save £4!



Your Electron needs protecting!

Protect your Electron with our luxury dust cover made of soft pliable water-resistant vinyl, bound with strong cotton and decorated with the Electron User logo.

Keep your copies neat and clean!

This handsome binder is bound in attractive red pvc with the Electron User logo in gold blocking on the spine. It will hold 12 magazines firmly secured in place by metal rods.



Product: Advanced ROM Manager
 Price: £14.95
 Supplier: Advanced Computer Products, 6 Ava House, High Street, Chobham, Surrey, GU24 8LZ.
 Tel: 0276-76545.

An essential tool for machine code

... and it won't cost you an ARM and a leg.
ROLAND WADDILOVE tests the Advanced Rom Manager from ACP

THE Advanced Rom Manager — ARM for short — is a 16k utilities rom with some powerful commands.

As with all roms from ACP it works equally well on an Electron, BBC B, BBC B+ and Master, so if you decide to upgrade you can take your roms with you.

Figure 1 shows the 12 available commands. Several are only of use if you also have sideways ram or, better still, a friend with a BBC Micro and an eprom blower.

AUTOROM and MAKEROM create roms similar to Acornsoft's Hopper and Snapper rom cartridges. These take files and convert them into a form suitable for putting into an eprom or sideways ram.

The command will take a single file while the second will accept a list of files and turn them into a rom image. This can then be loaded into sideways ram or blown into an eprom.

There is a slight difference between AUTOROM and MAKEROM when it comes to running the files. To run an AUTOROM file stored in rom its name is entered as a star

command.

The files stored using MAKEROM can be accessed using the rom filing system.

This is selected with *ROM and all the normal LOAD, CHAIN and RUN commands operate as they would with disc or tape. You can't save to rom of course, so SAVE and *SAVE won't work.

The rom filing system runs at about half the speed of a disc system, so it's quite fast.

I can't really see the use of putting a game on rom, but it would be possible to put TextEd — the simple word processor in the August 1986 issue of *Electron User* — on it so it's instantly available.

RSAVE will save the contents of any specified rom and RLOAD will load a saved rom image into sideways ram.

This is useful if you've got more roms than rom sockets since you can store all your roms on disc.

A rom can be loaded into

sideways ram at the start of a programming or word processing session. RMOVE copies a rom's contents into ram.

GOROM enables you to call a machine code routine in any rom and set the registers on entry.

This would be useful if you had a second processor, since you can run code at any address in the I/O processor — the Electron.

KILL enables you to disable or enable any rom, useful on the Electron since it has an annoying habit of switching to the first language it finds after pressing Control+Break.

This means you can end up in View, Viewsheets, Starmon, Logo or whatever you've got plugged in when you really want Basic. If you KILL the roms you don't need you can prevent this.

As your library of roms builds up you may find that two of them have the same

command. For instance both ARM and Slogger's ElkMan have the command RSAVE, and the first one to be offered the command by the operating system will immediately take it.

OFFER can be used to offer a command to a specific rom, so RSAVE could be offered to either ElkMan or ARM by specifying the rom number.

RDUMP will display the contents of any rom or sideways ram in hex, Ascii or 6502 mnemonics. REX produces a similar display, but will also allow you to edit the contents of sideways ram.

The display can be switched between hex, Ascii and mnemonics at will while browsing through the rom or ram.

The disassembler is one of the best I've seen and will disassemble forwards, backwards, follow JMPs and JSRs, and return when it gets to RTSs.

It's an essential tool for anyone dabbling in machine code.

ROMS will print a list of roms, their number, title string and size. RSUM calculates a checksum and CRC for each one.

I don't know why you'd need to know the CRC for a rom, but anyway it's there if you want it.

Although ARM is an excellent package, at first I wasn't too taken with it as several of the commands are repeated in ACP's ADT, which is a superb rom.

However ARM wins hands down when it comes to price, at £14.95 representing amazing value for money. Go out and buy this real bargain. ■

```
Advanced ROM Manager 1.11
AUTOROM  <fsp> <title> <fsp>
GOROM    <rom> <start> (A/X/Y)
KILL     (<rom>) ...
OFFER    <rom> <command>
MAKEROM  <fsp> <title> <fsp> ...
RDUMP    <rom> (<start>) (<end>) (<b>)
REX      <rom> (<start>) (<b>)
RLOAD    <fsp> <rom>
RMOVE    <rom> (<dest>) (<start>) (<end>)
ROMS     (<rom>) ...
RSAVE    <fsp> <rom>
RSUM     (<rom>) ...
```

OS 1.00

Figure 1:
ARM's 12
commands

TEL: JACQUI
0625 528885

21st. Software

ACCESS HOTLINE
SAME DAY SERVICE
(BBC VERSIONS AVAILABLE)

PRESENTS A SELECTION OF HARDWARE, UTILITIES & SOFTWARE FOR THE ELECTRON

NEW

AUDIOGENICS

THUNDERSTRUCK

R.R.P. £7.95 OURS £6.95

A great new arcade adventure
Brain teasing problems
Large characters

NEW

MARTECH'S

TARZAN

R.R.P. £8.95 OURS £7.65

NEW

C.D.S.

COLUSSUS CHESS

R.R.P. £9.95 £8.65

At long last the chess program
definitive

NEW

C.D.S.

COLUSSUS CHESS

R.R.P. £9.95 £8.65

At long last the chess program
definitive

	R.R.P.	OUR PRICE
A & F		
Cylon Attack	7.95	3.90
Chukie Egg	7.95	3.90
AARDVAAK		
Frak	7.90	6.90
Zalaga	7.90	6.90
ACORNSOFT		
Elite	12.95	11.65
Majic Mushrooms	11.95	10.95
Forth	16.85	8.95
Lisp	16.85	8.95
View Rom Cartridge	29.99	14.95
Viewsheet Rom Cartridge	29.99	14.94
Hopper ROM (Cart)	14.95	8.95
Snapper ROM (Cart)	14.95	8.95
ISO Pascal ROM Cart.	58.80	54.80
ACORNSOFT/BES		
Happy Letters	8.95	7.95
Timeman One	8.95	7.95
Happy Numbers	8.95	7.95
Wordhang	8.95	7.95
Osprey	9.95	8.95
ACORN/INKWORD		
German	14.95	8.95
French	14.95	8.95
Italian	14.95	8.95
Spanish	14.95	8.95
ADDICTIVE GAMES		
Football Manager	8.95	7.95
Botlin	9.95	7.95
ADVENTURE INT:		
The Hulk	7.95	5.95
Secret Mission	7.95	4.95
Mystery Funhouse	7.95	4.95
Pirate Adventure	7.95	4.95
ALLIGATA		
Blagga	7.95	6.95
Bumper Bundle	7.95	6.95
Contract Bridge	9.95	8.95
Guardian	7.95	6.95
Tarzan Boy	7.95	6.95
Nightworld	7.95	6.95
ANCO		
Thai Boxing	5.95	4.95
ANROG		
Jump Jet	9.95	8.95
ATARI/ISOFT		
Robotron	9.95	5.95
ATLANTIS SOFTWARE		
League Challenge		2.99
A.S.K.		
Number Painter	9.95	8.95
Best 4 English	19.95	18.45
Best 4 Maths	19.95	18.45
BLUE RIBBON		
Nightmare Maze		1.99
Castle Assault		1.99
Astro Plumber		1.99
Diamond Mine		1.99
Diamond Mine II		1.99
Darts		1.99
Joey		1.99
Ravage		1.99
Bar Billiards		1.99
Condition Red		1.99
BEAU JOLLY		
Computer Hits I	9.95	8.45
Computer Hits II	9.95	8.45
BUG BYTE		
Twin Kingdom Valley		2.99
Starforce 7		2.99
Tennis		2.99
Roboto		2.95
Cricket		2.95
Jack Atac		2.95
Savage Pond		2.95
BRITANNIA		
Play Your Cards Right	7.95	6.95

	R.R.P.	OUR PRICE
COMSOFT		
Serpents Lair	4.95	3.95
Playbox	4.95	3.95
S.A.S. Commando	4.95	3.95
C.D.S.		
Steve Davis Snooker	8.95	7.45
Birdie Barrage	7.95	6.95
C.R.L.		
Test Match	7.95	6.95
DR. SOFT		
747 Flight Sim.	7.95	6.95
Phantom Combat	9.95	8.45
D.A.C.C.		
Flight Sim 747 (DACC)	9.95	8.95
Bobby Charlton Soccer	11.95	10.95
DATABASE		
Mini Office	5.95	4.95
Micro Olympics	5.95	4.95
Majic Sword	5.95	5.45
DURELL MARTECH		
Mineshaft	6.95	5.85
Geoff Capes	8.95	7.95
Brian Jacks Superstars	7.95	6.95
Combat Lynx	8.95	7.95
Eddie Kidd Jump	7.95	6.95
Gleburne's Castle	7.95	6.95
ENGLISH SOFTWARE		
Jet Boot Jack	7.95	4.95
Kissin Cousins	4.95	4.25
ELITE		
Commando	9.95	8.45
EPIC SOFTWARE		
The Wheel of Fortune	8.95	7.45
Castle Frankenstein	6.95	5.95
The Quest of the Holy Grail	6.95	5.95
Kingdom of Klein	6.95	5.95
FIREBIRD		
Star Drifter	3.95	3.45
GILSOFT		
The Quilt	16.95	15.45
GOLEM LTD		
Education I	8.00	6.50
Education II	8.00	6.50
Fun with Words	8.00	6.50
Fun with Numbers	8.00	6.50
Jigsaw	8.00	6.50
HEWSON		
Heathrow A.T.C.	7.95	6.95
Southern Belle	7.95	6.50
ASL SOFTWARE		
Bug Eyes II	7.95	6.50
Frankenstein 2000	6.95	5.95
Caveman Capers	7.95	6.50
Psycastra	7.95	6.50
The Last of The Free	7.95	6.50
IMAGINE		
Yie Ar Kung Fu	8.95	7.95
Mike	8.95	7.45
INCENTIVE		
Confuzion	6.95	5.00
Millionaire	6.90	5.90
INTERCEPTOR		
Tales Arabian/Knights	6.00	3.00
KANSAS CITY		
Loony Loco	6.95	4.95
Ring of Time	9.50	4.50
Moon Buggy	6.95	4.95
KOSMOS SOFTWARE		
French Mistress A or B	8.95	7.95
German Master A or B	8.95	7.95
Spanish Tutor A or B	8.95	7.95
Welsh A or B	8.95	7.95
Italian A or B	8.95	7.95
Answer Back Jun. or Sen.	9.95	8.95
Answer Back Sport	9.95	8.95
Identify Europe	7.95	6.95

	R.R.P.	OUR PRICE
FACTFILE SERIES		
(Used with Answer Back)		
Arithmetic (6-11yrs)	4.95	4.25
Spelling (8-12)	4.95	4.25
Natural History (10+)	4.95	4.25
English Words (12+)	4.95	4.25
First Aid (12+)	4.95	4.25
General Science (14+)	4.95	4.25
Know England (12+)	4.95	4.25
Know Scotland (12+)	4.95	4.25
Supersport (14+)	4.95	4.25
20th Century History (12+)	4.95	4.25
Association Football (14+)	4.95	4.25
L.C.L.		
Micro French ('O' Level)	24.50	21.50
Micro Maths (24 Progs 'O' Level)	24.50	21.50
Micro English (24 Progs 'O' Level)	24.50	21.50
Mega Maths ('A' Level)	24.50	21.50
LONGMAN'S SOFTWARE		
First Moves (Chess 8+)	9.95	8.95
MACSEN SOFT		
Treasure Hunt	9.95	8.45
Block Busters	7.95	6.95
Gold Run	9.95	8.95
Bullseye	9.95	7.95
MELBOURNE HOUSE		
Way of Exploding Fist	9.95	8.95
Classic Adventure	6.95	5.95
Hampstead House	7.95	6.95
Terromolinos	7.95	6.95
MC LOTHLORIEN		
Redcoats	6.95	5.95
Paras	6.95	5.95
Johnny Reb	6.95	5.95
Special Operations	6.95	5.95
Waterloo	9.95	8.95
Battlezone	6.95	5.95
M.P. SOFTWARE		
Frienwood	7.50	6.50
Blue Dragon	7.50	6.50
Survivor	7.50	6.50
Woodland Terror	7.50	6.50
Sadin Castle	7.50	6.50
MICROBYTE		
Er'Bert	4.95	3.95
Reversi	4.95	3.95
Pinball	4.95	3.95
MICRODEAL		
Space Shuttle	8.00	5.00
MICROPOWER		
Ghouls	7.95	3.95
Jet Power Jack	6.95	3.95
Positron	6.95	3.95
Swag	6.95	3.95
Gauntlet	6.95	3.95
Chess	7.95	3.95
Killer Gorilla	7.95	3.95
Moonraider	7.95	3.95
U.X.B.	7.95	3.95
Felix/Evil Weevils	6.95	3.95
Felix in Factory	7.95	3.95
Felix/Fruit Monsters	7.95	3.95
Cybertron	7.95	3.95
Stock Car	6.95	3.95
Rubble Trouble	6.95	3.95
Adventure	7.95	3.95
Bumble Bee	6.95	3.95
Bandits at 3 O'Clock	6.95	3.95
MIRRORSOFT		
Harrier Strike Force	9.95	8.45
Count with Olive	7.95	6.95
Look Sharp	7.95	6.95
Mr Men Storymaker	9.95	8.45
First Steps	8.95	7.95
Here/There with Mr Men	7.95	6.95
Quick Thinking Plus	6.95	5.95
Word Games	9.95	8.95
Mastermind	9.95	8.95
Starseeker	9.95	8.95
Crackit Towers	9.95	8.95
Giddy Gameshow	9.95	8.95

	R.R.P.	OUR PRICE
OASIS		
Aces High	14.95	8.95
ROBICO SOFTWARE		
Rick Hanson	9.95	8.45
Project Thesis	9.95	8.45
Myorem	9.95	8.45
Enthar 7 (5.25") Disc	17.95	16.45
Note the above disc - AP4 V/F only		
SALAMANDER		
737 Flight Sim	9.95	6.95
SHARDS		
Pettigrews Diary	7.95	6.95
Mystery of Java Star	7.95	6.95
Woodbury End	9.95	8.95
Whoopsy	6.95	5.95
SHIELD		
Maths 'O' Level Examiner	9.95	8.95
Physics 'O' Level Examiner	9.95	8.95
Chemistry 'O' Level Examiner	9.95	8.95
SOFTWARE INVASION		
3D Bomb Alley	7.95	3.95
Guns Smoke	7.95	3.95
Bilzkrieg	7.95	3.95
Super Pool	7.95	3.95
Vortex	7.95	3.95
Stairway to Hell	12.95	9.95
Chipbuster	7.95	5.95
SQUIRREL/ISOFT		
Supergolf	7.50	6.50
Trafalgar	8.00	7.00
Cashcare	11.95	10.65
VAT Care	14.95	13.65
Building Soc. Care	9.95	8.95
SUPERIOR SOFTWARE		
Mr Wiz	7.95	6.95
Smash and Grab	7.95	6.95
Overdrive	7.95	6.50
Tempest	9.95	7.95
Repton	9.95	7.95
Death Star	9.95	7.95
Repton 2	9.95	7.95
Citadel	9.95	7.95
Karate Combat	8.95	7.45
Thrust	7.95	6.75
Galaforce	9.95	8.45
TYNESOFT		
Commonwealth Games	7.95	6.50
US Drag Racing	6.95	5.95
Vindaloo	7.95	6.50
Jet Set Willy	7.95	6.50
Tynesoft Starter Pack I	9.95	6.50
Ian Botham Test	7.95	6.50
Rig Attack	4.95	3.95
Supergran (Adv)	7.95	6.95
Winter Games	7.95	6.50
Mousetrap	7.95	6.50
Five-A-Side Soccer	4.95	3.95
Pag Leg	4.95	3.95
Bouncing Bombs	4.95	3.95
Wet Zone	4.95	3.95
Stratobomber	4.95	3.95
Caterpillar	4.95	3.95
Hyperdrive	4.95	3.95
Super Hangman	4.95	3.95
3D Maze	4.95	3.95
U.K. P.M.	4.95	3.95
Invaders (I.J.K.)	4.95	3.95
Bozo the Brave	4.95	3.95
Cylon Attack	4.95	3.95
Trek II	4.95	3.95
Space Caverns	4.95	3.95
TALENT		
West (Text Adv)	7.95	3.95
Laser Reflex	7.95	3.95
U.S. GOLD		
Beach Head	8.95	6.95
VISIONS		
Daredevil Dennis	7.95	4.90
Snooker	8.95	4.90
YES SOFTWARE		
Golf		2.99

**** ENTER OUR GREAT COMPETITION SEE NEXT PAGE ****

NUTS TO ACORN (Silly Prices)

BOXER	£1.25
STARSHIP COMMAND	£2.99
BUSINESS GAMES	£2.99
DESK DIARY	£2.99
TREE/KNOWLEDGE	£2.99
SNAPPER	£2.99
HOPPER	£2.99
PERS. MONEY MAN	£2.99
CRAZY TRACER	£2.99
METEORS	£2.99
WORKSHOP	£2.99

THIS MONTHS SPECIALS

ENDS 24th DECEMBER

EDDIE KIDD ONLY	£5.95
FRAK ONLY	£5.90
SMASH & GRAB ONLY	£4.95
STAIRWAY TO HELL ONLY	£8.95
FRANKENSTEIN 200 ONLY	£4.95
FRENZY ONLY	£1.99
THE MINE ONLY	£1.99
CROAKER ONLY	£1.99
ROBOTRON ONLY	£4.95

SUPERIOR SOFTWARE'S SMASH PACK 3 CASSETTES

Centibug (Shoot the Centipede)
Percy Penguin (Crush the Snowbees)
Zany Kong Jr. (Climb the vine
leaves - watch out for the snappers)
FANTASTIC VALUE
ALL THREE FOR JUST £7.95!

FIRST BYTE JOYSTICK INTERFACE

Includes conversion tape £19.94
+ Quickshot II Joystick £12.99
TOTAL £32.94 OUR PRICE £27.99
FIRST BYTE INTERFACE ONLY
R.R.P. £19.95 OUR PRICE £18.25

VINE MICROS ADDCOM

R.R.P. £28.00 OURS £26.00

FIRST BYTE
PRINTER INTERFACE
R.R.P. £19.95 OURS £18.45
PRINTER CABLE (BBC)
£9.95
TOGETHER PRICE £27.50

WIGMORE HOUSE LTD ELECTRON MOUSE

(Complete with "Whisker" Drawing
Package - requires a Plus I)
ONLY £34.90

U.S. GOLD'S CRYSTAL CASTLES

(3D Snapper, but more!)
R.R.P. £9.95 OURS £8.65
IMPOSSIBLE MISSION
R.R.P. £9.95 OURS £8.65

REPTON 3

Another amazing addition to the
by now famous series.
Design your own screens!
R.R.P. £9.95 OURS £8.45
RAVENSKULL
Arc/Adv. 4 way/Scrolling Screen
R.R.P. £9.95 OURS £8.45

SLOGGER PRODUCTS

	R.R.P.	OUR PRICE		R.R.P.	OURS
Rombox - P	69.95	64.95	THE MASTER RAM BOARD, KIT ONLY	R.R.P. £54.95	OURS £50.95
Rombox Plus	49.95	45.95	THE TURBO DRIVER, KIT ONLY	R.R.P. £29.95	OURS £27.95
Rombox Roms	44.95	41.95	SLOGGER ROM CARTRIDGE	R.R.P. £12.95	OURS £11.65
Starstore II	29.95	27.25			
Elkman	17.50	15.75			
Starmon	22.50	20.25			
Stargraph	21.95	19.95			
Starword	34.50	31.75			
Starword Cumana	34.50	31.75			
Printer Rom	24.95	22.95			
Plus 1 Rom Upgrade	7.95	6.95			
16k Sideways Ram	29.95	27.95			
Trek	17.50	15.95			

PLUS 3 DISC SECTION

Plus 3 owners look no further!
ACORNSOFT'S DATABASE R.R.P. £19.95 OURS £18.65
BLUE RIBBON GAMES DISC I
Nightmare Maze, Diamond Mines I+II, Castle Assault,
Astro Plumber R.R.P. £9.95 OURS £8.95
BLUE RIBBON GAMES DISC II
Ravage, Bar billiards, Darts, Joey, Condition Red
R.R.P. £9.95 OURS £8.95
C.D.S. SOFTWARE
Steve Davis Snooker R.R.P. £9.95 OURS £8.95
Birdie Barrage R.R.P. £9.95 OURS £8.95

KOSMOS SOFTWARE

	R.R.P.	OUR PRICE		R.R.P.	OUR PRICE
French Levels A+B	19.95	18.65	Answer Back Senior	12.95	11.65
German Levels A+B	19.95	18.65	Answer Back Junior	12.95	11.65
Italian Levels A+B	19.95	18.65	Answer Back Sport	12.95	11.65
Spanish Levels A+B	19.95	18.65	Identify Europe	10.95	9.95

A.C.P. PRODUCTS

	R.R.P.	OUR PRICE		R.R.P.	OUR PRICE
Advanced Disc Toolkit	34.50	32.20	Advanced Rom Adapter 2	14.95	13.65
A.P.4.	79.98	75.98	Advanced Sideways Ram	29.90	27.90
Advanced Electron D.F.S.	24.15	22.15	Advanced Disc Investigator	28.75	26.55
Advanced Rom Manager	14.95	13.65	APS	66.70	62.50

TYNESOFT LTD 3 GREAT NEW TITLES

FUTURESOCK

Arc/Adv
64 screens
drop down menus
Superb Value
R.R.P. £7.95
OURS £6.50

GOAL

The Game you've been
waiting for
A form of 'Match of the
Day'
But Better!
R.R.P. £7.95
OURS £6.50

JET SET WILLIE II

NEED
WE
SAY
MORE!!
R.R.P. £7.95
OURS £6.50

21st SOFTWARE COMPETITION!!

Win Audiogenic's "THUNDERSTRUCK II" Ten free copies to be given away

All you have to do is answer this simple question

What was Audiogenic's (A.S.L.) first software release for the Electron?

RULES:

Open to all customers whose orders are received by the 17th December. Please note that answers will only be accepted on a separate sheet accompanying an order, stating name, address and telephone No. (if available). The draw will take place on the 18th December, the Winners receive their prize by the 20th January. Prizewinners names will appear in the March cover edition.

GOOD LUCK!!

BOX OF TEN C20 COMPUTER CASSETTES £4.99 inc VAT & P&P

ALL PRICES ARE INCLUSIVE OF VAT AND CARRIAGE
OVERSEAS ORDERS PLEASE ADD £1.00 PER ITEM. INCLUDES INSURANCE

We guarantee all titles are originals. We offer a quick and reliable service. Most Electron and BBC titles are available on request with the guarantee of at least £1.00 off the R.R.P.

Please send me:

1. _____ £ _____
2. _____ £ _____
3. _____ £ _____
4. _____ £ _____

TOTAL £ _____

Access No. _____

Cost

Please make cheques payable:

21st Software Ltd

Please quote Access expiry dates.

Send Orders to:

21st SOFTWARE LTD

15 Bridgefield Avenue
Wilmslow SK9 2JS

Tel: Wilmslow (0625) 528885

Office Hours 9.30am-5.30pm (Mon-Fri)

Name _____

Address _____

Post Code _____

Tel. No. _____



Proudly Presents

THE BANISHED PRINCE FOR THE ACORN ELECTRON

A new exciting adventure, set in medieval surroundings. Can you return the seven stolen treasures to the King and regain your noble title or forever remain the Banished Prince?

This game comes complete with save game facility. Hints available on request.

All games despatched First Class post on day of receipt.

Send cheque or postal order for £5.95 to:

ORBIT SOFTWARE

**7 Brookside Avenue, Stockton Heath,
Warrington, Cheshire WA4 2XG**

MITHRAS SOFTWARE

Buy Best Sellers at our Discount Price or pay the normal retail price and choose one of our Bargain Games FREE. New titles are available from release day.

	Price with free game	Discount Price		Price with free game	Discount Price
BEST SELLERS					
Repton 3	9.95	7.50	Thunderstruck	7.95	6.50
Galalorae	9.95	7.50	ASL Power Pack 1	7.95	6.50
Myorem	9.95	7.95	Thrust	7.95	6.50
Rebel Planet	7.95	6.50	Psychastria	7.95	6.50
The Quill	16.95	14.95	Mike	8.95	6.95
Citadel	9.95	7.50	Jet Set Willy	7.95	6.50
Commando	9.95	7.50	Jet Set Willy 2	7.95	6.50
Bug Eyes 2	7.95	6.50	Strike Force Harrier	9.95	7.50
Vindaloo	7.95	6.50	Karate Combat	8.95	6.95
Caveman Capers	7.95	5.95	Yie Ar Kung Fu	8.95	6.95
Southern Belle	7.95	6.50	Way of the Exploding Fist	9.95	7.50
Repton	9.95	7.50	Phantom Combat	9.95	7.50
Repton 2	9.95	7.50	Beach-Head	8.95	6.95
Frak	7.90	6.50	Winter Olympics	7.95	6.50
Elite	12.95	10.95	Brian Jacks Superstar	7.95	6.50
Rick Hanson	9.95	7.95	Ian Botham Test Match	7.95	6.50
Project Thesis	9.95	7.95	League Challenge	—	2.95
Questprobe 3: Fant. Four	7.95	6.50	Snooker Visions	—	3.25
Questprobe 1: The Hulk	—	2.95	Cricket	—	2.95
Goal	7.95	6.50	Tennis	—	2.95
Football Manager	—	5.95	Sky Hawk	—	2.95
Twin Kingdom Valley	—	2.95	Savage Pond	—	2.95
Castle of Riddles	—	3.50	Jack Attack	—	2.95
Forth	—	3.50	Star Force Seven	—	2.95
Leap	—	3.50	Hunchback (Oscar)	—	3.95
Computer Hits Vol 3	9.95	7.50	Chuckie Egg	—	3.95
The Last of the Free	7.95	6.50	Bumper Bundle (Alligata)	—	3.95

CHRISTMAS STOCKING FILLERS - THE BARGAIN LIST

Golf	Position	Adventures	
Super Pool	Cylon Attack	Pharaoh's Tomb	
3D Bomb Alley	Heathrow ATC	Arrow of Death	
Gunsmoke	Firebug	Circus	
Blitzkrieg	Meleons	Escape from Pulsar 7	
Kamikazi	Planetoid	Golden Baton	
Vortex	Chees	Perseus & Andromeda	
Electron Invaders	Stock Car	Time Machine	
Swoop	Bandits at 3 o'clock	Ten Little Indians	
Swag	Bumble Bee	Warworks	
Danger UXB	Croaker	Wizard Akryz	
Escape from Moonbase Alpha	Cybertron Mission	Stolen Lamp	
Frenzy	Felix in the Factory	Adventure	
Gauntlet (Micropower)	Felix & the Fruit Monsters		
Galactic Commander	Felix: meets the Evil Weavle		
Killer Gorilla	Ghouls		
The Mine	Jet Power Jack		
Rubble Trouble	Moonrider		

Please give one or two alternatives in case your choice is sold

1 FOR 2.75 2 FOR 5.25 3 FOR 7.50
4 FOR 9.50 5 FOR 11.50 6 FOR 13.50

ALL PRICES INCLUDE P&P FOR UK AND DESPATCH WITHIN 7 DAYS OF RECEIPT OF ORDER BY FIRST CLASS POST

(Orders to Europe and Eire add 50p for each item, Worldwide add £1 for 1st and 50p for each item.)

Please send cheque payable through a UK Bank or arrange for payment by Postal Girocheque.)

PLEASE QUOTE ELECTRON (a BBC List is available on request)

and send cheque or PO payable to:

MITHRAS SOFTWARE

PO Box 151, Maulden, Bedford MK45 2YH

Tel: 0525 402630

NEW
RELEASES

HOLL-SOFT ELECTRON/BBC ADVENTURES 5 GAMES £11.00

NEW
RELEASES

THE DRUIDS CIRCLE

Solve the mystery of the stones and unleash the druids power.

£3.00

MISSION XP2

Out of this world adventure on a crippled spaceship.

£3.00

TOMB OF DEATH

Survive the deadly tomb and recover the golden idols of HARAS.

£3.00

PONY EXPRESS

Bandits, hostile indians and a raging river bar your way in this wild west adventure.

£3.00

*** NEW RELEASE ***

FIRE ISLAND

'REAL TIME' Adventure on a remote island that is not as deserted as first appears. Can you survive long enough to find the pirates' treasure and escape the island?

£3.00

All adventures with save game

Price £3.00 each OR £5.00 for 2, £7.00 for 3, £9.00 for 4 or ALL 5 for £11.00. Please add 50p postage and packing per order. Also help sheets available 20p per game. Please add £1.00 for orders outside UK.

Send cheque or postal order with your order to:

HOLL-SOFT
79 Hinde House Lane, Sheffield S4 8GZ

ANDYK Ltd.



EPROM CARTRIDGE

Able to take application software.

Also one or two ROMs.

Allows use of utility ROMs. Plugs into

Plus 1: **£9.99 + £1 P&P**

RS423 SERIAL PORT

Can run "Term II" and "Linemaster".

Has drive capability and software

interface as the BBC Model 'B', plugs

directly into Plus 1 cartridge slot.


Price: £34.99 + £1 P&P

(as used by CBS News)

Details of a complete communications package will be available soon.



58 PARK LANE, WESHAM
LANCASHIRE PR4 3HG.
TEL: (0772) 682658



Any port in a storm

I HAVE always viewed the Electron as a BBC Micro with all the nice parts removed, because my main interest is interfacing all sorts of gadgets to computers.

This is made particularly easy on the BBC Micro and particularly difficult on the Electron.

Now, however, the AP5 interface from Advanced Computer Products at a stroke gives the Electron those ports that are so useful on its big brother.

It occurred to the editor that some of you might not be familiar with the ways a BBC Micro can be attached to all sorts of equipment.

So he has asked me to take a break from my usual role on *The Micro User* to explain what this remarkable device can do.

It must be emphasised that this is not a review of the product but rather a taster of some of the exciting projects you can undertake with its help.

In *The Micro User* I write a monthly column on interfacing and hardware projects called

MIKE COOK takes the AP5 interface and shows how useful it can be

the Beeb Bodybuilding Course.

Although some slight modifications to the driving software might be needed, most projects I have done should now run on the Electron with the AP5.

The articles have covered a wide range of interfacing so let's see what use can be made from the user port, 1MHz bus and Tube provided by the AP5.

The user port is perhaps the most useful port. On the BBC Micro this is mapped into addresses &FE60 to &FE6F whereas the AP5 has it at &FCB0 to &FCBF.

This means that the software will have to be changed to reflect the new position of the port – an almost trivial task which should not prevent operation of any project.

A user port consists of eight data lines that can be programmed to be input or output. In addition there are two control lines that can be

used to handshake the data lines.

Handshaking is the protocol involved in data transfer, and it normally consists of a signal indicating that fresh data is on the lines and that the receiving station is ready to receive it.

Most digital devices can be interfaced to the Electron using this port. It enables you to sense the state of switches or turn things on and off.

For instance in the July 1983 issue of *The Micro User* I produced a transition board and cable (Body Build Packs 1 & 2) to allow simple screw connection to the port.

Then I showed how you could make a simple "steady hands" game using this and an old coat hanger.

In the following August and September issues I showed how you could use the outputs to control small relays and even mains devices.

Motor control can also be achieved using the user port and in the May 1984 issue of

The Micro User I showed how to control stepping motors, and DC motors were covered in the November 1985 issue.

As well as control some interesting devices may be made to fit on this port.

One example for those interested in monitoring weather information was the anemometer (wind speed) in the June 1985 issue and the weather vane (wind direction) in October 1986.

For those interested in precise measurement the 4 1/2 digit DVM (digital voltmeter) can give a reading in volts from -1.9999 to +1.9999. This was featured in the April 1985 issue.

If you want to synthesise sounds the digital to analog converter in the October and November 1984 issues lets you create any sound waveform you like.

If you need more than eight bits of data on the user port



HARDWARE REVIEW

From Page 67

this can be expanded to 32 inputs and 32 outputs using a multiplexer board featured in the December 1985 issue.

The 1MHz bus (pronounced one MegaHertz) is a memory mapped area of the computer's memory for attaching devices that require more than the simple single eight bits provided by the user port.

Using this bus you can attach devices that require several address locations to drive them. The bus has room for 512 bytes of space divided into two 256 byte pages.

The AP5 board has some space in these pages that you can't use. These are in page &FC but all page &FD is free.

In the Bodybuilding Course I have used this to add extra user ports to the computer.

The user port extension board in the August 1984 issue adds two chips to the bus to give you in effect four

more user ports. It allows the computer to control several devices at the same time.

The board uses a block of 16 addresses in page &FC and the AP5 interface does not have a usable block that long.

However, the solution is quite simple - move the user port expansion board to page &FD. This involves cutting a track and making a link on the Body Build board.

Another project that uses the 1MHz bus was the very successful sound sampler featured in January, February, and March 1986.

This enables you to digitise any sound and read it into the computer. Once in there you can manipulate and mangle the sound before sending it out. This allows you to produce stutter effects currently in vogue in pop music.

In addition you can get real time echo and frequency shifts as well as being able to produce music derived from

the sampled sound.

This project should fit on to the AP5 without any modification. However some of the software will have to be changed slightly to work with the Electron's different architecture.

Also the AP5 does not have an input to the audio amplifier like the BBC Micro's 1MHz port, so you will have to feed the output of the sound sampler into an amplifier.

The final port on the AP5 board is the Tube, which allows you to connect a second processor to your Electron.

There are several different types of second processor on the market each having its own strengths.

Generally a second processor gives more memory and speed by moving the computational aspect of your programs out of the Electron.

It handles the number crunching while the Electron

handles the input from the keyboard and the output to the screen. This division of labour results in much faster running of programs.

The second processor takes over the personality of the Electron and it will feel like you are driving a new computer. However, there are certain types that do act remarkably similarly to the Electron.

Looking at the AP5 shows it to be constructed to a high standard, it looks solid and robust.

So the AP5 interface opens up the Electron for a whole new type of computing, and you thought you were just getting your Electron mastered!

Product: AP5 Interface
Price: £66.70
Supplier: Advanced Computer Products, 6 Ava House, High Street, Chobham, Surrey GU24 8LZ.
Tel: 0276 76545

C & F ASSOCIATES

BARGAIN PRICE ELECTRON SOFTWARE

Title	RRP	Our PRICE
Repton 3	9.95	7.75
Gala Force	9.95	7.50
Psychastria	7.95	6.75
Thrust	7.95	6.50
Mikie	8.95	6.95
Commonwealth Games	7.95	6.50
Commando	9.95	7.50
Citadel	9.95	7.50
Exploding Fist	9.95	7.50
Yie Ar Kung Fu	8.95	6.95
Thunderstruck	7.95	6.75
Last of the Free	7.95	6.75
10 Computer Hits 2	9.95	7.50
Jet Set Willy	7.95	6.50
Mouse Trap	7.95	6.50
Rick Hanson	9.95	7.95
Project Thesus	9.95	7.95
Myorem	9.95	7.95
Repton	9.95	7.50
Repton 2	9.95	7.50
Phantom Combat	9.95	7.50
Strike Force Harrier	9.95	7.50
Winter Olympics	7.95	6.50
Beach Head	8.95	6.95
Tempest	9.95	7.50
Karate Combat	8.95	6.95
The Quill	16.95	14.95
Death Star	9.95	7.50
Eddie Kidd	7.95	6.50

Title	RRP	Our PRICE
Brian Jacks	7.95	6.50
Geoff Capes	8.95	6.95
Stairway to Hell	12.95	9.95
Football Manager	8.95	6.95
Southern Belle	7.95	6.50
Caveman Capers	7.95	6.50
Ian Botham Test	7.95	6.50
Steve Davis Snooker	8.95	6.95
Combat Lynx	8.95	6.75
Blockbusters	7.95	6.50
Treasure Hunt	9.95	7.50
Word Games with Mr Men	9.95	7.50
Magic Storymaker	9.95	7.50
1st Steps with Mr Men	8.95	6.95
Here & There Mr Men	7.95	6.50
Wheel of Fortune	8.95	6.95
Quest/Holy Grail	6.95	5.95
Castle Frankenstein	6.95	5.95
Kingdom of Klein	6.95	5.95
Aces High	9.95	7.50
Terrormolinos	7.95	6.50
Dynabyte Collection	7.99	3.95
Action Pack	4.99	4.50
Chess	7.95	6.50
Chip Buster	7.95	5.95
Overdrive	7.95	6.50
Thai Boxing	5.95	4.95
Bug Eyes 2	7.95	6.50

Title	RRP	Our PRICE
Fantastic 4 Pt. 1	7.95	6.50
Micro Olympics	5.95	4.95
Mineshaft	6.95	5.95
Bullseye	8.95	6.95
Test Match	7.95	6.50
Star Drifter	3.95	3.75
Drag Racing	6.95	5.95
Vindaloo	6.95	5.95
Twin Kingdom Valley		2.95
League Challenge		2.95
Webwar		2.95
Golf		2.95
Starforce 7		2.95
Jack Attac		2.95
Roboto		2.95
Escape Moonbase Alpha		2.95
Jet Power Jack		2.95
Croaker		2.95
Cybertron Mission		2.95
Danger UXB		2.95
Rubble Trouble		2.95
Bandits at 3 O'Clock		2.95
Killer Gorilla		2.95
Stock Car		2.95
Galactic Commander		2.95
Electron Invaders		2.95
Tennis		2.95
Quest for Freedom		1.99
Galactic Patrol		1.99

Orders normally despatched by First Class Post on day of receipt. But allow max. of seven days. All prices include VAT and P&P (Overseas orders add £1)

Name _____
Address _____

Make of computer _____

Title _____

Total _____

Cost _____

Access orders accepted.
Make PO/Cheques payable to:
C & F ASSOCIATES
and send to:
C & F ASSOCIATES
PO BOX 2
BIDEFORD EX39 3RE.
Tel: (023 73) 619



You're never too young to play a Magical Adventure on the BBC Micro or Electron!

Read the book – then play the game!

Kristin and Martin Hollis

The Magic Sword



The computer Adventure
of Princess Poppy
and the Frog Prince

A Database publication

Based on the style of the classic computer adventures – but written so that even small children can learn to find their way around, encouraged by colourful graphics and exciting sound effects.

The pack contains a 48-page full colour storybook

PLUS

a full length multi-location adventure on cassette

was **£8.95**

**SPECIAL OFFER
PRICE**

£5.95 tape inc. p&p

£6.95 3½" disc inc. p&p

The Magic Sword

BBC Micro
& Electron



Makes
an ideal
present

Please send me the complete Magic Sword pack containing storybook and cassette to:

Name _____

Address _____

- ☐ I enclose my cheque for £5.95 payable to Database Publications
☐ Or debit my Access/Visa card:

No. _____

Signed _____

SEND TO: Adventure offer, Europa House, 68 Chester Road, Hazel Grove, Stockport SK7 5NY

**FREE
RACING
ANALYSER**

POOLS

**17,000
MATCH
DATABASE**

PREDICTOR

If you've ever asked yourself (and who hasn't!) how your computer can help you on your way to a pools fortune, here's some good news. The Mayday Software Pools Predictor. It's the expert system that's powerful and sophisticated yet easy to use. It comes with a massive database and, just as important, a track record of four highly successful seasons to back it up. So you can be confident you have your personal expert tipster taking the chance out of filling in your coupon. And completing this super punter's package, a free Racing Analyser program that will give you the low down on any horse race - without fuss!

1988/87 version now available for BBC, Electron and Spectrum (please state your computer when ordering).

**MAYDAY
SOFTWARE**

**181 Portland Crescent
Stanmore, Middx. HA7 1LR**

£11.99

Advertisers Index

21st Software	64, 65	May Day Software	70
Acorn	14, 15	Micro Power	7
Advanced Computer Services	8, 9	Mithras Software	66
Allan Data	70	Orbit Software	66
Andyk	66	Peter Donn	70
ASL	62	PMS	49
C&F Associates	68	Potter Programs	48
Database Software	28	Ptarmigan Software	35
Direct Disk Supplies	70	Rams Computers	12
Expandor Systems	70	Rom-Soft	70
Golem	35	Shards Software	57
Holl-Soft	66	Slogger	25, 26, 27
Incentive Software	2	Softshop	12
Kosmos Software	49	Superior Software	4, 71, 72
		Voltmace	54

BBC/ELECTRON 'IMAGE' V.2

'IMAGE' was the ultimate tape back up system
now, it's even better

You can be completely assured that this is the best and most able program of its type available. It can deal with:

- Locked programs
- Programs of any length
- 300↑ and 1200 BAUD
- Files
- ?'s (Ctrl codes) in Filename
- Multiple back ups
- False or trick block info.
- Changing Filename↑
- Continuous data stream↑
- Locking and unlocking programs

It is VERY IMPORTANT INDEED purchasers take note that 'IMAGE' is for sale strictly for making BACK-UPS of your own software for your own use, for protecting your own programs, or as an aid to putting software on disk. Any person found using the program for illegal purposes runs the risk of being prosecuted.

To receive your copy of 'Image', send a cheque or P.O. for the sum of
An Astounding £5.80 to:

**Peter Donn, Dept. EU, 18 Tyrone Road,
Thorpe Bay, Essex SS1 3HF**

Please state BBC or Electron version. V.1 owners can obtain V.2 by sending £1.50 + V.1
AA269 without case †BBC version only

PLUS I AND ROMBOX OWNERS

WOULD YOU LIKE MORE GAMES CARTRIDGES?

HAVE YOU GOT SPARE SLOTS ON YOUR ROMBOX?

Your own original tapes "backed up" onto eeprom for rapid,
error free loading

Jet Boot Jack, Cybertron, Killa Gorilla, Blogger, Frenzy, Snapper, Felix
etc, Swoop, Chukle Egg + Upgrades, Invaders, Wallaby, Ghouls + any
unprotected basic or machine code

Program less than '3E' can be ROMed at **£5.75 each + 50p P&P**

Send your tapes (returned with eeprom) - POST RECORDED DELIVERY

Many other tapes can be processed - can yours? Approx 50% success -
ensure no part greater than 3E, No? Files - some may need 2 eeproms.

Send tape plus 50p (for return P&P and quotation)

All tapes returned promptly

2 ROMs in Plus I cartridge at £22.50 each including P&P

All cheques & P/Orders made payable to:

I. S. BECKINGHAM

Rom-Soft, I. S. Beckingham, 30 Meadow Drive, Knutsford,
Cheshire WA16 0DT

IDEAL FORM FINDER FOR FIXED ODDS FANS

UNIQUE

(PROBABILITY THEORY TESTED
POOLS PREDICTOR)

60%+

ACCURACY
POSSIBLE

For the Acorn Electron. Cassette only.
Cheques/P.O.'s payable to:
**ALLAN DATA, (EU) 1 Lom Road, Dunbeg,
Connel, Argyll PA37 1QB**

**£7.95 inc.
P&P + VAT**

ELECTRON

EPROM PLUS

SIDEWAYS ROM FOR THE ELECTRON!!

Using this Superb ADD-ON for the Acorn Electron with PLUS 1 expansion you can fit up to 4
ROMS/EPROMS (8 with 2 units fitted) which will then be available at the flick of a switch.

The EPROM PLUS plugs into either of the expansion sockets of the PLUS 1, and will accept
8K or 16K ROMS/EPROMS. The facility to POWER-UP into whichever ROM is selected, or
BASIC if required, is a useful feature of the unit.

An added bonus is that many of the ROMS available for the 'Beeb' will also run on the Electron,
offering another world of software.

ORDERING: One EPROM PLUS Unit **£15.95 inc. P&P**
Two EPROM PLUS Units **£28.95 inc. P&P**

EXPANDOR SYSTEMS

99 Staley Hall Road, Stalybridge, Cheshire SK15 3DP.
Tel: 061-303 7646 Tel: 061-747 5688

CUT-PRICE DISKS - LOWEST YET!



5.25" 'Universal'

suits all drives -
SSSD, SSDD, DSDD, DSQD-96.

£49.99 - 100 disks

£26.99 - 50 disks

£14.99 - 25 disks

*Life-time No Quibble Warranty!

*Hub-rings, full spec.

*No Extras - vat & delivery included

Lowest **3M**

& branded prices - Try us!
Official orders very welcome.

FREE! Buy 200 disks
and get a tub of
screen/computer wipes.

3.5" Hi-grade

Single or Double sided
SSDD or DSDD All ex-stock

£139.99 or £159.99 - 100 disks

£ 75.99 or £ 85.99 - 50 disks

£ 39.99 or £ 49.99 - 25 disks

Same day despatch -

Cheques or orders to:-

Dept

Direct Disk Supplies Ltd

FREEPOST

29 Dagmar Road

Kingston, Surrey, KT2 6BR.



DIAL-A-DISK
01-541 1144


Ravenskull



The Eerie Loading Screen



The Elf escapes from a Ravenbee



Close-up of a Crystal Ball



The Adventurer collects a Treasure Chest

Ravenskull Castle — The Fortress of Doom

Your task is to save the village of Austburg from imminent devastation. You must enter Ravenskull Castle and retrieve the silver crucifix which the evil Baron Strieg has stolen. Only then will Austburg be safe from the Zombies who inhabit the swamp surrounding the medieval castle.

Ravenskull is a massive arcade-adventure featuring smooth 4-way screen scrolling over the 4 levels of play. Each level is 64 times the size of the screen, and there is an initially-bewildering variety of game characters including: acid pools, man-eating plants, time-doors, keys, pick-axes, scythes, spades, bows and arrows, dynamite, bells, food and wine (beware! it may be poisonous or have strange side-effects). There are also several magical scrolls and potions to be found. These may be good or evil; for example the strength scroll gives you the power to push wooden casks, whereas the lightning-strike scroll is fatal if used.

The guardians of the castle, the vicious Ravenbees have to be avoided or, in some cases, destroyed — but there is only one way to kill them; you must discover how as you venture through the dank passages of the castle. Your quest is not an easy one — only with time, experience and a little luck will you unravel all the mysteries within Ravenskull Castle.

PRIZE COMPETITION

If you are skilful enough to complete Ravenskull, you can enter our prize competition. The prizes include a £100 first-prize, with Superior Software T-shirts for runners-up.

PRICES

Electron cassette.....£9.95 BBC Micro disc (5¼").....£11.95
BBC Micro cassette.....£9.95

Ravenskull is compatible with the BBC B, B+, Master

**SUPERIOR
SOFTWARE**
Limited

ACORNSOFT

The screen pictures
above show the BBC
Micro version of
Ravenskull.



OUR GUARANTEE
• All mail orders are despatched within 24 hours by first-class post.
• Postage and packing is free.
• Faulty cassettes and discs will be replaced immediately.

Dept. RS5, Regent House, Skinner Lane, Leeds LS7 1AX. Telephone: 0532 459453.


24 HOUR TELEPHONE
ANSWERING SERVICE FOR ORDERS

For the COMMODORE, AMSTRAD, BBC MICRO, ELECTRON

REPTON

THE ULTIMATE CHALLENGE

3



The Screen Editor.



The Character Editor.



Being pursued by a Monster



The Time Bomb is located



The Poisonous Fungus grows insidiously



Collecting a Golden Crown

Are you ready for the ultimate challenge?

Our original Repton game was immediately acclaimed as a refreshingly new concept: a game requiring dexterity to complete its arcade-style elements, and clear logical thinking to solve its strategic puzzles. Repton involves retrieving treasure from cleverly-constructed traps of falling rocks whilst avoiding the fearsome monsters and haunting spirits. "This is an astounding game reaching new heights in BBC arcade adventures," enthused the Micro User magazine.

Last Christmas saw the release of Repton 2, larger and much more challenging than before. Acorn User's Technical Editor Bruce Smith wrote: "Repton 2 is better than anything I've played on the BBC Micro or Electron. Brilliant!"

Now, completely rewritten and improved for the Commodore, Amstrad, BBC Micro and Electron, we proudly present Repton 3: For the first time, a screen-designer is included: try to devise screens that will perplex your friends, then see if you can solve their newly-designed screens. Another innovation is the character-designer which enables you to design your own monsters, rocks, eggs, spirits, diamonds... any or all of the game's characters can be redefined as you wish.

Repton 3 is much larger than its predecessors — it has 24 fascinating screens, and players who are skilful enough to complete them all can enter our prize competition described below. All the favourite Repton characters have been retained, together with several new features: a creeping poisonous fungus which grows at an alarming rate; time bombs and time capsules (for puzzles in the 4th dimension); and golden crowns as well-deserved rewards for your endeavours. **Can YOU complete Repton 3?**

PRIZE COMPETITION

If you complete Repton 3, you can enter our competition. Prizes include over £200 in cash, with T-shirts, mugs, badges and pens for runners-up.

COMMODORE 64/128 • AMSTRAD CPC 464/664/6128
BBC MICROS: B, B+, MASTER, MASTER COMPACT • ELECTRON

Commodore Cassette.....	£9.95	BBC Micro Cassette.....	£9.95
Commodore Disc.....	£11.95	BBC Micro Disc.....	£11.95
Amstrad Cassette.....	£9.95	Master Compact Disc.....	£14.95
Amstrad Disc.....	£14.95	Electron Cassette.....	£9.95

SUPERIOR SOFTWARE
Limited

ACORNSOFT

The screen pictures above show the BBC Micro version of Repton 3.



OUR GUARANTEE

- All mail orders are despatched within 24 hours by first-class post.
- Postage and packing is free.
- Faulty cassettes and discs will be replaced immediately.

Dept. R9, Regent House, Skinner Lane, Leeds LS7 1AX. Telephone: 0532 459453.

24 HOUR TELEPHONE ANSWERING SERVICE FOR ORDERS